FAX NO. 5057484572

P. 02

Form C-144 March 12, 2004

histrict I 625 N. French Dr., Hobbs, NM 88240 histrict II 301 W. Grand Avenue, Artesia, NM 88210 histrict III 000 Rio Brazos Road, Aztec, NM 87410 histrict IV 220 S. St. Francis Dr., Santa Fc, NM 87505 State of New Mexico Energy Minerals and Natural Resources

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes <b>xx</b> No Type of action: Registration of a pit or below-grade tank for a pit or below-grade tank to below tank tank to below tank tank to below tank tank tank tank tank tank tank tank		
Icrator: Yates Petroleum Corporation Telephone: (505) 748-4347 e-mail address: debbic@ypenm.com   Idress: 105 South 4 <sup>th</sup> Street, Artesia, NM 88210   cility or well name: Orbison BEW State #1 API #: 30 · 075 368 16/2 or Qtr/Qtr H_Sec_14 T_12S_R 34E   cility or well name: Orbison BEW State #1 API #: 30 · 075 368 16/2 or Qtr/Qtr H_Sec_14 T_12S_R 34E   cynty: Lea Latitude N33.2812 Longitude W103,4757		
t Type: Drilling X Production Disposal Workover DEmergency ned x Unlined iner type: Synthetic xx Thickness <u>12 mil</u> Clay Volume <u>24,000</u> bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes [] If not, explain why not.	
hepth to ground water (vertical distance from bottom of pit to seasonal high /ater elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)
Vellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)	Yes No	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, rrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)
	Ranking Score (Total Points)	20 Points

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite 🗋 offisite 🗍 If offisite, name of facility\_\_\_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end

date. (4) Groundwater encountered: No 🗋 Yes 🗋 If yes, show depth below ground surface\_\_\_\_\_ft. and attach sample results. (5) Attach soil sample results and a

diagram of sample locations and excavations. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [], a general permit [XX], or an (attached) alternative OCDapproved plan [].

Date: August 9, 2004

Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of the responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: 104 Chur Willie Date: DIST. JUPU\_Signature\_\_ Printed Name/Title CHR15 WILLIAMS -

AUG-09-04 MON 01:08 PM FROM:

Printed Name/Title Clifton R. May/Regulatory Agent

## YATES PETROLEUM CORPORATION General Plan was approved 4/15/04

Reserve put

Flare pit

The reserve pit will be to the North. The Southeast corner of the pit will be approximately 60' North of the well bore. The pit will be a 150' X 150' and 6' deep with a capacity of 24,000 bbls.

> Standard reserve pit. All Reserve pits are double Horse shoe size varies with depth of well

60'

well bore

 $\hat{\mathbf{m}}$ 

PAGE

ġ



FAX NO. 5057484572

AUG-09-2004 MON 12:57 PM YATES PETROLEUM LAND FAX NO. 5057484572

DISTRICT I

1686 H. French Dr.

DISTRICT III

DISTRICT II 811 South First, Artesia, NN 88210

1000 Rio Brazos Rd., Axter, NM 87410

DISTRICT IV 2040 South Pacheco, Senta Fe, NM 87505 State of New Mexico

Energy, Minerals and Natural Resources Department

572 P. 04 Revised March 17, 1999 matruction on back Submit to Appropriate District Office State Lease - 4 Copies Post Lease - 3 Copies

## OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe. New Mexico 87504-2088

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT Pool Name Pool Code WILDEAR MISSISSIPPIAN API Number Vell Number Property Name Property Code 1 ORBISON "BEW" STATE Elevetion **Operator** Name OGRID No. YATES PETROLEUM CORPORATION 4141 025575 Surface Location Feet from the Sest/West line County North/South line Feet from the Section Township Range Lot ide UL or lot No. LEA EAST NORTH 915 1750 34F 14 125 н Bottom Hole Location If Different From Surface County East/West line North/South line Feet from the Feet from the Lot Ida Section Township Range UL or lot No. Consolidation Code Order No. Joint or Infill Dedicated Acres 320 NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION OPERATOR CERTIFICATION I hereby certify the the inform d beven to true and complete to the muletge and belief. ut of my kn 750 10. Signatur CLN<u>FTON</u> N.33\*16'52.2" Printed Name W.103\*28'32.6" REGULATORY AGENT 015 N.830843.9 E.762248.3 Title (NAD-27) 9 8 Ó VO-5874 Date SURVEYOR CERTIFICATION I hereby owrify that the well location shown on this plat was plotted from field notes of cutual surveys made by me or under my supervision, and that the same to true and currect to the best of my belief. /29/2004 Date Surveyed Signature Profes **RLS 3640** GENERAL SSICKWALLAND COMPANY \_ 860 2310' 1980' 1650 330 1550' 1980' 2310' 660 880

AUG-09-04 MON 01:09 PM FROM: