District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

March 12, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Type of action. Registration of a pit of colow-grade talk 🔀 crossite of a pit of colow-grade talk 🔲		
Operator: Mack Energy Corporation Telephone: (505)748-1288 e-mail address: jerrys@mackenergycorp.com		
Address: P.O. Box 960, Artesia, NM 88211-0960 03092		
Facility or well name: B Lee State #1API #- 30-025	-39926 U/L or Otr/Otr F Sec 7 T 1	8S _R 35E
County: Lea Latitude Longitude		ner Federal State X Private Indian
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined Vulined	Double-walled, with leak detection? Yes If not, explain why not,	
Liner type: Synthetic X Thickness 12 mil Clay Volume		
500 bbl		
		The same of the sa
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
water elevation of ground water.)	50 feet or more, but less than I 00 feet	(10 points) 3456 769 70772
	100 feet or more	(0 points A Points
W.W. 1	Yes	(20 points) Allo and
Wellhead protection area: (Less than 200 feet from a private domestic	No	(O notified AUG 2011) 5
water source, or less than 1000 feet from all other water sources.)		(20 points) (0 points) (10 points) (20 points) (20 points) (20 points) (10 points) (10 points) (10 points) (10 points) (10 points) (10 points)
	Less than 200 feet	(20 points), Hobbs
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points) OCD
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	1000 1000 01 11000	0 Points EZZZV
	Ranking Score (Total Points)	
		10 Points
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:		
onsite offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end		
date. (4) Groundwater encountered: No 🗌 Yes 📗 If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a		
diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date: 8/4/04		
Printed Name/Title Jerry W. Sherrell/Production Clerk Signature Janu W. Shenoll		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or		
regulations.		
Approval:		
C/18/m/		
Date: 8 / 18/04		
Printed Name/Title ORIGINAL SIGNED BY Signature Signature		
Printed Name/Title UNIGHT Signature Signature PETROLEUM ENGINEER		
PETROLEUM ENGINEER		

12' Wide x 40' Long x 6' Deep Lined Workover/Plugging Pit

