

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

NMOCD-14

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT -" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: ☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. Name of Operator
CHEVRON USA INC

3. Address and Telephone No. 15 SMITH ROAD, MIDLAND, TX 79705 915-687-737

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter M : 1148' Feet From The SOUTH Line and 775' Feet From The
WEST Line Section 28 Township 18-S Range 32-E

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and Number
SCOTT E FEDERAL COM
1

9. API Well No.
30-025-27442

10. Field and Pool, Exploratory Area
LUSK, STRAWN, NORTH

11. County or Parish, State
LEA, NM

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ OTHER: TEMPORARILY ABANDON
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

CHEVRON U.S.A. INC. INTENDS TO TEMPORARILY ABANDON THE STRAWN POOL IN THE SUBJECT WELL. FUTURE PLANS INCLUDE RECOMPLETION TO THE QUERECHO PLAINS; LOWER BONE SPRINGS.

THE INTENDED PROCEDURE IS AS FOLLOWS:

- 1) NOTIFY BLM 24 HOURS IN ADVANCE OF WORK.
- 2) TIH W/BIT & SCRAPPER TO TOP PERF. TOH.
- 3) TIH & SET CIBP - 50' ABOVE TOP PERF.
- 4) PRESSURE TEST & CHART FOR BLM.

WELBORE DIAGRAMS ARE ATTACHED.

*****THIS REPORT WAS PREVIOUSLY DENIED BY GARY GOURLEY (COPY ATTACHED)*****
MR. GOURLEY SPOKE WITH MONTE DUNCAN & MIKE REEVES, REPRESENTATIVES OF CHEVRON, ON 7-22-04, AND ISSUED A 180 DAY EXTENSION.

I hereby certify that the foregoing is true and correct.

SIGNATURE *Denise Leake*

TITLE Regulatory Specialist

DATE 7/28/2004

TYPE OR PRINT NAME Denise Leake

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GW

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OPERATORS

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

5. Lease Designation and Serial No.

NM 927770

6. If Indian, Alottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and Number

SCOTT E FEDERAL COM

1

9. API Well No.

30-025-27442

10. Field and Pool, Exploatory Area
LUSK, STRAWN, NORTH

11. County or Parish, State

LEA, NM

SUBMIT IN TRIPLICATE

1. Type of Well: ☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. Name of Operator
CHEVRON USA INC

3. Address and Telephone No. 15 SMITH ROAD, MIDLAND, TX 79705 915-687-737

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Unit Letter M : 1148' Feet From The SOUTH Line and 775' Feet From The
WEST Line Section 28 Township 18-S Range 32-E

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ OTHER: TEMPORARILY ABANDON
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

CHEVRON U.S.A. INC. INTENDS TO TEMPORARILY ABANDON THE STRAWN POOL IN THE SUBJECT WELL. FUTURE PLANS INCLUDE A RECOMPLETION TO THE QUERECHO PLAINS; LOWER BONE SPRINGS.

THE INTENDED PROCEDURE IS AS FOLLOWS:

- 1) NOTIFY NMOC D 24 HOURS IN ADVANCE OF WORK.
- 2) TIH W/BIT & SCRAPER TO TOP PERF. TOH.
- 3) TIH & SET CIBP - 50' ABOVE TOP PERF.
- 4) PRESSURE TEST & CHART FOR NMOC D.

WELLBORE DIAGRAMS ARE ATTACHED.

DENIED

(ORIG. SGD.) GARY GOURLEY

PREVIOUS SUNDRY : REcompletion
approved 6/23/04 - 90 days to do work:
until 09/23/04. Well needs to be put
into operations, or submit P & A plans
for approval by due date.

14. I hereby certify that the foregoing is true and correct

SIGNATURE Denise Leake TITLE Regulatory Specialist DATE 7/1/2004
TYPE OR PRINT NAME Denise Leake

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

GW

Well: Scott E Federal Com #1

Field: North Lusk

Reservoir: Strawn

Location:

1148' FSL & 775' FWL
Section: 28 (SW/4 SW/4)
Township: 18S
Range: 32E Unit: M
County: Lea State: NM

Elevations:

GL: 3718'
KB: 3734'
DF: 3733'

Log Formation Tops

Delaware	5203'
Bone Spring	7005'
Wolfcamp	10288'
Strawn	11536'
Atoka	11942'
Morrow	12303'
Barnett	12969'

Intermediate Csg: 8 5/8" 28# S-80

Set: @ 4158' w/ 1700 sx cmt
Hole Size: 11"
Circ: Yes TOC: Surface
TOC By: Circulation

TUBING DETAIL - 8/13/98

372 jts - 2-7/8" 6.5# L-80 EUE-8-rd tbg
1 2 7/8" x 2 3/8" x-over
1 2 3/8" x 4.5 FL On Off tool w/ 1.87" F nipple
1 45-A4 Sur-Lok plr
EOT landed @ 11537.68'

Cmt plug 7537'-7751' (50 sx)
5 1/2" csg stub @ 7667'
CIBP @ 8730' (50' cmt on top)


Perfs	Status
8790-8900'	Bone Spring - abandoned

Prod. Csg: 5 1/2" 17# N-80 & K-55

Set: @ 9000' w/225 sx cmt
Hole Size: 7 7/8"
Circ: No TOC: 7900'
TOC By: Temperature Survey

PBTD: 7537'
TD: 13100'

**Current
Wellbore Diagram**



Well ID Info:

Cheveno: EQ6821
API No: 30-025-27442
L5/L6: T54 / 2600
Spud Date: 5/31/81
Rig Released:
Compl. Date: 9/14/81

Surface Csg: 11 3/4" 42# H-40

Set: @ 416' w/ 400 sx cmt
Hole Size: 14 3/4"
Circ: Yes TOC: Surface
TOC By: Circulation

Initial Completion:

7/13/81 100 sx cmt plugs @ 12900'-13100', 12150'-12350', 10150'-10350'
200 sx cmt plug @ 8720'-9000'; DO cmt to 9000'; ran 5 1/2" csg
8/4/81 Perf BSPG 8790'-8900' A/125gal 20% NEFE

Subsequent Work

8/93 Set CIBP @ 8730 cap w/50' cmt; 50 sx cmt plug 7751'-7537'
Pulled 7667' of 5 1/2" csg; Cmt plugs @ 5717'-5561' (40 sx),
4214'-4090' (65 sx), 460'-275' (50 sx) & 60'-surf (15 sx)

7/1/98 Re-entered; DO cmt; KO @ 7571'; Drl new hole to TD: 11975'
& run 5 1/2" csg

8/13/98 Perf Strawn 11636'-11638', 11688'-11692', 11754'-11764', 11766'-
11770' & 11774'-11779'; A/7600 gal 15% HCL

Perfs
11636'-38', 11688'-92', 11754'-84',
11766'-70' & 11774'-79'

Status
Strawn - open

Prod. Csg: 5 1/2" 17# N-80 & S-95

Set: @ 11975' w/1375 sx class H cmt
Hole Size: 7 7/8"
Circ: No TOC: 3658'
TOC By: Temperature Survey

COTD: 11926'
PBTD: 11926'
TD: 11975'

Updated: 4-16-04 by WAYN

By: W.P. Johnson

Well: Scott E Federal Com #1

Field: North Lusk

Reservoir: Strawn

Location:

1148' FSL & 775' FWL
Section: 28 (SW/4 SW/4)
Township: 18S
Range: 32E Unit: M
County: Lea State: NM

Elevations:

GL: 3718'
KB: 3734'
DF: 3733'

Log Formation Tops


Delaware	5203'
Bone Spring	7005'
Wolfcamp	10288'
Strawn	11536'
Atoka	11942'
Morrow	12303'
Barnett	12969'

Intermediate Csg: 8 5/8" 28# S-80-

Set: @ 4158' w/ 1700 sx cmt
Hole Size: 11"
Circ: Yes TOC: Surface
TOC By: Circulation

TUBING DETAIL -

**Proposed
Wellbore Diagram**



Well ID Info:

Cheveno: EQ6821
API No: 30-025-27442
L5/L6: T54 / 2600
Spud Date: 5/31/81
Rig Released:
Compl. Date: 9/14/81

Surface Csg: 11 3/4" 42# H-40

Set: @ 416' w/ 400 sx cmt
Hole Size: 14 3/4"
Circ: Yes TOC: Surface
TOC By: Circulation

Initial Completion:

7/13/81 100 sx cmt plugs @ 12900'-13100', 12150'-12350', 10150'-10350'
200 sx cmt plug @ 8720'-9000'; DO cmt to 9000'; ran 5 1/2" csg
8/4/81 Perf BSPG 8790'-8900' A/125gal 20% NEFE

Subsequent Work

8/93 Set CIBP @ 8730 cap w/50' cmt; 50 sx cmt plug 7751'-7537'
Pulled 7667' of 5 1/2" csg; Cmt plugs @ 5717'-5561' (40 sx),
4214'-4090' (65 sx), 480'-275' (50 sx) & 60'-surf (15 sx)

7/1/98 Re-entered; DO cmt; KO @ 7571'; Drl new hole to TD: 11975'
& run 5 1/2" csg

8/13/98 Perf Strawn 11636'-11638', 11688'-11692', 11754'-11764', 11768'-
11770' & 11774'-11779'; A/7600 gal 15% HCL

4/04 Proposed Set CIBP @ 11600'; top w/35' cmt

Perf Bone spring 8397'-8417', 8480'-8470', 8488'-8493', 8624'-8633'
& 8651'-8658'; fracture stimulate & complete as an oil well

Cmt plug 7537'-7751' (50 sx)

5 1/2" csg stub @ 7667'

CIBP @ 8730' (50' cmt on top)

Perfs

8790-8900'

Status

Bone Spring - abandoned

Perfs

{ 8397'-8417', 8480'-70', 8488'-93',
8624'-33' & 8651'-58' }

Status

Bone Spring - open

Perfs

{ 11636'-38', 11688'-92', 11754'-64',
11766'-70' & 11774'-79' }

Status

Strawn - abandoned

Prod. Csg: 5 1/2" 17# N-80 & S-95

Set: @ 11975' w/1375 sx class H cmt

Hole Size: 7 7/8"

Circ: No TOC: 3658'

TOC By: Temperature Survey

COTD: 11926'

PBTD: 11926'

TD: 11975'

Updated: 4-16-04 by WAYN

Notice Approval

Document No	04GG0424S	Well / Facility Name(s)	Number(s)	API Number(s)
Document Type	RCMPL	SCOTT E FEDERAL	01	300252744201S1
EC Tran #				

Adj Cmplt	Engr Cmplt	Surf Cmplt	Geol Cmplt
Appl Recd 06/23/2004	Appl Cmplt	Disp Date 06/29/2004	Disposition Approved
Posted	Expiration 09/29/2004	Exten Appv	Exten Expires

For New Sundries, enter Description of Proposed or Completed Operations. These will be saved as Approval Remarks.

Active? Yes

RFO

Form 3160-5
(June 1990)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT --" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well: ☒ OIL WELL ☐ GAS WELL ☐ OTHER2. Name of Operator
CHEVRON USA INC

3. Address and Telephone No. 15 SMITH ROAD, MIDLAND, TX 79705 915-687-737

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit Letter M : 1148' Feet From The SOUTH Line and 775' Feet From The

WEST Line Section 28 Township 18-S Range 32-E

5. Lease Designation and Serial No.

NM42770

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and Number

SCOTT E FEDERAL COM

1

9. API Well No.

30-025-27442

10. Field and Pool, Exploratory Area
LUSK, STRAWN, NORTH

11. County or Parish, State

LEA, NM

12. Check Appropriate Box(s) To Indicate Nature of Notice, Report, or Other Data

TYPE OF SUBMISSION

- ☒
- Notice of Intent
-
- ☐
- Subsequent Report
-
- ☐
- Final Abandonment Notice

TYPE OF ACTION

- ☐
- Abandonment
-
- ☐
- Recompletion
-
- ☐
- Plugging Back
-
- ☐
- Casing Repair
-
- ☐
- Altering Casing
-
- ☒
- OTHER: TEMPORARILY ABANDON
-
- ☐
- Change of Plans
-
- ☐
- New Construction
-
- ☐
- Non-Routine Fracturing
-
- ☐
- Water Shut-Off
-
- ☐
- Conversion to Injection
-
- ☐
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

CHEVRON U.S.A. INC. INTENDS TO TEMPORARILY ABANDON THE STRAWN POOL IN THE SUBJECT WELL. FUTURE PLANS INCLUDE A RECOMPLETION TO THE QUERECHO PLAINS; LOWER BONE SPRINGS.

THE INTENDED PROCEDURE IS AS FOLLOWS:

- 1) NOTIFY NMOC D 24 HOURS IN ADVANCE OF WORK.
-
- 2) TIH W/BIT & SCRAPER TO TOP PERF. TOH.
-
- 3) TIH & SET CIBP - 50' ABOVE TOP PERF.
-
- 4) PRESSURE TEST & CHART FOR NMOC D.

WELLBORE DIAGRAMS ARE ATTACHED.

DENIED

(ORIG. SGD.) GARY GOURLEY

New
2/31/04
latePREVIOUS SUNDRY: REcompletion
approved 6/23/04 - 90 days to do work:
until 09/23/04. Well needs to be put into
operations, or submit P & A plans for
approval by due date.Monty Duncan/Mike
Reeves needs until
end of this year to
budget & test escaped
zone. Approved.

14. I hereby certify that the foregoing is true and correct.

SIGNATURE

Denise Leake

TITLE Regulatory Specialist

DATE

7/1/2004

TYPE OR PRINT NAME

Denise Leake

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

Extension to 12/31/2004

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.