

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103

March 4, 2004

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-03103
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chevron USA Inc		6. State Oil & Gas Lease No.
3. Address of Operator 15 Smith Rd, Midland, TX 79705		7. Lease Name or Unit Agreement Name State AN
4. Well Location Unit Letter <u>G</u> : <u>1650</u> feet from the <u>North</u> line and <u>2310</u> feet from the <u>East</u> line Section <u>7</u> Township <u>18-S</u> Range <u>35-E</u> NMPM <u>Lea</u> County		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
		10. Pool name or Wildcat Vacuum Abo Reef

**Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)**

Pit Location: UL G Sect 7 Twp 18S Rng 35E Pit type Steel Depth to Groundwater 85 Distance from nearest fresh water well Over 1000'  
Distance from nearest surface water \_\_\_\_\_ Below-grade Tank Location UL \_\_\_\_\_ Sect \_\_\_\_\_ Twp \_\_\_\_\_ Rng \_\_\_\_\_ ;  
1650 feet from the North line and 2310 feet from the East line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  
**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐  
OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- |  |  |
|--|--|
| 1. Notify OCD 24 hrs prior to MI and RU.                               | 8. Spot 35sx, plug from 2600-2500 (B-Salt) WOC Tag.            |
| 2. RIH Tag CIBP at 8197, spot 25sx, plug from 8197-8000 (Abo) WOC Tag. | 9. Spot 35sx, plug from 1200-1100 (T-Salt) WOC Tag.            |
| 3. Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL. <b>12.5</b>        | 10. Cut 8 5/8 at 400, L/D csg.                                 |
| 4. Spot 25sx, plug from 4700-4500 (San Andres).                        | 11. Spot 100sx, plug from 450-250 (13 3/8 Shoe, Stub) WOC Tag. |
| 5. Spot 25sx, plug from 4100-3900 (Queen).                             | 12. 10sx Surf, install dry hole marker.                        |
| 6. Cut 5 1/2 csg at 3350, L/D csg.                                     |  |
| 7. Spot 50sx, plug from 3400-3250 (8 5/8 Shoe, Stub) WOC Tag.          |  |

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE [Signature] TITLE Field Supervisor DATE 8/19/04  
Type or print name Jimmy Bagley E-mail address: \_\_\_\_\_ Telephone No. 432-561-8600

(This space for State use)

APPROVED BY [Signature] DATE AUG 26 2004  
Conditions of approval, if any: \_\_\_\_\_  
HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

# PLUGGING & ABANDONMENT WORKSHEET

(3 STRING CSNG)

OPERATOR CHEVRON USA INC.

LEASE NAME STATE AN


WELL # 3

SECT 7 TWN 18-S RNG 35-E

FROM 1650 NSL 2310 EWL

TD 8983 FORMATION @ TD

PBTD  FORMATION @ PBTD ABO



133/8  
@ 334  
TOC SURF

85/8  
@ 3300  
TOC 1650

5 1/2  
@ 8983  
TOC 3300

TD 8983

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	133/8	334	SURF	CIRC
INTMED 1	85/8	3300	1650	T.S
INTMED 2				
PROD	5 1/2	8983	3300	T.S

	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					

	CUT & PULL	TOP - BOTTOM
INTMED 1	400	PERFS
INTMED 2		8262-8879
PROD	3350	OPENHOLE

## \*REQUIRED PLUGS DISTRICT

	PLUG	TYPE PLUG	SACKS CEMENT	DEPTH
RUSTLER (ANHYD)	1	ABO	25	8197
YATES	2	S. ANDRES	25	4700
QUEEN	3	QUEEN	25	4100
GRAYBURG	4	85/8 SHOE	50	3400
SAN ANDRES	5	B-SALT	35	2600
	6	T-SALT	35	1200
CAPITAN REEF	7	133/8 S	100	450
	8	SURF	10	10
DELAWARE				
BELL CANYON				
CHERRY CANYON				
BRUSHY CANYON				
BONE SPRING				
GLORIETA				
BLINBRY				
TUBB				
DRINKARD				
ABO				
WC				
PENN				
STRAWN				
ATOKA				
MORROW				
MISS				
DEVONIAN				

**New Mexico Office of the State Engineer**  
**Well Reports and Downloads**

Township: 18S Range: 35E Sections: 7

NAD27 X: Y: Zone: Search Radius:

County: LE Basin: Number: Suffix:

Owner Name: (First) (Last) Non-Domestic Domestic  
All

Well / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

**AVERAGE DEPTH OF WATER REPORT 08/19/2004**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	18S	35E	07				8	75	95	85

Record Count: 8