District I 1625 N. French Dr., Hobba, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fc, NM 87505

State of New Mexico Encrgy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

	de Tank Registration or Clos	
Is pit or below-grade tan Type of action: Registration of a nit of	k covered by a "general plan"? Yes 🗶 N or below-grade tank 👿 Closure of a pit or below-g	
Operator: SAMSON RESOURCES CO		c-mail address; TKOSCELNY@SAMSON.CO
Address: TWO WEST SECOND ST., TULSA, OK 7	4103-3103	·····
Facility or well name: NEW MEXICO "D" FEDERAL: \$2 30	075,34,547-0-10- 0- 4	215 32R
County: LEA Latitude 32 30 21.0 Longitude 10	3 40 52.78 AD: 1927 2 1983 Surface	
· · · · · · · · · · · · · · · · · · ·		Course regerar 🗋 State 💭 ritvate 🗖 milian 门
Rit	Below-grade tank	
Type: Drilling 🔀 Production 🗌 Disposal 🛄	Volume:bbl Type of fluid:	
Workover 🗋 Emergency 🛄	Construction material:	
Lined 🖾 Unlined 🔲	Double-walled, with leak detection? Yes 🔲 If not, explain why not,	
Liner type: Synthetic 🖾 Thickness 12 mil Clay 🗌 Volume		
32.009J		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Loss than S0 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
	Yes	
Wellhead protection area: (Less than 200 feet from a private domestic		(20 points)
water source, or less than 1000 feet from all other water sources.)		(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
		(• point)
	Ranking Score (Total Points)	10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Ind	icate disposal location:
onsite 🗋 offain: 🛄 If offaite, name of facility	(3) Attach a general description of remedial a	
date. (4) Groundwater encountered: No 🗋 Yes 🛄 If yes, show depth belo	w ground surface fi and anach sam	n (C) Attach soil sample results and a
diagram of sample locations and excavations.		And the set of the set of the result and a
I harshu antifu shas the information shows in (
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines Δ_1 , a bate: $8/25/04$.	my knowledge and belief. I further certify that the several permit \Box_{i} or an (attached) alternative	he above-described pit or below-grade tank has
Sector Contraction of the sector of the sect		oco-approved pran [].
Printed Name/Title TOM KOSCELNY, ENVIRONMENTAL	Signature	
Your certification and NMOCD approval of this application closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of Hamility should the contents operator of its responsibility for compliance with a	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or
Approval:		
Date: AUG 2 7 2004	ORIGINAL SIGNED BY	
Printed Name/Title	Signature	
	PETROLEUM ENGINEEN	
	NETHONEONA ENABRED	

T0:

08/27/2004 FRI 13:34 FAX 918 591 1703 Tight Sands

003/004



AUG-27-04 FRI 12:39 PM FROM:918 591 1703

08/27/2004 FRI 13:35 FAX 918 591 1703 Tight Sands

DELORME XMap® 4.5 1 52 F Distance to Surface Water Sources > 1000 feet ... 5 ීම 5 32 S **3**3 **3**4 35 36 ł, CHN Holo B ۲ CARL H New Mexico B Fed EL0 2 əraj #2 3 GAS 2 Deill Mole NEGN New Mexico D Federal #2 Federal TSS Com#2 5 12 HAT MES 12 Dritt DIEAA 6 X S Verda Fede 15 132 CHTJ #' ------J ٧N Scale 1 : 37,500 Data use subject to license. @ 2004 DeLorme. XMap@ 4.5. 11 15 NN (0.5*E) www.delorme.com 1" = 3,125,0 ft Data Zoom 12-0

004/004