Form C-144 March 12, 2004

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aznee, NM 87410 District IV 1270 S. Empire Dr. Saute Ec. NM 87605	Energy I Oi 12
1220 S. St. Francis Dr., Santa Fc, NM 87505	

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office, For downstream facilities, submit to Santa Fe office

Operator:       SAMSON RESOURCES CO         Address:       TWO WEST SECOND ST., TULSA, OK 7         Facility or well name:       FEDERAL TSS COM #2 API #: 30-05         County:       LEA         Latitude 32       30       17-88ongitude 103	4103-3103	
Pit Type: Drilling X Production Disposal Workover Emergency	Below-grade tank Volume:bbl Type of fluid: Construction material:	
Lined <b>EX</b> Unlined Liner type: Synthetic <b>X</b> Thickness <u>12</u> mil Clay Volume <u>32_006</u> 61	Double-walled, with leak detection? Yes [] If	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points)
Distance to surface water: (horizontul distance to all wetlands, playas, irrigation canals, dirches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)
	Ranking Score (Total Points)	10

date. (4) Groundwater encountered: No 🗌 Yes 🛄 If yes, show depth below ground surface\_\_\_\_\_\_ft, and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Date: <u>8/25/04</u> Printed Name/Title <b>TOM</b> Your certification and NM	KOSCELNY, ENVIRONMENT	best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has the second sequence of the second sec
Approval: Date:	AUG 2 7 2004	ORIGINAL SIGNED BY
Printed Name/Title		SignaturePAUL F. KAUTZ PETROLEUM ENGINEER

2003/004



## 08/27/2004 FRI 13:32 FAX 918 591 1703 Tight Sands

