District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 21220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

March 12, 2004

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

## Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: Mack Energy Corporation Telephone: (505)748-1288 e-mail address: jerrys@mackenergycorp.com		
Address: P.O. Box 960, Artesia, NM 88211-0960		
Facility or well name: Matador 19 State #4  API #- 30.025.368H0 U/L or Qtr/Qtr K Sec 19 T 16S R 32E  County: Lea Latitude Longitude NAD: 1927   1983   Surface Owner Federal State   Private   Indian		
County: Latitude Longitude	NAD: 1927   1983   Surface Ow	ner Federal 🔝 State 🔀 Private 🔝 Indian 🔝
Pit	Below-grade tank	
Type: Drilling 🔀 Production 🗌 Disposal 🗍	Volume:bbl Type of fluid:	
Workover    Emergency	Construction material:	
Lined Unlined	Double-walled, with leak detection? Yes If not, explain why not,	
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volume 2000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)
	50 feet or more, but less than I 00 feet	(10 points)
water elevation of ground water.)	100 feet or more	( 0 points) 0 Points
Wallhood materian group (Lorenthan 200 fort form a minute domestic	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	(0 points) 34151617787930
water source, or less than 1000 feet from an other water sources.)	,	OP Sints
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points) GOO SqqqH
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	עדיריאבן של עדיריאבן
	1000 feet or more	(0 points)
	Ranking Score (Total Points)	© Points
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:		
onsite offsite from If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end		
date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a		
diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan   Date: 8/30/04		
Printed Name/Title Jerry W. Sherrell/Production Clerk Signature Signature Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	relieve the operator of liability should the contents of operator of its responsibility for compliance with any operator of its responsibility for compliance with a superator of its	the pit or tank contaminate ground water or other federal, state, or local laws and/or
Approval:		
Date: 7 / 3//05		
Date: 6/3//04 PETROLEUM Electrical Printed Name/Title	Signature and 3 Man	ny

