

Submit 3 Copies To Appropriate District Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-34226
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Hoover 32
8. Well Number 1
9. OGRID Number 22159
10. Pool name or Wildcat Vacuum Abo. North

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Dry Hole
2. Name of Operator Occidental Permian Limited Partnership 157984
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250
4. Well Location Unit Letter <u>G</u> : <u>1650</u> feet from the <u>north</u> line and <u>1930</u> feet from the <u>east</u> line Section <u>32</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4071'
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type <u>STEEL</u> Depth to Groundwater <u>137'</u> Distance from nearest fresh water well <u>OVER 1000'</u> Distance from nearest surface water <u>OVER 1000'</u> Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____


12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

See Attachment



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 9/13/04

Type or print name David Stewart E-mail address: david\_stewart@oxy.com Telephone No. 432-685-5717

For State Use Only  
APPROVED BY Larry W. Wink OC FIELD REPRESENTATIVE II/STAFF MANAGER  
Conditions of Approval, if any: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE SEP 22 2004

TD-8304' PBTD-1485'

8-5/8" 32# csg @ 1590' w/ 1050sx, 12-1/4" hole, TOC-Surf-Circ

1. RIH & tag cement @ 1485'
2. M&P 40sx @ 950-850'
3. M&P 40sx @ 350-250'
4. M&P 20sx Surface Plug

10# MLF between plugs

TO BE DELETED FROM LOGBOOK AND  
TO BE DELETED FROM LOGBOOK  
TO BE DELETED FROM LOGBOOK  
TO BE DELETED FROM LOGBOOK

an LP - Proposed

34226

0-250'

45sx @ 950-850'

CIBP @ 1520' w/ 35' cmt

45sx @ 1648-1540'-Tagged

45sx @ 2833-2733'


45sx @ 4524-4424'

45sx @ 6212-6112'

45sx @ 6427-6327'


45sx @ 7618-7502'-Tagged

PBTD-1485'



TD-8304'

12-1/4" hole @ 1590'  
8-5/8" csg @ 1590'  
w/1050sx-TOC-Surf-Circ



7-7/8" hole @ 8304'

ccidental Permian LP - Current  
over SW 32 #1  
PI No. 30-025-34226

12-1/4" hole @ 1590'  
8-5/8" csg @ 1590'  
w/1050sx-TOC-Surf-Circ

BP @ 1520' w/ 35' cmt  
sx @ 1648-1540'-Tag

PBTD-1485'

sx @ 2833-2733'

ix @ 4524-4424'

x @ 6212-6112'

x @ 6427-6327'

x @ 7618-7502'-Tag

7-7/8" hole @ 8304'

TD-8304'