

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103

May 27, 2004

WELL API NO.	30-025-05378
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No. B-7896	
7. Lease Name or Unit Agreement Name State O	
8. Well Number 23	
9. OGRID Number 000873	
10. Pool name or Wildcat Lovington Drinkard	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator Apache Corporation	
3. Address of Operator 6120 South Yale, Suite 1500 Tulsa, Oklahoma 74136-4224	
4. Well Location Unit Letter P : 990 feet from the South line and 990 feet from the East line Section 31 Township 16S Range 37E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3823' DF	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>	
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water	
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐


SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached Plugging Procedure and wellbore diagram of proposed plugging.



THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE

Kara Coday

TITLE Sr. Engineering Technician

DATE 10/06/2004

Type or print name Kara Coday

E-mail address: kara.coday@apachecorp.com Telephone No. (918)491-4957

For State Use Only

APPROVED BY:

Larry W. Wink

OC FIELD REPRESENTATIVE II/STAFF MANAGER
TITLE DATE

Conditions of Approval (if any):

State O #23-31 Plug & Abandon

Procedure

1. MIRU PU. Unhang well and LD Horse head. Unseat pump & POH w/pump and rods. ND WH. NU BOP. Release TAC & POH w/tbg. and TAC.
2. MIRU WL. RIH w/CIBP on WL. Set CIBP @ 8309'. Circulate hole with 9.5# brine w/12.5 pounds gel per bbl of mud. Dump bail 2 sx. Cement on top of CIBP.
3. RIH w/tubing open ended. Spot 25 Sx. Cement plug across Glorieta interval from 6045' to 5945'.
4. RIH w/3-5/8" csg. Gun and perforate 4 squeeze holes at 3212'. Squeeze across 8-5/8" shoe w/25 sx. Leave 25 Sx. Cement inside casing. +/- 3212' to 3112'. Allow cement to set up. RDMO WL.
5. RIH tubing and tag plug at 3112'. PU and spot 25 sx. Cement plug across salt section from 2198' to 2098'.
6. PU and spot 25 Sx. Cement plug across fresh water zone from 400' to 300'.
7. PU and spot 10 Sx. Surface plug. Cut off well head and well on surface plate. Clean location. RDMO PU.



State O #23 - Lovington Field, Lea County New Mexico
990' FSL, 990' FEL, Sec 31, T16S, R3&E, Lea County, New Mexico
API # 30 025 05378, Prop. # 01409401
DF @ 3823'

