

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-1  
March 12, 2004

For drilling and production facilities, submit appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☒ Closure of a pit or below-grade tank ☐

Operator: Pogo Producing Company Telephone: 432-685-8100 e-mail address: wrightc@pogoproducing.com  
Address: P. O. Box 10340, Midland, TX 79702-7340  
Facility or well name: Triple X 6 State #2 API #: 30-D25-36765 U/L or Qtr/Qtr B Sec 6 T 24 R 33  
County: Lea Latitude 32 15 10.57N Longitude 103 36 38.93W NAD: 1927 ☒ 1983 ☐ Surface Owner Federal ☐ State ☒ Private ☐ Indian ☐

Pit	Below-grade tank	
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Volume <u>16000</u> bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) ( 0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) ( 0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points) 0
	Ranking Score (Total Points)	0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

Date: 08/03/04

Printed Name/Title Cathy Wright, Sr Oper Tech

Signature Cathy Wright

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: 10/20/04

Printed Name/Title

PETROLEUM ENGINEER

Signature Paul J. Kuntz

Water Resources

Data Category:  
Site InformationGeographic Area:  
New Mexico

go

# Site Map for New Mexico

USGS 321611103321601 23S.33E.26.42100


Available data for this site

Station site map


GO

Lea County, New Mexico  
Hydrologic Unit Code 13070007  
Latitude 32°16'11", Longitude 103°32'16" NAD27  
Gage datum 3,644.00 feet above sea level NGVD29

Location of the site in New Mexico.



Site map.



ZOOM IN 2X, 4X, 6X, 8X, or ZOOM OUT 2X, 4X, 6X, 8X.

Maps are generated by US Census Bureau TIGER Mapping Service.

Questions about data    [New Mexico NWISWeb Data Inquiries](#)  
Feedback on this website [New Mexico NWISWeb Maintainer](#)  
NWIS Site Inventory for New Mexico: Site Map  
<http://waterdata.usgs.gov/nm/nwis/nwismap?>

[Top](#)  
[Explanation of terms](#)

Water Resources

Data Category:  
Ground WaterGeographic Area:  
New Mexico

go

# Ground-water levels for New Mexico

Search Results -- 1 sites found

Search Criteria

site\_no list = • 321611103321601

Save file of selected sites to local disk for future upload

USGS 321611103321601 23S.33E.26.42100

Available data for this site

Ground-water: Levels

GO

Lea County, New Mexico

Hydrologic Unit Code 13070007


Latitude 32°16'11", Longitude 103°32'16" NAD27

Gage datum 3,644.00 feet above sea level NGVD29

The depth of the well is 190 feet below land surface.

This well is completed in CHINLE FORMATION (231CHNL)

## Output formats

[Table of data](#)[Tab-separated data](#)[Graph of data](#)[Reselect period](#)

Breaks in the plot represent a gap of at least one calendar year between two consecutive points.

# Great Circle Calculator.

By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

## Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.

Input Data

Lat1		Lon1	
32:16:11	N	103:32:16	W
Lat2		Lon2	
32:15:10.57	N	103:36:38.93	W

Output

Course 1-2	Course 2-1	Distance
254.814286	74.775301	3.84008904

Distance Units:  Earth model:

## Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.


Note that the starting point cannot be a pole.

Input data

Lat1		Lon1	
0:00.00	N	0:00.00	W
Course 1-2		Distance 1-2	

**POGO Producing Company**  
**Triple "X" 6 State #2**  
**Approximate Pit Dimensions**

330' FNL & 2600' FEL, Sec 6, T24S, R33E, Lea County, New Mexico  
 API # 30 025



**PIT NOTES:**

Pit will be lined with 12 mil Black plastic w/ UV protection.  
 Pit walls are 6 ft to 8 ft wide.  
 Pit is 8 ft deep below ground level plus 2 ft walls  
 Pit walls are 2 ft above ground level.  
 Caliches mined from pit used to make Well Pad.  
 Fresh Water volume to ground level =  $\pm$  7950 bbls  
 Brine Water volume to ground level =  $\pm$  7730 bbls  
 12 inch Flare line laid on gradual descending graded ROW away from rig to avoid fluid trapping  
 Fresh water well = (Nad 27) 32° 13' 12" N & 103° 39' 56" W "Published data"  
 Fresh water well = (Nad 27) 32° 16' 11" N & 103° 32' 16" W "Published data"  
 Fresh water well = (Nad 27) 32° 13' 48" N & 103° 34' 04" W "Published data"  
 This well produces from a depth greater than 50 ft.

Pit equals approx 16000 bbls