Submit 3 Copies To Appropriate District State of New Mexico	T 0.400
<u>District I</u> Energy, Minerals and Natural Resources	Form C-103
1625 N. French Dr., Hobbs, NM 88240	May 27, 2004 WELL API NO.
District II 1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DIVISION	30-025-26380
District III 1000 Rio Brazos Rd., Aztec, NM 87410 1220 South St. Francis Dr.	5. Indicate Type of Lease STATE X FEE
District IV Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505	B-1839-1
, SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name East Vacuum GB/SA Unit Tract #2738
PROPOSALS.) 1. Type of Well: Oil Well Gas Well OtherWater Injection	8. Well Number 007
2. Name of Operator	9. OGRID Number
ConocoPhillips Company	217817
3. Address of Operator 4001 Penbrook Street Odessa, TX 79762	10. Pool name or Wildcat
4. Well Location	Vacuum Grayburg / San Andres
Unit Letter E: 2570 feet from the North line and 11	10feet from theWestline
Section 27 Township 17-S Range 35-E	NMPM CountyLea
11. Elevation (Show whether DR, RKB, RT, GR, etc.,	
3934' GR Pit or Below-grade Tank Application or Closure	· 唐· 诗· · · · · · · · · · · · · · · · ·
Pit typeDepth to GroundwaterDistance from nearest fresh water wellDist	ance from nearest surface water
I	nstruction Material
12. Check Appropriate Box to Indicate Nature of Notice,	Report or Other Data
	_
	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRI	
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT	
OTHER: OTHER: Repair Pk 13. Describe proposed or completed operations. (Clearly state all pertinent details, and	r Leak X
of starting any proposed work). SEE RULE 1103. For Multiple Completions: At	ach wellbore diagram of proposed completion
or recompletion.	
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RA	N BACK IN LAYED DOWN 51 ITS
or recompletion. 5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RA DUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6 IN COMPRESSION 15K RAN 30 MIN CHART OK. RIG DOWN.	N BACK IN LAYED DOWN 51 ITS
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 ITS
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS ' SUBS TO GET TO DEPTH. PKR SET
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS ' SUBS TO GET TO DEPTH. PKR SET
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS ' SUBS TO GET TO DEPTH. PKR SET
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS ' SUBS TO GET TO DEPTH. PKR SET
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS ' SUBS TO GET TO DEPTH. PKR SET
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 ITS
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS 'SUBS TO GET TO DEPTH. PKR SET HODBS HODBS HODBS OCCUPANY HODBS OCC
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS 'SUBS TO GET TO DEPTH. PKR SET
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS 'SUBS TO GET TO DEPTH. PKR SET
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RA DUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6 IN COMPRESSION 15K RAN 30 MIN CHART OK. RIG DOWN.	N BACK IN LAYED DOWN 51 JTS 'SUBS TO GET TO DEPTH. PKR SET OCD OCD OCD OCD OCD OCD OCD OC
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6	N BACK IN LAYED DOWN 51 JTS SUBS TO GET TO DEPTH. PKR SET 1 SUBS TO GET TO DEPTH. PKR SET 1 Substitution of the low-
5/4/2004: REPAIRED FOR PKR LEAK CAME OUT OF HOLE W/ TBG AND PKR RADUOLINE BECAUSE OF CRACKS IN LINER. REPLACED W/ NEW. RAN 10' 8' & 6 IN COMPRESSION 15K RAN 30 MIN CHART OK. RIG DOWN. I hereby certify that the information above is true and complete to the best of my knowledge.	N BACK IN LAYED DOWN 51 JTS SUBS TO GET TO DEPTH. PKR SET The state of the state o
I hereby certify that the information above is true and complete to the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE TITLE HSE/Regulatory Representation and source of the control of	N BACK IN LAYED DOWN 51 JTS SUBS TO GET TO DEPTH. PKR SET The substitution of the sub
I hereby certify that the information above is true and complete to the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit SIGNATURE TYPE or print name Stacey D. Linder Thereby certify that the information above is true and complete to the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit of the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit of the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representations and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my	N BACK IN LAYED DOWN 51 JTS SUBS TO GET TO DEPTH. PKR SET The substitution of the sub
I hereby certify that the information above is true and complete to the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE SIGNATURE TITLE HSE/Regulatory Representation and source of the control of	N BACK IN LAYED DOWN 51 JTS SUBS TO GET TO DEPTH. PKR SET and belief. I further certify that any pit or belower an (attached) alternative OCD-approved plan . Sentative DATE 10/07/2004 CECTATION OF THE PROPERTY OF THE PR
I hereby certify that the information above is true and complete to the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit SIGNATURE TYPE or print name Stacey D. Linder Thereby certify that the information above is true and complete to the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit of the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit of the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representations and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my knowledge grade tank has been/will be constructed or closed according to NMOCD guidelines . Title HSE/Regulatory Representation and the best of my	N BACK IN LAYED DOWN 51 JTS SUBS TO GET TO DEPTH. PKR SET The substitution of the sub

