

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies <b>District I</b> 1625 N. French Dr., Hobbs, NM 88240 <b>District II</b> 1301 W. Grand Avenue, Artesia, NM 88210 <b>District III</b> 1000 Rio Brazos Rd., Aztec, NM 87410 <b>District IV</b> 1220 S. St. Francis Dr., Santa Fe, NM 87505	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>	<b>Form C-105</b> Revised June 10, 2003  <b>WELL API NO.</b> 30-025-36691  <b>5. Indicate Type of Lease</b> STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>  State Oil & Gas Lease No.
--	---	--

WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
<b>1a. Type of Well:</b> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____			<b>7. Lease Name or Unit Agreement Name</b>  North Monument G/SA Unit 2119		
<b>b. Type of Completion:</b> NEW <input checked="" type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF. WELL OVER BACK RESVR. <input type="checkbox"/> OTHER					
<b>2. Name of Operator</b>  Amerada Hess Corporation			<b>8. Well No.</b>  336		
<b>3. Address of Operator</b> P.O. Box 840 Seminole, TX 79360			<b>9. Pool name or Wildcat</b>  Eunice Monument; Grayburg-San Andres		
<b>4. Well Location</b> Unit Letter <u>B</u> : <u>130</u> Feet From The <u>North</u> Line and <u>2402</u> Feet From The <u>East</u> Line Section <u>5</u> Township <u>20S</u> Range <u>37E</u> NMPM Lea _____ County _____					
<b>10. Date Spudded</b> 7/12/2004	<b>11. Date T.D. Reached</b> 7/20/2004	<b>12. Date Compl. (Ready to Prod.)</b> 8/5/2004	<b>13. Elevations (DF&amp; RKB, RT, GR, etc.)</b> 3560' GR	<b>14. Elev. Casinghead</b>	
<b>15. Total Depth</b> 3916'	<b>16. Plug Back T.D.</b> 3892'	<b>17. If Multiple Compl. How Many Zones?</b>	<b>18. Intervals Drilled By</b>	<b>Rotary Tools</b>	<b>Cable Tools</b>
<b>19. Producing Interval(s), of this completion - Top, Bottom, Name</b> Eunice Monument; Grayburg San Andres 3672'-3882'				<b>20. Was Directional Survey Made</b> No	
<b>21. Type Electric and Other Logs Run</b> CBL/Platform Express Three-detector LithoDensity/High Resolution Laterolog Array GR			<b>22. Was Well Cored</b>		
23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	1200'	11"	550 sx 'C'	
5 1/2"	15.5#	3892'	7 7/8"	790 sx 'C'	
24. LINER RECORD					
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	
25. TUBING RECORD			SIZE	DEPTH SET	PACKER SET
			2 7/8"	3665'	
<b>26. Perforation record (interval, size, and number)</b> 3672'-3682', 3692'-3696', 3700'-3712', 3744'-3760', 3770-3778', 3790'-3800', 3806'-3822', 3828'-3848', 3854'-3882', Eunice Monument G/SA			<b>27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.</b> DEPTH INTERVAL      AMOUNT AND KIND MATERIAL USED 3672'-3882'      Acidized w/8000 gals 15% NMGSAU blend		
28. PRODUCTION					
<b>Date First Production</b> 8/5/2004		<b>Production Method (Flowing, gas lift, pumping - Size and type pump)</b> Pumping 2 1/2" X 2 1/4" THBC 20' pump A-1363		<b>Well Status (Prod. or Shut-in)</b> Producing	
<b>Date of Test</b> 8/23/2004	<b>Hours Tested</b> 24	<b>Choke Size</b>	<b>Prod'n For Test Period</b>	<b>Oil - Bbl</b> 13	<b>Gas - MCF</b> 72
		<b>Water - Bbl.</b> 494	<b>Gas - Oil Ratio</b> 5760		
<b>Flow Tubing Press.</b> 50	<b>Casing Pressure</b> 50	<b>Calculated 24-Hour Rate</b>	<b>Oil - Bbl.</b> 13	<b>Gas - MCF</b> 72	<b>Water - Bbl.</b> 494
		<b>Oil Gravity - API - (Corr.)</b> 34			
<b>29. Disposition of Gas (Sold, used for fuel, vented, etc.)</b> Sold					<b>Test Witnessed By</b> 
<b>30. List Attachments</b> C103, C104, C102, Logs					
<b>31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief</b>					
<b>Signature</b> 		<b>Printed Name</b> Carol J. Moore		<b>Title</b> Senior Advisor/Regulatory	<b>Date</b> 9/7/2004
<b>E-mail Address</b> cmoore@hess.com					

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northwestern New Mexico	
T. Anhy	1150'	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	1225'	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt		T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	2485'	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers		T. Devonian	T. Menefee	T. Madison
T. Queen		T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	3560'	T. Montoya	T. Mancos	T. McCracken
T. San Andres	3985'	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta		T. McKee	Base Greenhorn	T. Granite
T. Paddock		T. Ellenburger	T. Dakota	T
T. Blinebry		T. Gr. Wash	T. Morrison	T.
T. Tubb		T. Delaware Sand	T. Todilto	T
T. Drinkard		T. Bone Springs	T. Entrada	T.
T. Abo		T.	T. Wingate	T.
T. Wolfcamp		T.	T. Chinle	T.
T. Penn		T.	T. Permian	T.
T. Cisco (Bough C)		T.	T. Penn "A"	T.

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

## IMPORTANT WATER SANDS

**Include data on rate of water inflow and elevation to which water rose in hole.**

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology
0'	1150'	1150'	Red Beds
1150'	1225'	75'	Anhydrite
1225'	2485'	1260'	Salt
2485'	3985'	1500'	Dolomite, Anhydrite, & Sand