FAX NO. 5057484572

Form C-144

P. 02

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artosia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fc, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

**Oil Conservation Division** 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Te nit or below-grade tan	de Tank Registration or Closure covered by a "general plan"? Yes xx No L below-grade tank ky Closure of a pit or below-grade	
Decrator: <u>Yates Petroleum Corporation</u> Inderess: <u>103 South 4<sup>th</sup> Street, Artesia, NM 88210</u> acibity or well name: <u>Kookahurra A2B State Con. #3</u> API #: <u>30</u> Sounty: <u>Les</u> Latitude <u>N33.2687</u> Longitude <u>W103.4348</u> NAD: 1927	wone: (505) 748-4347c-mail address: <u>debbid</u> - <u>D25-36959</u> - <u>D25-</u> U/L or Qur/Qur_C Sec <u>24</u> T <u>125</u> K ] 1983 m Surface Owner Federal [] State [] Private	t <u>34E</u>
*# Type:       Drilling X Production I Disposal         Workover       Emergency I         ined margins       Unlined         iner type:       Synthetic bx Thickness         12 mil       Clay [] Volume         4,000 bbl       Disposal	Below grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes [] If not, explain why not.	
hepth to ground water (vertical distance from bottom of pit to seasonal high rater elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(10 points) (10 points) ( 0 points)
Vellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)	Yes Ng	(20 points)
bistance to surface water. (horizontal distance to all wetlands, playas, rigation canals, ditches, and peremnial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) ( 0 points)
	Ranking Score (Total Points)	20 Points
If this is a pit closure: (1) attach a diagram of the facility showing the pit's onsite  offsite  If offsite, name of facility date. (4) Groundwater encountered: No  Yes  If yes, show depth belo diagram of sample locations and excavations. hereby certify that the information above is true and complete to the best of seen/will be constructed or closed according to NMOCD guidelines  , a	(3) Attach a general description of remedial active ow ground surfaceft. and attach sample my knowledge and belief. I further certify that the	on taken including remediation start date and end results. (5) Attach soil sample results and a above-described pit or below-grade tank has
Date: <u>November 19, 2004</u> Tinted Name/Title <u>Clifton R. May/Regulatory Agent</u> Signature 'our certification and NMOCD approval of this application/closure does not therwise endanger public health or the environment. Nor does it relieve the sgulations.	trelieve the operator of liability should the contents of operator of its responsibility for compliance with any	the pit or tank contaminate ground water or other federal, state, or local laws und/or
Approval: Date: <u>II/I9/04</u> PETROLEUM ENGINEER	_Signature	

## YATES PETROLEUM CORPORATION General Plan was approved 4/15/04

The reserve pit will be to the North. The Southeast corner of the pit will be approximately 60' North of the well bore. The pit will be a 150' X 150' and 6' deep with a capacity of 24,000 bbls.

## Standard reserve pit. All Reserve pits are double Horse shoe size varies with depth of well

well bore

m

PAGE

T0:

Flare pit Reserve bi 60

P. 03

FAX NO. 5057484572