

Submit to Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies

State of New Mexico
Energy, Minerals and Natural Resources

Form C-105
Revised June 10, 2003

District I
1625 N. French, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-36444

5. Indicate Type Of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER _____
b. Type of Completion:
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER _____

7. Lease Name or Unit Agreement Name

Byers B

2. Name of Operator

OXY USA WTP Limited Partnership

192463

8. Well No.

6

3. Address of Operator

P.O. Box 50250 Midland, TX 79710-0250

9. Pool name or Wildcat

Nadine, Paddock-Blinbry, West

4. Well Location

Nadine, Drinkard, West

Unit Letter K : 1650 Feet From The south Line and 1980 Feet From The west Line

Section 7 Township 20S Range 38E NMPM Lea County

10. Date Spudded 10/20/03 11. Date T.D. Reached 11/2/03 12. Date Compl. (Ready to Prod.) 1/21/04 13. Elevations (DF & RKB, RT, GR, etc.) 3561' 14. Elev. Casinghead

15. Total Depth 7400' 16. Plug Back T.D. 7115' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By Rotary Tools 0-7400' Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

5830-7042' - Blinbry/Drinkard Tubed

20. Was Directional Survey Made

No

21. Type Electric and Other Logs Run

DLL/MLL/ZDL/CNL/GR/SL

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8-5/8"	32#	1510'	12-1/4"	735sx-Circ	N/A
5-1/2"	17#	7400'	7-7/8"	650sx-Circ	N/A

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8"	6845' <u>7712'</u>	---

26. Perforation record (interval, size, and number)

*See attached

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED

*See Attached

28. PRODUCTION

Date First Production 1/21/04 Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping - 1-3/4" X 30' Well Status (Prod. or Shut-in) Prod

Date of Test 2/28/04 Hours Tested 24 Choke Size --- Prod'n For Test Period 11 Oil - Bbl. 46 Gas - MCF 111 Water - Bbl. 4182 Gas - Oil Ratio

Flow Tubing Press. --- Casing Pressure --- Calculated 24-Hour Rate 11 Oil - Bbl. 46 Gas - MCF 111 Water - Bbl. 38.2 Oil Gravity - API -(Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

G. Henrich

30. List Attachments

C-102, C-103, C-104, Deviation Svy. Logs. *Additional Perf/Treatment Info

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature

Printed Name

David Stewart

Title

Sr. Reg Analyst

Date 5/27/04

E-mail address

david.stewart@oxy.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy		T. Ojo Alamo	T. Penn. "B"
T. Salt		T. Kirtland-Fruitland	T. Penn. "C"
B. Salt		T. Pictured Cliffs	T. Penn. "D"
T. Yates	2770'	T. Cliff House	T. Leadville
T. 7 Rivers	3004'	T. Menefee	T. Madison
T. Queen	3574'	T. Point Lookout	T. Elbert
T. Grayburg		T. Mancos	T. McCracken
T. San Andres	4052'	T. Gallup	T. Ignacio Otzte
T. Glorieta	5332'	Base Greenhorn	T. Granite
T. Paddock		T. Dakota	T.
T. Blinebry	5857'	T. Morrison	T.
T. Tubb	6370'	T. Todilto	T.
T. Drinkard	6554'	T. Entrada	T.
T. Abo	7044'	T. Wingate	T.
T. Wolfcamp		T. Chinle	T.
T. Penn		T. Permian	T.
T. Cisco (Bough C)		T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____
 No. 2, from _____ to _____
 No. 3, from _____ to _____
 No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	2770	2770	halite, anhyd, shale				
2770	3574	804	anhyd, dolom, shale				
3574	4052	478	anhyd, dolom, sndst, shale				
4052	5332	1280	dolom, lmst, shale				
5332	5857	525	dolom, lmst, shale, sndst, chert				
5857	6370	513	dolom				
6370	6554	184	dolom, sndst				
6554	7044	490	dolo, lmst				
7044	7393	349	dolom, lmst, shale				

Attachment C-105
Byers B #6

Item #26

4SPF @ 7161-65, 7262-65' – Total 30 holes (Plugged off with CIBP @ 7150')
1SPF @ 6714,31,60,6781,6819,32,46,53,68,6892,6920,28,32,40,44,54,67,77,82,96,7010,15,7042' – Total 24 holes
4SPF @ 6508-15,54-6572' – Total 110 holes
1SPF @ 6151,76,91,6221,26,38,47,52,57,66,74,80,6301,11,17,22,34,65,6374' – Total 19 holes
1SPF @ 5830,46,56,61,66,95,5906,19,37,51,58,68,84,97,6012,17,22,25,52,70,82,6088' – Total 22 holes

Item #27

6714-7265' - 2500g 17% HCL acid
6714-7042' - 3000g 17% Ferchek SC acid
6714-7042' - 93461g Delta Frac 140r w/ 150000# sand
6508-6572' - 4000g 17% Ferchek SC acid
6151-6374' - 3000g 17% Ferchek SC acid
6151-6374' - 60966g Delta Frac 140r w/ 100000# sand
5830-6088' - 3500g 17% Ferchek SC acid
5830-6088' - 85258g Delta Frac 140r w/ 150000# sand