FAX NO. 5057484572

P. 02

Form C-144 March 12, 2004

District 1 1525 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grad	de Tank Registration or Closure	2	
Is pit or below-grade tank covered by a "general plan"? Yes XX No			
Type of action: Registration of a pit or	below-grade tank XX Closure of a pit or below-grad	e tank	
Operator: Yates Petroleum CorporationTeleph	none: (505) 748-4347 e-mail address: _debbi	ec@ypenm com	
• •			
Address: <u>105 South 4^{dl} Street, Artesia, NM R8210</u> Facility or well name: <u>Fast Sand Springs State Unit #10</u> AP1#: <u>3D-025-36986</u> U/L or Qtr/Qtr <u>0</u> Sec <u>35</u> T <u>108</u> R <u>34E</u>			
County: Lea Latitude Longitude NAD: 1927 🗋 1983 🗍 Surface Owner Federal 🗋 State 🗋 Private 🗽 Indian 🗍			
<u>Pit_Type:</u> Drilling Production 🗍 Disposal 🗍	Below-grade tank		
Workover 🔲 Emergency 🛄	Volume:bbl Type of fluid:		
Lined XX Unlined	Construction material: Double-walled, with leak detection? Yes [] If not, explain why not.		
Liner type: Synthetic XX Thickness 12 mil	Double-walled, with leak detection? Tes [] If not, explaint with not		
Clay Volume 24,000 bbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
	100 feet or more	(0 points)	
		(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(0 points)	
water source, or less than 1000 feet from all other water sources.)	<u>No</u>		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 points)	
	Ranking Score (Total Points)	20 Points	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location:	
onsite 🗌 offsite 🗋 If offsite, name of facility (3) Atlach a general description of remedial action taken including remediation start date and end			
date. (4) Groundwater encountered: No 🗌 Yes 🗋 If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a			
A second s			
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines [], a	my knowledge and belief. I further certify that the a general permit XX, or an (attached) alternative C	above-described pit or below-grade tank has CD-approved plan .	
Date: December 1, 2004	Clifter R. May		
Printed Name/Title <u>Clifton R. May/Regulatory Agent</u> Signature <u>Crifton R. May/Regulatory Agent</u> Signature <u>Crifton R. May/Regulatory Agent</u> Signature <u>Signature</u> Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or Not certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or Not certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or Not certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or Not certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or Not certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or Not certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or Not certification application applicat			
otherwise endanger public health or the environment. Nor does it relieve the	e operator of its responsibility for compliance with any	other federal, state, or local laws and/or	
Approval: DEC 0 3 2004PETROLEUM ENGINEER			
Date:			
Printed Name/TitleSignatureSignature			



The reserve pit will be to the North. The Southeast corner of the pit will be approximately 60' North of the well bore. The pit will be a 150' X 150' and 6' deep with a capacity of 24,000 bbls.

Standard reserve pit. All Reserve pits are double Horse shoe size varies with depth of well

60

well bore