Form C-103 Revised 1-1-89

	State of New Mexico	
Eagy,	Minerals and Natural Resources Departme	110

P.O. Box 1980, Hobbs, NM 88240 P.O. Box 2088	WELL API NO.		
DISTRICT II P.O. Drawer DD, Artesia, NM 88210  Santa Fe, New Mexico 87504-208	I S Indicate Two of Lease		
DISTRICT III	STATE FEE X		
1000 Rio Brazos Rd., Aztec, NM 87410	6. State Oil & Gas Lease No.		
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BY DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	ACK TO A  7. Lease Name or Unit Agreement Name		
1. Type of Well:	C.H. Weir "A"		
OIL X GAS WELL OTHER			
2. Name of Operator Texaco Exploration and Production Inc.	8. Well No.		
3. Address of Operator	9. Pool name or Wildcat Skaggs Glorieta		
P.O. Box 730 Hobbs, New Mexico 88240	Skaggs Drinkard, Weir Blinebry		
4. Well Location  Unit Letter K: 1980 Feet From The South Line a	and 2310 Feet From The West Line		
	Too		
Section 12 Township 20S Range 37E	NMPM Lea County  GR, etc.)		
/////////////////////////////////////			
11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL	. WORK ALTERING CASING		
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT			
PULL OR ALTER CASING CASING TEST AND CEMENT JOB			
OTHER: OTHER:			
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed			
work) SEE RULE 1103. 1. Notified NMOCD 10-28-91.			
2. MIRU wireline for P&A of the Blinebry, Drinkard, and Glorietta strings.			
Starting date 10-29-91.  3. Ran gauge ring in 2 7/8" csg of the three strings. The Blinebry & Drinkard strings			
were both open to 4550' w/no fluid. On the Glorietta string could not get below 4055'.			
4. Set 2 7/8" CIBP in both the Blinebry & Drinkard strings @ 4500!.			
5. Set 2 7/8" CIBP in the Glorietta string @ 3586' (approved by R.A. Sadler of NMOCD) 6. Capped all three CIBP w/35' cmt			
7. Loaded Blinebry & Drinkard strings w/9.5 PPG salt water gel, circulated the Glorietta			
string through csg leaks (2278'-2309') out 9 5/8" csg w/9.5 PPG salt water gel.			
8. Perforated 2 squeeze holes in each string @ 1600'			
<ol> <li>Pumped down Drinkard string, established circulate With Blinebry &amp; Glorietta strings shut-in, pumped</li> </ol>			
string & circulated out 9 5/8" csg. (CONTINUE)			
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SKONATURE M.C Links TIME Engine			
Sidikitori — Time — Tim	eer's Assistant DATE 11-04-91		
TYPEOR PRINT NAME M.C. Duncan	eer's Assistant DATE 11-04-91 TELEPHONE NO. 393-7191		
TYPE OR PRINT NAME M. C. Duncan  (This space for State Use)	тецерноме мо. 393-7191		
TYPE OR PRINT NAME M. C. Duncan  (This space for State Use)	тецерноме мо. 393-7191		
TYPE OR PRINT NAME M. C. Duncan  (This space for State Use)			

Stram III E