

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
2. Name of Operator Marathon Oil Company	5. State Oil & Gas Lease No.
3. Address of Operator Box 220 Hobbs, New Mexico	7. Unit Agreement Name ---
4. Location of Well UNIT LETTER D 660 FEET FROM THE north 660 FEET FROM west 19 8S 37E THE LINE, SECTION TOWNSHIP RANGE NMPM.	8. Farm or Lease Name Milton Basham "A"
	9. Well No. 1
	10. Field and Pool, or Wildcat North Allison-San Andres
15. Elevation (Show whether DF, RT, GR, etc.) 4055' GR	12. County Roosevelt

## Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

### SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

We propose to plug and abandon this well per instructions and approved methods of the New Mexico Oil Conservation Commission commencing approximately February 14, 1966. The proposed plugging procedure is as follows: 9567' TD, 5000' PBTD. A 25 sack cement plug will be spotted over the San Andres perfs at 4920-24', cut off the 7" casing at approx. 4225', place a 25 sack cement plug in bottom of 9-5/8" casing at 4225' and a 10 sack cement plug at the surface. Gelled mud will be used to spot the plugs. All spaces between plugs will be filled with mud laden fluid. A steel marker per NMOCC specifications will be installed.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Area Supt. DATE 2-11-66

APPROVED BY [Signature] TITLE Engineer District 1 DATE FEB 16 1966

CONDITIONS OF APPROVAL, IF ANY: