

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-23598-00-00
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. LC-032326B
7. Lease Name or Unit Agreement Name Langlie Mattix Woolworth Unit
8. Well Number 003
9. OGRID Number
10. Pool name or Wildcat Langlie Mattix Seven Rivers & Queen

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other ☐ SW INJECTION

2. Name of Operator
BETWELL OIL & GAS

3. Address of Operator
P.O. Box 22577, Hialeah, Florida 33012

4. Well Location
Unit Letter N : 330 feet from the North line and 1650 feet from the East line
Section 33 Township 24S Range 37E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3239

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL Sect Twp Rng Pit type Depth to Groundwater Distance from nearest fresh water well
Distance from nearest surface water Below-grade Tank Location UL Sect Twp Rng ;
feet from the line and feet from the line

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11-28-04: Will P&A well in next 6 months

**THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Robert C. Bredemeyer TITLE Prod. Supt. DATE 11-28-04
Type or print name Robert C. Bredemeyer E-mail address: rcbgayla@hotmail.com Telephone No. 325-235-1106

(This space for State use)

APPROVED BY OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE JAN 03 2005
Conditions of approval, if any:

BETWELL OIL & GAS
BOX 22577
HIALEAH, FLORIDA 33012

C-103
PLUGGING PROCEEDURE

Lease: LANGLE MATTIX WOOLWORTH UNIT # 003
Project: P & A – INTENT TO PLUG

1. SPOT ~~20~~²⁵ SXS @ 3400'-3300' & TAG
2. SPOT ~~20~~²⁵ SXS @ 2700'-2600'
3. PULL 825' OF 4 ½" CASING
4. SPOT 50 SXS @ 875'-717' & TAG
5. SPOT 15 SXS @ 60' TO SURFACE

INSTALL DRY HOLE MARKER
CIRCULATE 10# MUD

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

OPERATOR Betwell Oil & Gas

LEAD NAME LMWU

SECT 33 TWN 245 WELL # 003
 FROM 2801 (N/S L) RING 37E
 TO: 3775' FORMATION @ TD
 PBTD: 3774' FORMATION @ PBTD

7 5/8"
@ 767'
 TOC Surface

Perfs 3498'
3706'

4 1/2"
@ 3776'
 TOC 2200'

TD _____

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	<u>7 5/8"</u>	<u>767'</u>	<u>Surf</u>	<u>Visual</u>
INTMED 1	<u>4 1/2"</u>	<u>3774'</u>	<u>2200'</u>	<u>(Log)</u>
INTMED 2				
PROD				

	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					

	CUT & PULL @	TOP - BOTTOM
INTMED 1		PERFS
INTMED 2		OPENHOLE
PROD		

REQUIRED PLUGS DISTRICT

BEUTLER (ARIZ)	
YATES	
COHEN	
GRAYLORD	
RAIN ARIZON	
CAPTAN REEF	
DELAWARE	
HILL CANYON	
CORREY CANYON	
BOREY CANYON	
BORE SPEED	
CLARKSON	
CLARKNEY	
CLARK	
CLARKARD	
ARO	
WAC	
WACH	
WYLAFF	
WYLA	
WYLAFF	
WYLA	
WYLAFF	
WYLA	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	35 SXS	6400'
PLUG #2	SHOE	50 SXS	3330'-3450'
PLUG #3	CIRPAS'		4800'
PLUG #4	CIRP	25 SXS	4800'
PLUG #5	STUB	50 SXS	3600'-3700'
PLUG #6	REINER BOX	200 SXS	400'
PLUG #7	SLIP	10 SXS	0-10'
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			