Dec-30-2004 05:21pm From-APACHE CORP DRILLING DEPT

9184914869

T-520 P 002/005 F-598

Form C-144 July 29, 2004

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aziec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grad	le Tank Registration or Closu	re M
Is pit or below-grade tank Type of action: Registration of a pit or	covered by a "general plan"? Yes 🗌 No below-grade tank 🛛 Closure of a pit or below-grade	ade lank
perator: Anache Corporation	Telephone:(918) 491 - 4800e	-mail address:elenn.honc@apachecom.com _
The second secon	74136-4224	
NEDI #421 API# 20-025'3	70 20 U/L or Qtt/Qtr A Sec 10 T 215	R <u>37E</u>
Sounty: Lea Latitude 32°29' <u>58.83"N</u> Longitude 103 ⁴ 0	<u>8734.65"W</u> NAD: 1927 🔀 1983 🔲 Surface Ow	ner Federal [] State 🔯 Private [] Inthan []
	the state tank	
<u>1</u> .	Below-grade tank Volume:bbl Type of fluid:	
<u>ype:</u> Drilling 🛛 Production 🔲 Disposal 🗔	Construction material:	
Workover 🗒 Emergency 🗌	Double-walled, with teak detection? Yes I If not, explain why not.	
	Double-walled, with teak detection: it's an indiversitie of the	
iner type: Synthetic 🛛 Thickness_12_mil Clay 🗌 Volume		
<u>7105</u> bbl		(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet 50 feet or more, but less than 100 feet - 70 ft	(10 points) 10 Pts
vater elevation of ground water.)	100 feet of more	(0 points)
	ton reet of more	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	(O points)
water source, or its similar out rest rest with an end of the	Langther 200 fast	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet 200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)		(0 points)
	1000 feet or more	
	Ranking Score (Total Points)	10 Points
If this is a pit closure: (1) attach a diagram of the facility showing the pit	s relationship to other equipment and tanks. (2) Ind	icate disposal location:
onsite i offsite I foffsite, name of facility	(3) Attach a general description of remedial a	iction taken including remediation start date and end
date. (4) Groundwater encountered: No [] Yes [] If yes, show depth bel	ow ground surfaceft, and attach san	aple results. (5) Attach soil sample results and a
diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines \boxtimes , Date: 12/30/2004	I my knowledge and belief. I further certify that r a general permit \Box , or an (attached) alternative	he above-described pit or below-grade tank has OCD-approved plan [].
Printed Name/Title Glenn Bone - Drilling Engineer	ignature	
Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the regulations.	t relieve the operator of liability should the contents e operator of its responsibility for compliance with a	s of the pit or tank contaminate ground water or iny other federal, state, or local laws and/or
Approval: PETROLEUM ENGINEER		
Date: FEINOLEUM LIVING	a in	C
Printed Wather Trile 2003	_ Signature	and the second s

