

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-09229
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: STATE A A/C 1
8. Well Number 069
9. OGRID Number 148381
10. Pool name or Wildcat JALMAT; TAN, YATES, 7-RVRS (GAS) 79240

Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type n/a Depth to Groundwater 149' Distance from nearest fresh water well 1000'+ Distance from nearest surface water 1000'+
Pit Liner Thickness: n/a mil Below-Grade Tank: Volume 500 bbls; Construction Material Steel (Frac Tanks)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
MISSION RESOURCES CORPORATION

3. Address of Operator
1331 LAMAR, SUITE 1455 HOUSTON, TEXAS 77010-3039

4. Well Location
Unit Letter P : 660 feet from the SOUTH line and 990 feet from the EAST line
Section 3 Township 23S Range 36E NMPM County LEA


11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3450' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Add Perforations & Frac.
Please see attached Procedure with Wellbore Schematic.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☒ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Nancy K. Gatti TITLE Regulatory Coordinator DATE 01/10/05
E-mail address: nancy.gatti@mrccorp.com
Type or print name Nancy K. Gatti Telephone No. 713-495-3128

For State Use Only
APPROVED BY Gary W. Wink TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE JAN 19 2005
Conditions of Approval, if any:

Mission Resources Corp.
AAC-1 #69
Jalmat Field
Lea County, NM
December 13, 2004

Work Over Procedure

1. MIRU work over rig. Pull tubing.
2. RU e-line unit.
3. Perforate Tansil and 7 Rivers from 2850' to 3409'.
4. Break down and acidize each NEW perf with PPI tool.
5. RIH and set packer on 4-1/2" tubing. RD work over rig.
6. Frac well per recommendation.
7. Flow and test well. Put back to sales.
8. Put well back on pump when well loads up.

FORM	TOP																																		
		STATE A A/C-1 #69 PROPOSED WELLBORE DIAGRAM MISSION RESOURCES																																	
		SU-T-R 3P-23S-36E API #: 30-025-09229 POOL: JALMAT; TAN-YATES-7 RVRS (PRO GAS) CO, ST: LEA, NEW MEXICO LAND TYPE: STATE STATUS: ACTIVE ACREAGE 40.12 LATEST RIG WORKOVER: DIAGRAM REVISED: 1/12/2005 BY FLE																																	
		LOG ELEVATION: N/R GROUND ELEVATION: 3,450'																																	
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th style="width: 25%;">CASING</th> <th style="width: 25%;">LINER</th> <th style="width: 25%;">TUBING</th> </tr> </thead> <tbody> <tr> <td>Hole</td> <td>12 1/4"</td> <td>8 3/4"</td> <td></td> </tr> <tr> <td>Pipe</td> <td>9 5/8"</td> <td>7"</td> <td>2 3/8"</td> </tr> <tr> <td>Weight</td> <td>32#</td> <td>20#</td> <td>4.7#</td> </tr> <tr> <td>Grade</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Thread</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Depth</td> <td>336'</td> <td>3,648'</td> <td>3,409'</td> </tr> <tr> <td>Mud wt</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			CASING	LINER	TUBING	Hole	12 1/4"	8 3/4"		Pipe	9 5/8"	7"	2 3/8"	Weight	32#	20#	4.7#	Grade				Thread				Depth	336'	3,648'	3,409'	Mud wt			
	CASING	LINER	TUBING																																
Hole	12 1/4"	8 3/4"																																	
Pipe	9 5/8"	7"	2 3/8"																																
Weight	32#	20#	4.7#																																
Grade																																			
Thread																																			
Depth	336'	3,648'	3,409'																																
Mud wt																																			
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">LOGS</th> </tr> </thead> <tbody> <tr> <td>Sonic Log</td> <td>1959</td> </tr> <tr> <td>Radio Activity</td> <td>1970</td> </tr> <tr> <td>Perforating</td> <td>1990</td> </tr> <tr> <td>Temperature</td> <td>1959</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		LOGS		Sonic Log	1959	Radio Activity	1970	Perforating	1990	Temperature	1959																						
LOGS																																			
Sonic Log	1959																																		
Radio Activity	1970																																		
Perforating	1990																																		
Temperature	1959																																		
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">TAN-YATES-7 RVRS ZONE HISTORY</th> </tr> </thead> <tbody> <tr> <td colspan="2">7/90 Set CIBP @ 3,420'</td> </tr> <tr> <td colspan="2">Perforated 2,875-3,139'</td> </tr> <tr> <td colspan="2">Frac w/61,908 gal gel & 144,207# sand. POP</td> </tr> <tr> <td colspan="2">IPP 0 BO, 0 BW, 454 MCFPD</td> </tr> </tbody> </table>		TAN-YATES-7 RVRS ZONE HISTORY		7/90 Set CIBP @ 3,420'		Perforated 2,875-3,139'		Frac w/61,908 gal gel & 144,207# sand. POP		IPP 0 BO, 0 BW, 454 MCFPD																							
TAN-YATES-7 RVRS ZONE HISTORY																																			
7/90 Set CIBP @ 3,420'																																			
Perforated 2,875-3,139'																																			
Frac w/61,908 gal gel & 144,207# sand. POP																																			
IPP 0 BO, 0 BW, 454 MCFPD																																			
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">OPPORTUNITY</th> </tr> </thead> <tbody> <tr> <td colspan="2">Add perms in Tansil & 7 Rivers then frac.</td> </tr> </tbody> </table>		OPPORTUNITY		Add perms in Tansil & 7 Rivers then frac.																													
OPPORTUNITY																																			
Add perms in Tansil & 7 Rivers then frac.																																			
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY</th> </tr> </thead> <tbody> <tr> <td colspan="2">10/59 Spud. 10/59 Initial Completion.</td> </tr> <tr> <td colspan="2">Open hole completion 3,648-75'. Sand Jet 3,663'</td> </tr> <tr> <td colspan="2">Frac w/10,000 gal oi I & 10,000# sand.</td> </tr> <tr> <td colspan="2">IPF 36 BO, 36 BW, 109 MCF in 8 hrs</td> </tr> <tr> <td colspan="2">2/60 POP</td> </tr> <tr> <td colspan="2">9/70 Set CIBP @ 3,630'</td> </tr> <tr> <td colspan="2">9/70 Recompleted from Queen.</td> </tr> <tr> <td colspan="2">Perforated 3,440-3,566'</td> </tr> <tr> <td colspan="2">Acidized w/2000 gal 15%</td> </tr> <tr> <td colspan="2">Frac w/20,000 gal gel & 30,000# sand. POP</td> </tr> <tr> <td colspan="2">IPP 2 BO, 52 BW, 612 MCFPD</td> </tr> </tbody> </table>		LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY		10/59 Spud. 10/59 Initial Completion.		Open hole completion 3,648-75'. Sand Jet 3,663'		Frac w/10,000 gal oi I & 10,000# sand.		IPF 36 BO, 36 BW, 109 MCF in 8 hrs		2/60 POP		9/70 Set CIBP @ 3,630'		9/70 Recompleted from Queen.		Perforated 3,440-3,566'		Acidized w/2000 gal 15%		Frac w/20,000 gal gel & 30,000# sand. POP		IPP 2 BO, 52 BW, 612 MCFPD									
LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY																																			
10/59 Spud. 10/59 Initial Completion.																																			
Open hole completion 3,648-75'. Sand Jet 3,663'																																			
Frac w/10,000 gal oi I & 10,000# sand.																																			
IPF 36 BO, 36 BW, 109 MCF in 8 hrs																																			
2/60 POP																																			
9/70 Set CIBP @ 3,630'																																			
9/70 Recompleted from Queen.																																			
Perforated 3,440-3,566'																																			
Acidized w/2000 gal 15%																																			
Frac w/20,000 gal gel & 30,000# sand. POP																																			
IPP 2 BO, 52 BW, 612 MCFPD																																			
		<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>9 5/8" @ 336' w/300 sx Cmt</p> <p>TOC @ 2,210' by Temp Surv.</p> <p>Add Perf: 2850' 1spf</p> <p>Perfs: 2,875-3,139' (13 holes) 2,875, 2,914, 68, 87, 99, 3,010, 3027, 34, 45, 73, 78, 86, 3,133, 39'</p> <p>Add Perf: 3203, 30, 38, 60, 62, 3278, 80, 3325, 41, 70, 94, 3409 3spf</p> <p>CIBP @ 3,420' on 7/90 Perfs: 3,440-3,566' 3,440, 45, 52, 58, 68, 79, 86, 92, 3,507, 15, 25, 34, 41, 47, 55, 66' CIBP @ 3,630' on 9/70 7" @ 3,648' w/250 sx Cmt</p> </div> <div style="width: 5%; text-align: center;"> <p>} Frac</p> </div> <div style="width: 45%;"> <p>TD 3,675'</p> </div> </div>																																	
TANSILL	2,819' (file pick)																																		
YATES	2,984'																																		
7 RVRS	3,160'																																		
QUEEN	3,522'																																		

☒ Well File

☒ OCD File

☒

Well File

☒

OCD File