

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-09346
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: STATE A A/C 1
8. Well Number 066
9. OGRID Number 148381
10. Pool name or Wildcat JALMAT; TAN, YATES, 7-RVRS (GAS) 79240

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other
2. Name of Operator MISSION RESOURCES CORPORATION
3. Address of Operator 1331 LAMAR, SUITE 1455 HOUSTON, TEXAS 77010-3039
4. Well Location Unit Letter <u>D</u> : <u>660</u> feet from the <u>NORTH</u> line and <u>660</u> feet from the <u>WEST</u> line Section <u>13</u> Township <u>23S</u> Range <u>36E</u> NMPM County <u>LEA</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3389' GR
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>
Pit type <u>n/a</u> Depth to Groundwater <u>149'</u> Distance from nearest fresh water well <u>1000' +</u> Distance from nearest surface water <u>1000' +</u>
Pit Liner Thickness: <u>n/a</u> mil Below-Grade Tank: Volume <u>500</u> bbls; Construction Material <u>Steel</u> (Frac Tanks)

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐


SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Add Perforations & Frac.

Please see attached Procedure with Wellbore Schematic.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☒ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Nancy K. Gatti TITLE Regulatory Coordinator DATE 01/10/05
E-mail address: nancy.gatti@mrccorp.com
Type or print name Nancy K. Gatti Telephone No. 713-495-3128

For State Use Only

APPROVED BY Buy W. Wink TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE JAN 19 2005
Conditions of Approval, if any:

Mission Resources Corp.
AAC-1 #66
Jalmat Field
Lea County, NM
December 13, 2004

Work Over Procedure

1. MIRU work over rig. Pull tubing.
2. RU e-line unit.
3. Perforate Tansil and 7 Rivers from 2796' to 3381'.
4. Break down and acidize each NEW perf with PPI tool.
5. RIH and set packer on 4-1/2" tubing. RD work over rig.
6. Frac well per recommendation.
7. Flow and test well. Put back to sales.
8. Put well back on pump when well loads up.

FORM	TOP																														
		STATE A A/C-1 #66 PROPOSED WELLBORE DIAGRAM MISSION RESOURCES																													
		SU-T-R 13D-23S-36E API #: 30-025-09346 POOL: JALMAT; TAN-YATES-7 RVRS (PRO GAS) CO, ST: LEA, NEW MEXICO LAND TYPE: STATE STATUS: ACTIVE ACREAGE 40.12 LATEST RIG WORKOVER: DIAGRAM REVISED: 1/12/2005 BY FLE																													
		LOG ELEVATION: N/R GROUND ELEVATION: 3,389'																													
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">CASING</th> <th style="width: 10%;">LINER</th> <th style="width: 10%;">TUBING</th> </tr> </thead> <tbody> <tr> <td>Hole</td> <td></td> <td></td> </tr> <tr> <td>Pipe</td> <td>9 5/8"</td> <td>7"</td> </tr> <tr> <td>Weight</td> <td>36#</td> <td>20#</td> </tr> <tr> <td>Grade</td> <td></td> <td></td> </tr> <tr> <td>Thread</td> <td></td> <td></td> </tr> <tr> <td>Depth</td> <td>333'</td> <td>3,586'</td> </tr> <tr> <td>Mud wt</td> <td></td> <td></td> </tr> </tbody> </table>		CASING	LINER	TUBING	Hole			Pipe	9 5/8"	7"	Weight	36#	20#	Grade			Thread			Depth	333'	3,586'	Mud wt						
CASING	LINER	TUBING																													
Hole																															
Pipe	9 5/8"	7"																													
Weight	36#	20#																													
Grade																															
Thread																															
Depth	333'	3,586'																													
Mud wt																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">LOGS</th> </tr> </thead> <tbody> <tr> <td>Sonic Log</td> <td>1959</td> </tr> <tr> <td>Temperature</td> <td>1959</td> </tr> <tr> <td>Perforating</td> <td>1971</td> </tr> <tr> <td>Compensated Neutron</td> <td>1990</td> </tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		LOGS		Sonic Log	1959	Temperature	1959	Perforating	1971	Compensated Neutron	1990																		
LOGS																															
Sonic Log	1959																														
Temperature	1959																														
Perforating	1971																														
Compensated Neutron	1990																														
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">TAN-YATES-7 RVRS ZONE HISTORY</th> </tr> </thead> <tbody> <tr><td colspan="2">6/90 Recomplete from Queen.</td></tr> <tr><td colspan="2">Perforated 2,964-3,141'</td></tr> <tr><td colspan="2">Acidized 2964-3141' w/2000 gal 15%</td></tr> <tr><td colspan="2">Frac w/57,346 gal gel & 149,076# sand. POP</td></tr> <tr><td colspan="2">IPF 0 BO, 880 MCF, 0 BW</td></tr> <tr><td colspan="2">1/91 CO to 3,395'. POP</td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> </tbody> </table>		TAN-YATES-7 RVRS ZONE HISTORY		6/90 Recomplete from Queen.		Perforated 2,964-3,141'		Acidized 2964-3141' w/2000 gal 15%		Frac w/57,346 gal gel & 149,076# sand. POP		IPF 0 BO, 880 MCF, 0 BW		1/91 CO to 3,395'. POP															
TAN-YATES-7 RVRS ZONE HISTORY																															
6/90 Recomplete from Queen.																															
Perforated 2,964-3,141'																															
Acidized 2964-3141' w/2000 gal 15%																															
Frac w/57,346 gal gel & 149,076# sand. POP																															
IPF 0 BO, 880 MCF, 0 BW																															
1/91 CO to 3,395'. POP																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">OPPORTUNITY</th> </tr> </thead> <tbody> <tr> <td colspan="2">Add perms in Tansil and 7-Rivers then frac.</td> </tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> </tbody> </table>		OPPORTUNITY		Add perms in Tansil and 7-Rivers then frac.																									
OPPORTUNITY																															
Add perms in Tansil and 7-Rivers then frac.																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY</th> </tr> </thead> <tbody> <tr><td colspan="2">9/59 Spud. 9/59 Initial Completion.</td></tr> <tr><td colspan="2">Open hole completion 3,586-3,619'</td></tr> <tr><td colspan="2">Sand Jet 3,594'</td></tr> <tr><td colspan="2">Frac w/10,000 gal oil & 10,000# sand.</td></tr> <tr><td colspan="2">IPF 97 BO, 0 BW, 628 GOR in 6 hrs.</td></tr> <tr><td colspan="2">3/60 POP</td></tr> <tr><td colspan="2">5/66 CO to 3,619'. String shot 3,595-3,625'.</td></tr> <tr><td colspan="2">Acidize OH w/500 gal 15%</td></tr> <tr><td colspan="2">8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)</td></tr> <tr><td colspan="2">Acidize 3,447-3,557' w/1500 gal.</td></tr> <tr><td colspan="2">Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP</td></tr> <tr><td colspan="2">IPP 9 BOPD, 91 MCF, 154 BWPD</td></tr> <tr><td colspan="2">6/90 Set CIBP @ 3,395'.</td></tr> </tbody> </table>		LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY		9/59 Spud. 9/59 Initial Completion.		Open hole completion 3,586-3,619'		Sand Jet 3,594'		Frac w/10,000 gal oil & 10,000# sand.		IPF 97 BO, 0 BW, 628 GOR in 6 hrs.		3/60 POP		5/66 CO to 3,619'. String shot 3,595-3,625'.		Acidize OH w/500 gal 15%		8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)		Acidize 3,447-3,557' w/1500 gal.		Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP		IPP 9 BOPD, 91 MCF, 154 BWPD		6/90 Set CIBP @ 3,395'.	
LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY																															
9/59 Spud. 9/59 Initial Completion.																															
Open hole completion 3,586-3,619'																															
Sand Jet 3,594'																															
Frac w/10,000 gal oil & 10,000# sand.																															
IPF 97 BO, 0 BW, 628 GOR in 6 hrs.																															
3/60 POP																															
5/66 CO to 3,619'. String shot 3,595-3,625'.																															
Acidize OH w/500 gal 15%																															
8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)																															
Acidize 3,447-3,557' w/1500 gal.																															
Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP																															
IPP 9 BOPD, 91 MCF, 154 BWPD																															
6/90 Set CIBP @ 3,395'.																															
		<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>9 5/8" @ 333' w/300 sx Cmt</p> <p>TOC @ 2,260' by Temp Surv.</p> <p>Add Perfs: 2796, 2816, 26, 36 2842, 62, 77, 84 1spf</p> <p>Perfs: 2,964-3,141' (1 SPF) 2,964, 3,000, 18, 29, 49, 52, 53, 3074, 3106, 07, 08, 41'</p> <p>Add Perfs: 3192, 3200, 17, 51 3267, 98, 3331, 64, 71, 81 3spf</p> <p>CIBP @ 3,395' on 6/90</p> <p>Perfs: 3,447-3,557' 3,447, 54, 60, 67, 72, 78, 88, 99, 3,508, 16, 22, 26, 35, 39, 44, 49, 57' 7" @ 3,586' w/250 sx Cmt</p> </div> <div style="width: 5%; text-align: center;"> <p>} Frac</p> </div> <div style="width: 45%;"> <p>TD 3,619'</p> </div> </div>																													
TANSILL	2,787' (file pick)																														
YATES	2,940'																														
7 RVRS	3,192'																														
QUEEN	3,524'																														

☒ Well File

☒ OCD File

FORM	TOP																														
		STATE A A/C-1 #66 CURRENT WELLBORE DIAGRAM MISSION RESOURCES																													
		SU-T-R 13D-23S-36E API #: 30-025-09346 POOL: JALMAT; TAN-YATES-7 RVRS (PRO GAS) CO, ST: LEA, NEW MEXICO LAND TYPE: STATE STATUS: ACTIVE ACREAGE 40.12 LATEST RIG WORKOVER: DIAGRAM REVISED: 4/27/2004 BY ERG																													
		LOG ELEVATION: N/R GROUND ELEVATION: 3,389'																													
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">CASING</th> <th style="width: 30%;">LINER</th> <th style="width: 40%;">TUBING</th> </tr> </thead> <tbody> <tr><td>Hole</td><td></td><td></td></tr> <tr><td>Pipe</td><td>9 5/8"</td><td>7"</td></tr> <tr><td>Weight</td><td>36#</td><td>20#</td></tr> <tr><td>Grade</td><td></td><td></td></tr> <tr><td>Thread</td><td></td><td></td></tr> <tr><td>Depth</td><td>333'</td><td>3,586'</td></tr> <tr><td>Mud wt</td><td></td><td></td></tr> </tbody> </table>		CASING	LINER	TUBING	Hole			Pipe	9 5/8"	7"	Weight	36#	20#	Grade			Thread			Depth	333'	3,586'	Mud wt						
CASING	LINER	TUBING																													
Hole																															
Pipe	9 5/8"	7"																													
Weight	36#	20#																													
Grade																															
Thread																															
Depth	333'	3,586'																													
Mud wt																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">LOGS</th> </tr> </thead> <tbody> <tr><td>Sonic Log</td><td>1959</td></tr> <tr><td>Temperature</td><td>1959</td></tr> <tr><td>Perforating</td><td>1971</td></tr> <tr><td>Compensated Neutron</td><td>1990</td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>		LOGS		Sonic Log	1959	Temperature	1959	Perforating	1971	Compensated Neutron	1990																		
LOGS																															
Sonic Log	1959																														
Temperature	1959																														
Perforating	1971																														
Compensated Neutron	1990																														
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">TAN-YATES-7 RVRS ZONE HISTORY</th> </tr> </thead> <tbody> <tr><td colspan="2">6/90 Recomplete from Queen.</td></tr> <tr><td colspan="2">Perforated 2,964-3,141'</td></tr> <tr><td colspan="2">Acidized 2964-3141' w/2000 gal 15%</td></tr> <tr><td colspan="2">Frac w/57,346 gal gel & 149,076# sand. POP</td></tr> <tr><td colspan="2">IPF 0 BO, 880 MCF, 0 BW</td></tr> <tr><td colspan="2">1/91 CO to 3,395'. POP</td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> </tbody> </table>		TAN-YATES-7 RVRS ZONE HISTORY		6/90 Recomplete from Queen.		Perforated 2,964-3,141'		Acidized 2964-3141' w/2000 gal 15%		Frac w/57,346 gal gel & 149,076# sand. POP		IPF 0 BO, 880 MCF, 0 BW		1/91 CO to 3,395'. POP															
TAN-YATES-7 RVRS ZONE HISTORY																															
6/90 Recomplete from Queen.																															
Perforated 2,964-3,141'																															
Acidized 2964-3141' w/2000 gal 15%																															
Frac w/57,346 gal gel & 149,076# sand. POP																															
IPF 0 BO, 880 MCF, 0 BW																															
1/91 CO to 3,395'. POP																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">OPPORTUNITY</th> </tr> </thead> <tbody> <tr><td colspan="2">None seen.</td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> <tr><td colspan="2"> </td></tr> </tbody> </table>		OPPORTUNITY		None seen.																									
OPPORTUNITY																															
None seen.																															
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2" style="text-align: center;">LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY</th> </tr> </thead> <tbody> <tr><td colspan="2">9/59 Spud. 9/59 Initial Completion.</td></tr> <tr><td colspan="2">Open hole completion 3,586-3,619'</td></tr> <tr><td colspan="2">Sand Jet 3,594'</td></tr> <tr><td colspan="2">Frac w/10,000 gal oil & 10,000# sand.</td></tr> <tr><td colspan="2">IPF 97 BO, 0 BW, 628 GOR in 6 hrs.</td></tr> <tr><td colspan="2">3/60 POP</td></tr> <tr><td colspan="2">5/66 CO to 3,619'. String shot 3,595-3,625'.</td></tr> <tr><td colspan="2">Acidize OH w/500 gal 15%</td></tr> <tr><td colspan="2">8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)</td></tr> <tr><td colspan="2">Acidize 3,447-3,557' w/1500 gal.</td></tr> <tr><td colspan="2">Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP</td></tr> <tr><td colspan="2">IPP 9 BOPD, 91 MCF, 154 BWPD</td></tr> <tr><td colspan="2">6/90 Set CIBP @ 3,395'.</td></tr> </tbody> </table>		LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY		9/59 Spud. 9/59 Initial Completion.		Open hole completion 3,586-3,619'		Sand Jet 3,594'		Frac w/10,000 gal oil & 10,000# sand.		IPF 97 BO, 0 BW, 628 GOR in 6 hrs.		3/60 POP		5/66 CO to 3,619'. String shot 3,595-3,625'.		Acidize OH w/500 gal 15%		8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)		Acidize 3,447-3,557' w/1500 gal.		Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP		IPP 9 BOPD, 91 MCF, 154 BWPD		6/90 Set CIBP @ 3,395'.	
LANGLIE MATTIX (LWR 7RVRS-QUEEN) HISTORY																															
9/59 Spud. 9/59 Initial Completion.																															
Open hole completion 3,586-3,619'																															
Sand Jet 3,594'																															
Frac w/10,000 gal oil & 10,000# sand.																															
IPF 97 BO, 0 BW, 628 GOR in 6 hrs.																															
3/60 POP																															
5/66 CO to 3,619'. String shot 3,595-3,625'.																															
Acidize OH w/500 gal 15%																															
8/71 Perf 3,447-3,557'. Set RBP @ 3,565' (L 7 Rvrs)																															
Acidize 3,447-3,557' w/1500 gal.																															
Frac w/20,000 gal gel & 30,000# sand. Pull RBP. POP																															
IPP 9 BOPD, 91 MCF, 154 BWPD																															
6/90 Set CIBP @ 3,395'.																															
		<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>9 5/8" @ 333' w/300 sx Cmt</p> <p>TOC @ 2,260' by Temp Surv.</p> <p>Perfs: 2,964-3,141' (1 SPF) 2,964, 3,000, 18, 29, 49, 52, 53, 74, 3,106, 07, 08, 41'</p> <p>CIBP @ 3,395' on 6/90</p> <p>Perfs: 3,447-3,557' 3,447, 54, 60, 67, 72, 78, 88, 99, 3,508, 16, 22, 26, 35, 39, 44, 49, 57' 7" @ 3,586' w/250 sx Cmt</p> </div> <div style="width: 50%; text-align: center;"> <p>TD 3,619'</p> </div> </div>																													
TANSILL	2,787' (file pick)																														
YATES	2,940'																														
7 RVRS	3,192'																														
QUEEN	3,524'																														

☒ Well File

☒ OCD File

Current