
Submit 3 Copies To Appropriate District Office District I State of New Mexico Energy, Minerals and Natural Resources	Form C-103 May 27, 2004				
1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave. Artesia, NM 88210 OIL CONSERVATION DIVISION	WELL API NO. 30-025-29569				
District III 1220 South St. Francis Dr.	5. Indicate Type of Lease STATE X FEE				
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505	6. State Oil & Gas Lease No.				
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	7. Lease Name or Unit Agreement Name SANMAL QUEEN UNIT				
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other X INJECTION	8. Well Number #5				
Name of Operator Yates Petroleum Corporation	9. OGRID Number 025575				
3. Address of Operator 105 S. 4 th Street, Artesia, NM 88210	10. Pool name or Wildcat SANMAL QUEEN				
4. Well Location Unit Letter I: 1.650' feet from the South line and	990' feet from the <u>East</u> line				
Section 1 Township 17S Range 33E	NMPM Lea County				
11. Elevation (Show whether DR, RKB, RT, GR, etc.) Pit or Below-grade Tank Application or Closure					
Pit type Depth to Groundwater Distance from nearest fresh water well D	vistance from nearest surface waterN/A				
	Construction Material				
12. Check Appropriate Box to Indicate Nature of Notice	e, Report or Other Data				
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WO	RILLING OPNS. P AND A				
OTHER:					
13. Describe proposed or completed operations. (Clearly state all pertinent details, a of starting any proposed work). SEE RULE 1103. For Multiple Completions: A or recompletion.	nd give pertinent dates, including estimated date Attach wellbore diagram of proposed completion				
Yates Petroleum Corporation respectfully requests permission to Temporarily Abandon this well. The lease is included in a sale package. The potential buyer may want to re-activate.					
Contact NMOCD 24 hours prior to performing Mechanical Integrity Test. 1. MIRU a completion unit. Release pkr & TOH w/ tbg & pkr. 2. RU WL. RIH w/ CIBP & set at 3,750'. Dump 35' cement on CIBP.					
4. Test casing to 500 psi for 30 minutes. Record Results.5. TOH w/ tbg, LD.6. Clean up location & release equipment.	12.08.05.05 CONT. 18.05.05.05.05.05.05.05.05.05.05.05.05.05.				
	Constant of the control of the contr				
I hereby certify that the information above is true and complete to the best of my knowled grade tank has been/will be constructed or closed according to NMOCD guidelines [], a general permit [ge and belief. I further certify that any pit or below- or an (attached) alternative OCD-approved plan .				
SIGNATURE TITLE Regulatory Comp	Diance Technician DATE 1/17/05				
Type or print name Su'Ann Rogers E-mail address: For State Use Only	Telephone No. <u>505-748-1471</u>				
APPROVED BY: Laww. Winds TITLE Conditions of Approval (if any):	DATHAN 2 1 2005				

Well Name:	Hoover ADF	R State No. 1	Field:_	Sanmal	
Location:	1650' FSL & 990' FEL Sec. 1-17S-33E Lea Co, NM				
GL: 4139'	Zero:	AGL: _		KB:	4156.6'
Spud Date:	Completion Date:				
Comments:	Well originally drilled as Hoover ADR State No. 1. Plugged back and				
re-named Sanr	nal Queen Unit N	No. 5			

Casing Program			
Size/Wt/Grade/Conn	Depth Set		
13 3/8" 61 & 54.5# J55	448'		
8 5/8" 32 & 24# J55	4530'		



CURRENT CONFIGURATION

Queen perfs 3767-74'

8 5/8" csg @ 4530'. Cmtd w/ 1725 sx. Cmt circ.

40 sx cement plug @ 4579'

40 sx cement plug 6062'

40 sx cement plug 8159'

40 sx cement plug @ 9824'

120 sx cement plug @ 11103'

TD 11825'

DATE: 2/23/04

Well Name: Hoover ADR State No. 1 Field: Sanmal C


Location: 1650' FSL & 990' FEL Sec. 1-17S-33E Lea Co, NM Size/Wt/Gi

GL: 4139' Zero: AGL: KB: 4156.6' 13 3/8" 61 & 9

Spud Date: Completion Date: 8 5/8" 32 & 24

Comments: Well originally drilled as Hoover ADR State No. 1. Plugged back and re-named Sanmal Queen Unit No. 5

Casing Program			
Size/Wt/Grade/Conn	nn Depth Set		
13 3/8" 61 & 54.5# J55	448'		
8 5/8" 32 & 24# J55	4530'		



13 3/8" Csg @ 448'. Cmtd w/ 425 sx. Cmt circ. CIBP @ 3750'+ 35' cement Queen perfs 3767-74' PBTD 4352' 8 5/8" csg @ 4530'. Cmtd w/ 1725 sx. Cmt circ. 40 sx cement plug @ 4579' 40 sx cement plug 6062' 40 sx cement plug 8159' 40 sx cement plug @ 9824' 120 sx cement plug @ 11103'

TD 11825'

DATE: 2/23/04