

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-041-20006
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Todd Lwr SA Unit
8. Well Number	302
9. OGRID Number	227001
10. Pool name or Wildcat	Todd Lower San Andres Assoc

11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>	
Pit type Steel _____ Depth to Groundwater <u>N/A</u> Distance from nearest fresh water well <u>OVER 1000'</u> Distance from nearest surface water <u>OVER 1000'</u>	
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Set CIBP @ 4200', dump 35' cmt on top (perfs 4238'-4272') Tag
100' plug @ 2035'-1935'
Cut & pull 5-1/2" csg, estimate 1000'
Spot 100' plug @ 5-1/2" stub, Tag
Spot 100' plug @ 8-5/8" shoe (50 in & 50 out) Btm of shoe @ 331', Tag
50' surface plug, install dry hole marker



THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Donna Frazier

TITLE Production Analyst

DATE 01/21/2005

Type or print name Donna Frazier
For State Use Only

E-mail address: dfrazier@latigopetro.com Telephone No. (432)684-4293

APPROVED BY: Hay W. Wink
Conditions of Approval (if any):

DATE JAN 27 2005
FIELD REPRESENTATIVE II/STAFF MANAGER

TODD 302
660' FNL & 1980 FEL
Sec. 32 T7S, R36E
Todd Lwr SA Field
Roosevelt County, New Mexico
API #30-041-20006


GL Elev 4152'
KB Elev 4162'

2/67 - Perf 4238, 41, 44, 47, 51, 55,
58, 63, 68, 72 (10 holes)
Acdz w/3000 gals 15% DS-30

4/88 - Acdz w/2000 gals 15% NEFE
500 psi, 4 BPM

8/88 - Convert to WIW, last test
2 BO, 4 BW, configuration :
4102' of 2 3/8" PC tbg, 5 1/2"
AD1 pkr

6/90 - Convert to producer
7/00 - Laid down rods & tbg



12-1/4" Hole
Yates - 2342'
San Andres - 3485'

8-5/8" 24# Csg @ 290'
Cmtd w/150 sx

7-7/8" Hole

Perfs: 4238' - 4272' (10 Holes)

5-1/2" 14# csg @ 4293'
Cmtd w/250 sx

TODD 302
 660' FNL & 1980 FEL
 Sec. 32 T7S, R36E
 Todd Lwr SA Field
 Roosevelt County, New Mexico
 API #30-041-20006

GL Elev 4152'
KB Elev 4162'


2/67 - Perf 4238, 41, 44, 47, 51, 55,
 58, 63, 68, 72 (10 holes)
 Acdz w/3000 gals 15% DS-30

4/88 - Acdz w/2000 gals 15% NEFE
 500 psi, 4 BPM

8/88 - Convert to WIW, last test
 2 BO, 4 BW, configuration :
 4102' of 2 3/8" PC tbg, 5 1/2"
 AD1 pkr

6/90 - Convert to producer
 7/00 - Laid down rods & tbg

Install Dry Hole Marker



1/18/2005