

Submit To Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-105
Revised June 10, 2003

WELL API NO.
30-025-30676

5. Indicate Type of Lease
STATE ☒ FEE ☐

State Oil & Gas Lease No.
V-4599

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER CONFIDENTIAL
b. Type of Completion:
NEW ☐ WORK ☐ DEEPEN ☐ PLUG ☐ DIFF. ☐ Re-Entry
WELL OVER BACK RESVR.

7. Lease Name or Unit Agreement Name

East Sand Springs State Unit

2. Name of Operator
Yates Petroleum Corporation

8. Well No.
6

3. Address of Operator
105 South Fourth Street, Artesia, NM 88210 (505) 748-1471

9. Pool name or Wildcat
Four Lakes; Atoka, North

4. Well Location
Unit Letter N : 660 Feet From The South Line and 1839 Feet From The West Line
Section 18 Township 11S Range 35E NMPM Lea County

10. Date Spudded 10-10-04 RH
10-16-04 RT
11. Date T.D. Reached N/A
12. Date Compl. (Ready to Prod.) 12-1-04
13. Elevations (DF& RKB, RT, GR, etc.) 4144' GR, 4162' KB
14. Elev. Casinghead

15. Total Depth 12483'
16. Plug Back T.D. 12320'
17. If Multiple Compl. How Many Zones?
18. Intervals Drilled By
Rotary Tools 0-12483'
Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name
11954-12103' Atoka
20. Was Directional Survey Made
No

21. Type Electric and Other Logs Run
CBL
22. Was Well Cored
No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	54.5#	425'	17-1/2"	In Place	
8-5/8"	32#	4204'	11"	In Place	
5-1/2"	17#	12483'	7-7/8"	1625 sx (TOC-3000' est)	

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	11700'	11700'

26. Perforation record (interval, size, and number)
12346-56' (20), 12390-97' (14) and 12400-408' (16) total of 50 .42" holes
11954-60' (54)
12076-84' (32) and 12093-103' (40) for total of 72 .32" holes
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
12346-408' 3500 gal 15% NEFE acid w/60 balls
11954-60' 500 gal 7-1/2% Morrow acid w/40 balls

28. PRODUCTION

Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)			Well Status (Prod. or Shut-in)		
		Flowing			SIWOPL		
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio
12-1-04	24	3/16"		0	371	0	
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)	
450#			0	371	0		

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
Will be sold
Test Witnessed By
Noel Gomez

30. List Attachments
Log

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

Signature: Stormi Davis Printed Name: Stormi Davis Title: Regulatory Compliance Technician Date: 12-2-04
E-mail Address: stormid@ypcnm.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka Shale	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. L. Miss Lm	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T
T. Blinebry	T. Gr. Wash	T. Morrison	T
T. Tubb	T. Delaware Sand	T. Todilto	T
T. Drinkard	T. Bone Springs	T. Entrada	T
T. Abo	T. Rustler	T. Wingate	T
T. Wolfcamp	T. Morrow	T. Chinle	T
T. Penn	T. Austin	T. Permian	T
T. Cisco (Bough C)	T. Chester Lm	T. Penn "A"	T

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
 No. 2, from.....to.....
 No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
			REFER TO ORIGINAL COMPLETION				