FAX NO. 5057484572

Form C-144 March 12, 2004

District]
1625 N. French Dr., Hobbs, NM 88240
District II NM 88210
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

....

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

	e Tank Registration or Closur covered by a "general plan"? Yes xx No below-grade tank xx Closure of a pit or below-gra	
Derator: Vates Petroleum Corporation Teleph	one: (505) 748-4347e-mail address:deb	<u>biec@ypenm.com</u>
Address: 105 South 4th Street, Artesja, NM, 88210		
ddress: <u>105 South 4th Street, Artesia, NM 88210</u> 34590 acility or well name: <u>Gosden BGT State #1</u> API #: <u>30.025-37077</u> U/L. or	Qu/Qur F Sec 1 T 105 R 33E	The sector of the dian
Facility or well name: <u>Gosden BGT State #1</u> API #: <u>70.025-34077 U/L</u> . or County: <u>Lea</u> Latitude <u>N33.4786</u> Longitude <u>W103.5236</u> NAD: 1927	1983 xx Surface Owner : Federal [] State XX	
	Below-grade tunk	
Pit Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	
Workover 🔲 Emergency 🗔	Construction material:	
Lincd xx Unlined	Double-walled, with leak detection? Yes [] If not, explain why not.	
Liner type: Synthetic xx Thickness 12 mil Clay Cay Volume	Double-walled, with leak decould a set	
24,000 bbl	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water.)	100 feet or more	(0 points)
		(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic		(0 points)
Wellhead protection area: (Less man 200 feet from all other water sources.)	No	
water source, or less than 1000 feet from all other water sources.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
Distance to surface water: (horizontal distance to all wetlands, playas,		(0 points)
irrigation canals, ditches, and percnnial and ephemeral watercourses.)	1000 feet or more	
	Runking Score (Total Points)	20 Points
If this is a pit closure: (1) attach a diagram of the facility showing the pi onsite i offsite I foffsite, name of facility date. (4) Groundwater encountered: No I Yes I If yes, show depth b	elow ground surfaceft and attach se	imple results. (5) Attach soil sample results and a
date. (4) Groundwater encountered. The interest of the data of the	the second se	the showed escribed DI Of the on the state
Date: <u>February L 2005</u> Printed Name/Title <u>Debbie L, Caffall/Regulatory Technician</u> Signature	N. D. E. S. Caller	00
Printed Name/Title <u>Dehbie L, Caffall/Regulatory Technician</u> Signature _ Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	not relieve the operator of liability should the operator of its responsibility for compliance wit	hts of the pit or tank containing ground the hany other federal, state, or local laws and/or
	_Signature _ Just 3 2	
Date: PETROLEUM ENGINEER	Signature	
Printed Name/Title		
FEB 0 7 2005		