FEB-24-2005 THU 02:30 PM YATES PETROLEU	M LAND FAX NO. 5057484	572 P. 02				
1635 Ni Franch Dr. Hobbe NM 82740	ate of New Mexico nerals and Natural Resources	Form C-144 June 1, 2004				
1301 W. Grand Avenuc, Artcaia, NM 88210	0					
1000 Bio Brezow Road Artee NM \$7410	Conservation Division For diapprop	rilling and production facilities, submit to riste NMOCD District Office.				
		or downstream facilities, submit to Santa Pe				
5G	inta Fe, NM 87505	· · · · · · · · · · · · · · · · · · ·				
Is pit or below-grade tan	de Tank Registration or Closu k covered by a "general plan"? Yes No r below-grade tank for Closure of a pit or below-grade					
	8-4171e-mail address: <u>debbicc@ypcmm.c</u>	<u>kom</u>				
Address: 105 South 4th Street, Artesia, New Mexico 88210	103					
	103 U/L or Qtr/Qtr L Sec 29 T					
County: <u>Lea</u> Latitude <u>N33,5025</u> Longitude <u>W103.3894</u> NA	D: 1927 🔲 1983 🛄 Surface Owner: Federal 🛄 St	ste 🗋 Private 🛛 Indian 🗌				
P <u>it</u>	Below-grade tank	an a				
Type: Drilling 🖾 Production 🛄 Disposal 🛄	Volume:bbl Type of fluid:					
Workover 🔲 Emergency 🗍	Construction material:	_				
Lined Ex Unlined	Double-walled, with leak detection? Yes 🗌 If no	ot, explain why not.				
Liner type: Synthetic 🛛 Thickness 12 mil Clay 🗌						
Pit Volume <u>24,000</u> bbl	1					
	Less than 50 feet	(20 points)				
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)				
high water elevation of ground water.)	100 fact or more	(0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic	Ycs	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	(0 points)				
and the second of the second	Loss than 200 feet	(20 points)				
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)				
irrigation canals, ditches, and percennial and ephemeral watercourses.)	1000 feet or more	(0 points)				
		10 Points				
	Ranking Score (Total Points)					
this is a pit closure: (1) Attach a diagram of the facility showing the pit's our are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility .	, (3) Attach a general	description of remedial action taken including				
mediation start date and end date. (4) Groundwater encountered: No \Box Y	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.				
5) Atlach soil sample results and a diagram of sample locations and excava	tions.	·····				
Additional Comments:						
		erementetetetetetetetetetetetetetetetetete				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief. I further certify that is [], a general permit [], or an (attached) alter	the above-described pit or below-grade tank native OCD-approved plan [].				
Date: February 24, 2005	0.7 + 2.100					
Printed Name/Title Clifton R. May/Regulatory Agent Signature	Clift R. May					
Your certification and NMOCD approval of this application/closure does a otherwise endanger public health or the environment. Nor docs it relieve to regulations.	not relieve the operator of liability should the content	is of the pit or tank contaminate ground water or any other federal, state, or local laws and/or				
Approval: PETROLEUM ENGINE	ER _					
a segura a vitar		- Distor				
Printed Name/Title	Signature	Date:				
	······································	FEB 2 5 2005				

The reserve pit will be to the North. The Southeast corner of the pit will be approximately 60' North of the well bore. The pit will be a 150' X 150' and 6' deep with a capacity of 24,000 bbls.

YATES PETROLEUM CORPORATION General Plan was approved 4/15/04



Standard reserve pit. All Reserve pits are double Horse shoe size varies with depth of well FED-24-2005 INU 02-51 FI DISTRICT I 1000 N. Franch Dr., Bobbs, HB 62040 DISTRICT II 641 South First, Artenia, MS 688210 DISTRICT II 1000 Bio Brazos Rd., Astan, NM 67410 DISTRICT IV 2000 South Pachero, South Fe, NM 67805

4

W.103"23'21.8" N.911604.1" B.787907.1

N.33"30"08.9"

(NAD-27)

FEE.

1600' 1980' 2318'

FEE.

. 8

660' 290

·660'

OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088

AMENDED REPORT

Siste Lesse - 4 Copies Poe Lesse - 3 Copies ISERVATION DIVISION

WELL LOCATION AND ACREAGE DEDICATION PLAT

			WELL LO	CATION	AND ACR	AGE DEDICATI					
API Number 30.025.37(D3 Peel Code					v	Pool Manac Wildcat Mississippian					
Property (346	lode	Prop					Vell Humber 1				
OGRID No. Ope				Operator N		Elevation					
025575		l		YATES	Surface Lo			4157			
L or jut No.	Section	Township	Range	Lot idn	Peet from the		Feet from the	East/West line	County		
L of soc No.	29	9S	35E		1650	SOUTH	660	WEST	LEA		
		L	Bottom	Hole Lo	cation If Di	ferent From Su	rface	·			
. or lot No.	Section	Township	Bange	Lot. Idn	Feet from the		Fact from the	Bast/West line	County		
		r infill Co			der No.						
20 S/2	· ·										
							contained here basi of my the Class Signature Classicon Frinted Mar Regulate		lete to ihi		
							Date	7 24, 2005	TION		
//	/			Λ	$\langle \nabla \rangle$		/ hereby certi	fy that the well load new plotted from fle	dion show Id notes q		

Fee

2316' 1989'

1660

990*

I appropriate your plate the tree point in an and the plate your plate by the plate of the plate



Revised March 17, 1999 Instruction on back Submit to Appropriate District Office

P. 03

FEB-24-2005 THU 02:31 PM YATES PETROLEUM LAND FAX NO. 5057484572

Energy, Minute and Malarel Resources Department