

# TABULATION OF DEVIATION TEST BP AMERICA PRODUCTION COMPANY

<u>DEPTH</u>	<u>DEVIATION</u>	<u>DEPTH</u>	<u>DEVIATION</u>
<u>720'</u>	<u>1.50</u>	<u>          </u>	<u>          </u>
<u>1229'</u>	<u>1.75</u>	<u>          </u>	<u>          </u>
<u>1770'</u>	<u>0.50</u>	<u>          </u>	<u>          </u>
<u>2319'</u>	<u>0.75</u>	<u>          </u>	<u>          </u>
<u>2819'</u>	<u>2.50</u>	<u>          </u>	<u>          </u>
<u>3128'</u>	<u>.75</u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>	<u>          </u>

## AFFIDAVIT

THIS IS TO CERTIFY that to the best of my knowledge, the above tabulation details the deviation test taken on BP AMERICA PRODUCTION COMPANY'S:

Atlantic A LS 3M API 30-045-32466


1885'FSL & 1630 FWL Sec. 28 T31N R10W

SAN JUAN COUNTY, NEW MEXICO

Signed:

Title:

Cherry Hlava  
Regulatory Analyst



THE STATE OF TEXAS )

) SS.

COUNTY OF HARRIS )

BEFORE ME, the undersigned authority, on this day personally Cherry Hlava known to me to be a Regulatory Analyst for BP America Production company and to be the person whose name is subscribed to the above statement, who being by me dully sworn on oath, states that she has knowledge of the facts stated herein and that said statement is true and correct.

SUBSCRIBED AND SWORN to before me, a Notary Public in and for said County and State this 10th day of March, 2005.

Linda J. Berry  
Notary Public

My Commission Expires:

