

Submit To Appropriate District Office  
Two Copies  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-105  
July 17, 2008

1. WELL API NO.  
30-025-06596

2. Type of Lease  
☐ STATE ☒ FEE ☐ FED/INDIAN

3. State Oil & Gas Lease No.

4. Reason for filing:  
☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only)  
☒ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)

5. Lease Name or Unit Agreement Name  
L.G. Warlick C  
6. Well Number:  
005

7. Type of Completion:  
☐ NEW WELL ☐ WORKOVER ☐ DEEPENING ☒ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER

8. Name of Operator  
Apache Corporation

9. OGRID  
873

10. Address of Operator  
303 Veterans Airpark Lane, Suite 3000  
Midland, TX 79705

11. Pool name or Wildcat  
Penrose Skelly; Grayburg (50350) KB

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	15	21S	37E		330	S	2310	E	Lea
BH:										

13. Date Spudded  
05/30/1950

14. Date T.D. Reached  
07/10/1950

15. Date Rig Released  
07/11/1950

16. Date Completed (Ready to Produce)  
04/17/2011

17. Elevations (DF and RKB, RT, GR, etc.)  
3417' GR

18. Total Measured Depth of Well  
7827'

19. Plug Back Measured Depth  
4091'

20. Was Directional Survey Made?  
No

21. Type Electric and Other Logs Run  
CU/GR/CCL

22. Producing Interval(s), of this completion - Top, Bottom, Name  
Grayburg 3814'-3941'

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	300'	17"	300 sx	
8-5/8"	32#	2800'	11"	1300 sx	
5-1/2"	17#	7655'	8"	1100 sx	

24. LINER RECORD

25. TUBING RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-7/8"	3966'	

26. Perforation record (interval, size, and number)  
Grayburg 3814'-3941' (2 SPF, 50 holes) Producing (CIBP set @ 4116' w/25' cement on top)  
Hare Simpson 7408'-7620' (2 SPF, 162 holes) CIBP @ 7375' w/35' cement on top  
Ellenburger (OH 7655'-7827') CR @ 7635'

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.  
DEPTH INTERVAL  
Grayburg 3814'-3941' 3000 gal acid; 40,152 gal SS-30, 82,461# 20/40 sand; 1386 gal gel  
Hare; Simpson 7408'-7620' 4000 gal 10% NEFE DXBX acid  
(McKee/Connell)

28. PRODUCTION

29. Disposition of Gas (Sold, used for fuel, vented, etc.)  
Sold

30. Test Witnessed By  
Apache Corp.

31. List Attachments  
C-102, C-103, C-104 (logs submitted 2/22/2011)

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

Latitude

Longitude

NAD 1927 1983

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Reesa Holland  
Printed Name Reesa Holland  
Title Sr. Engr Tech  
Date 06/06/2011  
E-mail Address Reesa.Holland@apachecorp.com

JUN 13 2011

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

7