
Submit 1 Copy To Appropriate District Office	State of New Mexic	co	Form C-103				
District I – (575) 393-6161	T 10 1 137 . 15						
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.				
District II - (575) 748-1283	District II - (575) 748-1283 811 S. First St., Artesia, NM		30-025-01269				
District III – (505) 334-6178	1220 South St. Franci	5. Indica	tte Type of Lease				
1000 Rio Brazos Rd., Aztec, NM 87410 5 2011 <u>District IV</u> – (505) 476-3460 JUN 1 5 2011	Santa Fe, NM 8750	31	TATE FEE				
District IV – (505) 476-3460 JUN 1 5 25 Santa Fe, NIVI 87505			Oil & Gas Lease No.				
	AND REPORTS ON WELLS	7. Lease	Name or Unit Agreement Name				
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			EXICO "A"				
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other SWD			Number #002				
2. Name of Operator			D Number 253010				
KENEMORE WELDING & OILFIELD SERVICES, INC.							
3. Address of Operator PO BOX 154, MALJAMAR, NEW ME		name or Wildcat ERMO UPPER PENN					
4. Well Location							
	661 feet from the SOUTH	line and 1,983	feet from the <u>EAST</u> line				
Section 25	Township 16S	Range 33E	NMPM County LEA				
	. Elevation (Show whether DR, R		7 7 74 1 24 1				
	. Die varion (Show whomen 213, 12	22,,,					
12. Check Appr	ropriate Box to Indicate Natu	are of Notice, Report o	r Other Data				
NOTICE OF INTE	NTION TO:	SUBSEQUE	NT REPORT OF:				
		OMMENCE DRILLING OP	NS.□ PANDA □				
	I	ASING/CEMENT JOB					
DOWNHOLE COMMINGLE							
	_	7.2 . 250	Na				
OTHER:		THER: TUBING REPLY	KEMENI				
13. Describe proposed or completed	d operations. (Clearly state all per	tinent details, and give pert	inent dates, including estimated date				
	SEE RULE 19.15.7.14 NMAC.	For Multiple Completions:	Attach wellbore diagram of				
proposed completion or recomp	letion.						
BACKED OFF PACKER WITH ON/OI	SETOOL PHILLED ALL 2.7/8"	TURING REPLACED 8 I	BAD JOINTS. RAN TUBING				
BACK INTO HOLE. DISPLACED HO							
AGAIN. PRESSURE TESTED CASIN	G AT 400 LBS FOR 30 MINUTE	S. ENCLOSED ORIGINA	L CHART & WELL BORE				
DIAGRAM.							
TOP PERF- 10,839 V							
BOTTOM PERF- 11,556							
	•						
	i,c.						
	r						
0 15	n' n l D		ł				
Spud Date:	Rig Release Date						
<u> </u>							
		0 1 1 1 11 11					
I hereby certify that the information about	ve is true and complete to the best	of my knowledge and belie	et.				
SIGNATURE	Memore TITLE	PRESIDENT	DATE 6-8-1/				
The state of the s	werning						
Type or print name GEORGE KE	NEMORE E-mail address:	gkenemore@leaco.net	PHONE: <u>575-390-6951</u>				
For State Use Only	1						
ADDROVED BY FILE		ff mas	DATE 6-16-2011				
APPROVED BY	TITLE	TT INUS	DATE				
Conditions of Approval (if any):			JUN 16 2011				
/ //							

KENEMORE WELDING & OILFIELD SERVICES, INC

NEW MEX A #2

UL-O SEC 25, T16S, R33E

30-025-01269



Kenemore

NM # 2

Company Rep George Kenemore Sales Rep Brad Eurng

	aliation		ocloslii	ao I	ID]
Installation	Length	Depth 14.00	Description	-	
	14 00 14 00	14 00		2 875	2 380
	1 3	-	5 1/2 X 2 7/8 T2 on/off tool with 2 25 "F" profile nickel on/off tool and stainless steel profile 00 5 1/2 X 2 7/8 Nickel Plated Arrowset 1-X Packet		45 2 250
			Pertsa 10839-11556 - PBTD 12700 - Filename.		

