RECEIVED

State of New Mexico

Form C-144 CLEZ July 21, 2008

1220 S. St. Francis Dr., Santa Fe, NM 87505

District III
District III
1301 W. Grand Avenue, Artesia, NM 8821 DEC 27 2010
Department 1000 Rio Brazos Road, Aztec, NM 87410 HOBBSOCD Oil Conservation Division
1220 South St. Francis De Co.

Santa Fe, NM 87505

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.				
Operator: Celero Energy II, LP		OGRID #:	247128 —	
Address: 400 W. Illinois, Ste. 1601 Midland, TX				
Facility or well name: <u>Drickey Queen Sand Unit #2</u>	5 /			
API Number: 30-005-00963	~ OCD	Permit Number:	P1-03381	
U/L or Qtr/Qtr O Section 3	_ Township <u>14S</u>	Range 31E	County: Chaves	
Center of Proposed Design: Latitude	Lor	gitude	NAD: □1927 □ 1983	
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment				
2. X Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: □ Drilling a new well X Workover or Drilling (Applies to accivities which require prior approval of a permit or notice of intent) □ P&A X Above Ground Steel Tanks or □ Haul-off Bins Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers				
Signed in compliance with 19.15.3.103 NMAC				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. \[\textstyle \textstyl				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.				
Disposal Facility Name: Gandy Marley	. •	_ Disposal Facility Per	rmit Number: NM 01-0019	
Disposal Facility Name: Control Recovery		_ Disposal Facility Per	rmit Number: <u>NM 01-006</u>	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No				
6. Operator Application Certification:				
I hereby certify that the information submitted with this application is true; accurate and complete to the best of my knowledge and belief.				
Name (Print): Lisa Hunt				
Signature: Sua Hunt Date: 12/23/2010				
e-mail address: <u>lhunt@celeroenergy.com</u>		Telephone: <u>(4</u>	32)686-1883	

OCD Approval: Permit Application (including closure plan) Closur	e Plan (only)
OCD Representative Signature: Majur Brown	Approval Date: 6/22/201/
Title: Compliance Office	OCD Permit Number: P1-D3 381
8. Closure Report (required within 60 days of closure completion): Subsect	ion K of 19 15 17 13 NMAC
Instructions: Operators are required to obtain an approved closure plan pri	
The closure report is required to be submitted to the division within 60 days	•
section of the form until an approved closure plan has been obtained and the	
A STATE OF THE STA	Closure Completion Date:
9. (C) (A) (C) (C) (A) (C) (C) (A) (C) (C) (A) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	The Charles About Considering the Hold of Division in
Closure Report Regarding Waste Removal Closure For Closed-loop Syste Instructions: Please indentify the facility or facilities for where the liquids,	
two facilities were utilized.	Thing yours and arm cannings here an peneal cose an actiment if more man
Disposal Facility Name:	Disposal Facility Permit Number:
Disposal Facility Name:	Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed or Yes (If yes, please demonstrate compliance to the items below) No	
Required for impacted areas which will not be used for future service and ope	rations.
☐ Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation	
Re-vegetation Application Rates and Seeding Technique	
10.	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closu	
belief. I also certify that the closure complies with all applicable closure requi	rements and conditions specified in the approved closure plan.
Name (Print): Lisa Hunt	Title: Regulatory Analyst
1	
Signature:	Date:
e-mail address: lhunt@celeroenergy.com	Telephone: (432)686-1883

Drickey Queen Sand Unit, API #30-005-00963. Attachment to NMOCD Form C-144 CLEZ, Item number 4.

Design Plan

The closed-loop system will not involve a drying pad, temporary pit, below-grade tank or sump. Workover fluids and any accompanying cuttings will be circulated from the well through appropriate piping to a welded-steel tank of adequate volume. Cuttings will be separated from the workover fluids and held in a haul-off bin before the workover fluid is re-circulated to the well.

Fencing or netting is not required for an above-ground, closed-loop system. The site will have a sign in compliance with 19.15.3.103 NMAC.

Operating and Maintenance Plan

Welded-steel tanks, haul-off bins, and associated piping will be maintained to contain liquids and solids. The equipment will be periodically inspected each day for leaks. The NMOCD District Office will be notified within 48 hours of the discovery of any leak in the equipment. Operations will be suspended and repairs will be started immediately upon the discovery of any leak. Hazardous waste, miscellaneous solid waste or debris will not be discharged into or stored in tanks or haul-off bins. Only fluids used in or cuttings generated by operations will placed or stored in the tanks or bins.

Fluids used in operations will be transported to Control Recovery for disposal on a periodic basis as necessary. Cuttings generated by operations will be transported to Gandy - Marley, Inc. for disposal on an as-needed basis.

Closure Plan

Steel tanks, haul-off bins, and related piping will be properly maintained. During and after rig operations, workover fluids and any generated cuttings will be hauled to Control Recovery and Gandy - Marley, Inc., respectively. All service equipment necessary for operations will be removed from the site at the conclusion of operations. Since there will not be any drying pads, temporary pits, or below-grade tanks or sumps, and future service and/or operations are likely, the site will not be reclaimed. The site will be reclaimed and re-vegetated once the well is permanently abandoned.