

Submit 3 Copies To Appropriate District

Office

State of New Mexico

Energy, Minerals and Natural Resources

District I  
1625 N. French Dr., Hobbs, NM 88240District II  
1301 W. Grand Ave., Artesia, NM 88210District III  
1000 Rio Brazos Rd. Aztec, NM 87410District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OGD

JUN 22 2011

RECEIVED

## OIL CONSERVATION DIVISION

1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. <b>30-025-06119</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease NO. <b>B-3672</b>
7. Lease Name or Unit Agreement Name <b>State "X"</b>
8. Well Number <b>1</b>
9. OGRID Numer <b>873</b>
10. Pool Name <b>Eunice Monument; Grayburg/SA</b>

SUNDRY NOTICES AND REPORTS ON WELLS  
(DON NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator <b>Apache Corporation</b>
3. Address of Operator <b>303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705</b>
4. Well Location Unit Letter <b>L</b> : <b>1980</b> feet from the <b>S</b> line and <b>660</b> feet from the <b>W</b> line Section <b>16</b> Township <b>20S</b> Range <b>37E</b> NMPM County <b>Lea</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>3517' GR</b>

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK	<input type="checkbox"/>	PLUG AND ABANDON	<input checked="" type="checkbox"/>
TEMPORARILY ABANDON	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	MULTIPLE COMPL	<input type="checkbox"/>
DOWNHOLE COMMINGLE	<input type="checkbox"/>		

OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK	<input type="checkbox"/>
COMMENCE DRILLING OPNS.	<input type="checkbox"/>
CASING/CEMENT JOB	<input type="checkbox"/>
ALTERING CASING	<input type="checkbox"/>
P AND A	<input type="checkbox"/>
OTHER:	<input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&amp;A the above mentioned well by the attached procedure.

The Oil Conservation Division Must be notified  
24 hours prior to the beginning of plugging operations.

Spud Date: Rig Release Date: 

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Reclamation Foreman DATE 6/20/11Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: Mark Whitaker TITLE Compliance Officer DATE 06-23-2011

Conditions of Approval (if any):



# WELL BORE INFO.

LEASE NAME

State "X"

WELL #

1

API #

30-025-06119

COUNTY

Lea

# PROPOSED PROCEDURE

16" hole

12 1/2" 40# @ 196'  
w/ 200 sx to surf

11 3/4" hole

8 5/8" 32# @ 2417'  
w/600 sx Cal TOC @ 593'

7 7/8" hole

(1991) Set CIBP @ 3481' Unkn w/cmt  
(1988) Perfs @ 3526'-3619'

6 5/8" 20# @ 3760'  
w/ 100 sx Cal TOC @ 2692'

PBTD @ 3481'  
TD @ 3835'

(1988) set CICR @ 3646' & sqzd perfs 3702'-3761'  
w/ 75 sx TOC 3637'

(1964) Perf @ 3734'-3761'

(1961) Perf @ 3702'-3730' sand/oil frac

(1964) DO to 3835', re-sqzd 3760'-3835' w/ 225 sx

(1961) Sqzd OH 3760'-3835' w/ 50 sx



# WELL BORE INFO.

LEASE NAME

State "X"

WELL #

1

API #

30-025-06119

COUNTY

Lea

# PROPOSED PROCEDURE

16" hole

12 1/2" 40# @ 196'  
w/ 200 sx to surf

4. PUH & perf @ 250' & sqz 175 sx Class "C" cmt from 250' to surf, circ all strings to surf (Shoe & Water Board)

11 3/4" hole

8 5/8" 32# @ 2417'  
w/600 sx Cal TOC @ 593'

3. PUH & perf @ 1250' & sqz 60 sx Class "C" cmt from 1250'-1150' WOC/TAG (Top of Salt)

7 7/8" hole

(1991) Set CIBP @ 3481' Unkn w/cmt  
(1988) Perfs @ 3526'-3619'

2. PUH & perf @ 2467' & sqz 80 sx Class "C" cmt from 2467'-2200' WOC/TAG (Shoe & Base of Salt)

6 5/8" 20# @ 3760'  
w/ 100 sx Cal TOC @ 2692'

1. MIRU & RIH w/ tbg & circ w/MLF & spot 25 sx Class "C" cmt from 3481' to 3331' (CIBP)

(1988) set CICR @ 3646' & sqzd perfs 3702'-3761'

w/ 75 sx TOC 3637'

(1964) Perf @ 3734'-3761'

(1961) Perf @ 3702'-3730' sand/oil frac

(1964) DO to 3835', re-sqzd 3760'-3835' w/ 225 sx

(1961) Sqzd OH 3760'-3835' w/ 50 sx

PBTD @ 3481'  
TD @ 3835'