<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144


June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No XX
Type of action: Registration of a pit or below-grade tank \(\sum_{\text{in}}\) Closure of a pit or below-grade tank \(\sum_{\text{in}}\)

Type of action. Registration of a pit of octow-grade tank [] Closure of a pit of octow-grade tank XX			
Operator: Arch Petroleum Inc. 432-685-8100 Telephone: e-mail address: wrightc@pogoproducing.com			
Address: P. O. Box 10340, Midland, TX 79702-7340			
Facility or well name: <u>J. F. Janda I #11</u> API #:	30-025-36396 U/L or Qtr/Qtr B	Sec 2 T 23S R 36E	
	32:20:37 Longitude 103	:14:10 NAD: 1927 № 1983 🗆	
Surface Owner: Federal State Private Indian			
Pit Below-grade tank			
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:		
Workover	Construction material:		
Lined 🔀 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type: Synthetic Thickness 6 mil Clay			
Pit Volume 4000 bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
angli water cievation of ground water.)	100 feet or more X	(0 points) O	
	Yes		
Wellhead protection area: (Less than 200 feet from a private domestic	No	(20 points)	
water source, or less than 1000 feet from all other water sources.)	X	(0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
L	1000 feet or more X	(0 points)	
	Ranking Score (Total Points)	0	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if			
your are burying in place) onsite XX offsite If offsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No KYes I If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments: Constructed before 4/15/04			
2000			
I hereby certify that the information character and a second seco			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines [3], a general permit [1], or an (attached) alternative OCD-approved plan [1].			
Date: 03/23/05 District No. 2000 Cathyr Whight Co. Eng. Rock			
Printed Name/Title Cathy Wright, Sr Eng Tech Signature Signature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or			
regulations.			
Approval:	~ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<i>j</i> /	
Printed Name/Title GARY W. WINK STAFF MGR	. Signature Tay W. Wink	Date: 3/31/05	
·	1	 	

J.F. JANDA "I" #11



B/2/235/36E 30-025-36396 M32°20'37" W103°14'10'

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.



Water Resources

Lea County, New Mexico

Hydrologic Unit Code 13070007

Data Category:
Site Information

Geographic Area: New Mexico

Ŧ (


Site Map for New Mexico

USGS 321936103154601 23S.36E.04.42431

Available data for this site

site map

GO



Questions about data New Mexico NWISWeb Data Inquiries Feedback on this websiteNew Mexico NWISWeb Maintainer NWIS Site Inventory for New Mexico: Site Map http://waterdata.usgs.gov/nm/nwis/nwismap?

Top Explanation of terms

Retrieved on 2005-03-15 11:35:00 EST

Department of the Interior, U.S. Geological Survey


USGS Water Resources of New Mexico

Privacy Statement || Disclaimer || Accessibility || FOIA

1.16 0.92 nadww01



Water Resources



Ground-water levels for New Mexico

Search Results -- 1 sites found

Search Criteria

site_no list = • 321936103154601

Save file of selected sites to local disk for future upload

USGS 321936103154601 23S.36E.04.42431

Available data for this site

Ground-water: Levels

GO

Output formats Lea County, New Mexico Hydrologic Unit Code 13070007 <u>Table of data</u> Latitude 32°19'36", Longitude 103°15'46" NAD27 Tab-separated data Gage datum 3,492.50 feet above sea level NGVD29 The depth of the well is 206 feet below land surface. Graph of data This well is completed in OGALLALA FORMATION (1210GLL) Reselect period USGS 321936103154601 23S.36E.04.42431 Ground-Water Level, in feet below surface 3420 80 3400 100 feet 3380 120 Hater Level, 3360 140 3340 160 0 1965 1970 1975 1980 1985 1990 1995 2000 2005 DATES: 10/21/1965 to 03/15/2005 23:59 Breaks in the plot represent a gap of at least one calendar year between two consecutive points. Download a presentation-quality graph

Questions about data <u>New Mexico NWISWeb Data Inquiries</u> Feedback on this websiteNew Mexico NWISWeb Maintainer

Top Explanation of terms

Great Circle Calculator.


By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.



Distance Units: nm F Earth model: Spherical (1'=1nm)

Compute Reset

Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.