District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004


1220 South St. Francis Dr. Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No XX Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank XX										
erator: Arch Petroleum Inc. 432-685-8100		a mail addraga	547.2°	iahtaa	noar	2220		~ _		
Address: P. O. Box 10340, Midland, TX 79702-7340				rgnice	poge	DEC	uucin	<u> 9.c</u>	om	
Facility or well name: Lee Stebbins B #6 API#: 30-025-36398		LI/L or Otr/Otr	В	Sec	 5	т	22S	D	37E	
County: Lea Latitude 32:25:32.27										
Surface Owner: Federal State X Private Indian										
Pit Below-grade tank								 .		
Type: Drilling X Production Disposal	Volume:bbl Type o	of fluid:								
Workover Emergency	Construction material:									
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.									
Liner type: Synthetic K Thickness 6 mil Clay										
Pit Volume 5000 bbl										
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points)									
	50 feet or more, but less that	n 100 feet	X	(10 poin		10	.			
	100 feet or more		Λ	(0 poin	•	Τ(J			
				 						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes			(20 poin	•					
	No		X	(0 poin	ts)	()			
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet			(20 poin	ts)					
	200 feet or more, but less than 1000 feet (10 points)									
	1000 feet or more X			(0 points)						
	Ranking Score (Total Poin									
Falining with all and the state of the state	<u> </u>	- ú		<u> </u>		10				
f this is a pit closure: (1) Attach a diagram of the facility showing the pit's										
our are burying in place) onsite 🖾 offsite 🔲 If offsite, name of facility_									ıding	
emediation start date and end date. (4) Groundwater encountered: No KYes I If yes, show depth below ground surface ft. and attach sample results.										
5) Attach soil sample results and a diagram of sample locations and excavat				<u> </u>	-					
Additional Comments: Constructed before 4/15/04						`,			***	
<u> </u>										
3,50										
300										
I homely contifue that the inferred is the inferred in the inf										
I hereby certify that the information above is true and complete to the best of has been/will be constructed or closed according to NMOCD guidelines	of my knowledge and belief. Is S., a general permit . or	further certify t an (attached) al	hat th	e above-de ive OCD-a	escrib Innrov	ed pit d ved pla	r below n □.	-grade	tank	
					PP-V	, ca p.a.	٠. ت			
Date: 03/23/05	\sim	21/ /	,,	. 1/_	_					
Printed Name/Title Cathy Wright, Sr Eng Tech Signature Signature										
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or										
regulations.	o operator or no responsibility	tor compnance v	viui an	y omer ted	crai, s	tate, or	iocal law	vs and/	OF	
		·			· · · · · ·					
Approval:										
Printed Name/Title GARY W. WINK STAFF MGR, Signature Lary W. Wink Date: 3/31/05										
•	<i>I</i> 1						· /			


Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.

LEE STEBBINS "B" #6



B/5/225/37E 30-025-36398 M32°25'54° W 103°10'91°



Water Resources

Data Category:
Site Information

Geographic Area: New Mexico



Site Map for New Mexico

USGS 322344103103301 22S.37E.09.33333

Available data for this site

site map

Lea County, New Mexico Hydrologic Unit Code 13070007 Latitude 32°23'44", Longitude 103°10'33" NAD27 Gage datum 3,400.70 feet above sea level NGVD29 Location of the site in New Mexico. Site map. unice USG\$ Station 3223441 USGS Station 3223441031 330: ZOOM IN <u>2X</u>, <u>4X</u>, <u>6X</u>, <u>8X</u>, or ZOOM OUT <u>2X</u>, <u>4X</u>. <u>6X</u>. <u>8X</u>. Maps are generated by US Census Bureau TIGER Mapping Service.

Questions about data New Mexico NWISWeb Data Inquiries Feedback on this websiteNew Mexico NWISWeb Maintainer NWIS Site Inventory for New Mexico: Site Map http://waterdata.usgs.gov/nm/nwis/nwismap?

Top Explanation of terms

Retrieved on 2005-03-15 11:36:42 EST
Department of the Interior, U.S. Geological Survey
USGS Water Resources of New Mexico
Privacy Statement || Disclaimer || Accessibility || FOIA
1.18 0.93 nadww01



Water Resources



Ground-water levels for New Mexico

Search Results -- 1 sites found

Search Criteria

site_no list = • 322344103103301


Save file of selected sites to local disk for future upload

USGS 322344103103301 22S.37E.09.33333

Available data for this site

Ground-water: Levels





Questions about data New Mexico NWISWeb Data Inquiries
Feedback on this websiteNew Mexico NWISWeb Maintainer

Top Explanation of terms

Great Circle Calculator.


By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.



Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

Reset

*Compute

Input data Lat1 Lon1 0:00.00 ΝΨ 0:00.00 W 🔻 Course 1-2 Distance 1-2 360 0.0