District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

## State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

	rade Tank Registration or Closure	_								
Is pit or below-grade tank covered by a "general plan"? Yes X No [										
Type of action: Registration of a pit	or below-grade tank \(\bigcap\) Closure of a pit or below-grade	tank X								
Operator: Votes Patraloum Comparation Talaphone: 505 748 4500 a mai	Laddrace; mikas@ama com									
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e-mail address: mikes@ypc.com  Address: 105 South 4th Street, Artesia, N.M. 88210										
Facility or well name: Lotus ALT State 8 API #: 30-025-36557 U/L or Qtr/Qtr L Sec 32 T 22S R 32E										
County: <u>Lea</u> Latitude <u>32.34592</u> Longitude <u>103.70</u>	0369 NAD: 1927 🗌 1983 X									
Surface Owner: Federal State X Private Indian □										
Pit	Below-grade tank									
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:									
Work over Emergency	Construction material:									
Lined X Unlined	Double-walled, with leak detection? Yes [] If not, explain why not.									
Liner type: Synthetic ☐ Thickness <u>12</u> mil Clay ☐										
Pit Volume <u>12,000</u> bbl										
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)								
	50 feet or more, but less than 100 feet	(10 points)								
water elevation of ground water.)	100 feet or more	( 0 points) XXXX								
	Yes	(20 points)								
Wellhead protection area: (Less than 200 feet from a private domestic water		(20 points)								
source, or less than 1000 feet from all other water sources.)	No	( 0 points) XXXX								
	Less than 200 feet	(20 points)								
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)								
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points) XXXX								
- 11 <sub>11</sub> - 11 - 11 - 11 - 11 - 11 - 11 -		( o po)								
	Ranking Score (Total Points)	0 POINTS								
	56	78976								
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's rela	tionship to other equipment and tanks. (2) Indicate dispo-	sal location:7(check the onsite box if your are								
burying in place) onsite X offsite if offsite, name of facility NA	. (3) Attach a general description of repressal action to	iken including remediation start date and end date.								
(4) Groundwater encountered: No 🖂 Yes 🗀 If yes, show depth below ground s	urface ft. and attach sample results.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\								
(5) Associated and the control of a control	3	000 × 000 ×								
(4) Groundwater encountered: No  Yes  If yes, show depth below ground s (5) Attach soil sample results and a diagram of sample locations and excavations.	<u> </u>	<u>स्टिंड</u> के								
Additional Comments: Closure work plan for drilling pit. The drilling pit conto	ents will be mixed to stillen the pit contents. Encapsulation	on trench will be excavated and fined with a 12								
mil. Synthetic liner on former drilling pit site. Drilling pit contents will then be	emplaced into the encapsulation trench. \$20 mil. Synth	effe liner will then be placed over the pit contents								
with a min. of a 3' over lap of the underlying trench areas. The encapsulation to	renches will then be backfilled back to grade using a min.	of 3' of clean soil and like material. A one call &								
with a min. of a 3' over lap of the underlying trench areas. The encapsulation to 48 hour notice will be provided to the Oil Conservation Division before pit clos	ure actions begin	25222/0								
	ure actions begin.									
Pit Closure actions to begin by NA. Ending date NA										
I hereby certify that the information above is true and complete to the best of m	y knowledge and helief. Wurther certify that the above	e-described nit or below-grade tank has								
been/will be constructed or closed according to NMOCD guidelines , a g	general permit X, op an (attached) alternative OCD-ap	pproved plan .								
Date: <u>03/29/2005</u>										
Printed Name/Title Dan Dolan / Regulatory Agent	Signature A									
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise										
endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.										
Approval:	0 -1 2	_1_1								
Approval: Printed Name/Title GARY W. WINK STAFF MGR.	Signature Lay Duwk	Date: 3/31/05								

## New Mexico Office of the State Engineer Well Reports and Downloads

Locus alt State 8

Range: 32E Township: 22S

NAD27 X:

**Y**:

Zone:

Sections:

Search Radius:

County:

Basin:

Number:

Suffix:

Owner Name: (First)

(Last)

Non-Domestic Domestic

Well / Surface Data Report Avg Depth to Water Report Water Column Report WATERS Menu Clear Form Help

## AVERAGE DEPTH OF WATER REPORT 03/29/2005

(Depth Water in Feet)

Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
С	22S	32E	14				2	340	360	350
С	22S	32E	19				1	280	280	280

Record Count: 3

