| District II 1301 W. Grand Avenue, Artesia, NM 88210 Energy I | State of New Mexico Minerals and Natural Resources | (D) Form C-144 June 1, 2004 | |
|--|---|--|--|
| District IV 1220S St Fernaia Dr. Secto Es. NM 87410 1220S | l Conservation Division 20 South St. Francis Dr. Sonte Fe. NM 87505 | For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office | |
| | Santa Fe, NM 87505 | | |
| | rade Tank Registration or ank covered by a "general plan"? Ye | | |
| Type of action: Registration of a p | it or below-grade tank 🔲 Closure of a pit or | below-grade tank XX | |
| Operator: Arch Petroleum Inc. 43 Teleph | 2-685-8100 e-mail add | ress: wrightc@pogoproducing.com | |
| Address: P. O. Box 10340, Midland, TX 797 | | | |
| Facility or well name: <u>Resler B #2</u> API #: | 30-025-365/1 U/L or Qtr/ | Qtr O Sec 20 T 23S R 37E | |
| County: Lea Latitud Surface Owner: Federal 🗌 State 🗋 Private 🖾 Indian 🗌 | e <u>_32:1/:0/</u> Longitude | • 103; 10:56.6 NAD: 1927 K 1983 | |
| Pit | Below-grade tank | | |
| Type: Drilling X Production Disposal | | | |
| Workover Emergency | Volume:bbl Type of fluid: Construction material: | | |
| Lined 🔀 Unlined 🗋 | | | |
| Liner type: Synthetic 🕅 Thickness <u>6</u> mil Clay 🔲 | | | |
| Pit Volume <u>6000</u> bbl | | | |
| | Less than 50 feet | (20 points) | |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | 50 feet or more, but less than 100 feet | (10 points) | |
| ingh water elevation of ground water.) | 100 feet or more | X (0 points) O | |
| Wellhead protection areas (Loss than 200 fast from a minute down it | Yes | (20 points) | |
| Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) | No | | |
| which source, or ress than roov reet normal other water sources.) | | x | |
| Distance to surface water: (horizontal distance to all wetlands, playas, | Less than 200 feet | (20 points) | |
| irrigation canals, ditches, and perennial and ephemeral watercourses.) | 200 feet or more, but less than 1000 feet | (10 points) | |
| | 1000 feet or more | X (0 points) O | |
| | Ranking Score (Total Points) | 0 | |
| If this is a pit closure: (1) Attach a diagram of the facility showing the p | t's relationship to other equipment and tanks. | (2) Indicate disposal location: (check the onsite box if | |
| your are burying in place) onsite 🗱 offsite 🔲 If offsite, name of facility | | a general description of remedial action taken including | |
| remediation start date and end date. (4) Groundwater encountered: No 🗱 | KYes 🔲 If yes, show depth below ground sur | rfaceft. and attach sample results. | |
| (5) Attach soil sample results and a diagram of sample locations and excav | vations. | | |
| Additional Comments: Constructed before 4/15/0 | 4 | | |
| | · · · · · · · · · · · · · · · · · · · | ~ ``` | |
| | | Hot 122 | |
| | | S X S | |
| | | 8' | |
| | | | |
| I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideling to the second seco | st of my knowledge and belief. I further cert | tify that the above-described pit or below-grade tank | |
| | attachet | | |
| Date: $03/23/05$ | Call | r i i i i i i i i i i i i i i i i i i i | |
| Printed Name/Title Cathy Wright, Sr Eng Tech | | Mar | |
| Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations | not relieve the operator of liability should the the operator of its responsibility for complian | contents of the pit or tank contaminate ground water or use with any other federal state or local laws and/or | |
| regulations. | · · · · · · · · · · · · · · · · · · · | | |
| Approval: Printed Name/Title GARY W. WINK STAFF M | P and Hamile) 1 |) | |
| | signature <u>surgive</u> | Date: Joi by | |
| | | | |

. .





0/20/235/37E 30-025-36571 M32º17'07" W 103º 10'98-

Pit Closing Procedure:

Pits are dewatered. Dirt contractor digs a deep bury pit adjacent to the drilling pit. Deep bury pit is lined with 12 mil plastic. Dirt contractor pushes contents of drilling pit into the deep bury pit. Deep bury pit is capped with 20 mil plastic then covered with 3 feet of fill dirt.

V

go

Data Category: **Geographic Area:** Water Resources Site Information New Mexico Site Map for New Mexico USGS 321643103113401 23S.37E.20.33330 Available data for this site site map V GO Lea County, New Mexico Hydrologic Unit Code 13070007 Latitude 32°16'43", Longitude 103°11'34" NAD27 Gage datum 3,308.70 feet above sea level NGVD29 Location of the site in New Mexico. Site map.



Questions about data <u>New Mexico NWISWeb Data Inquiries</u> Feedback on this website<u>New Mexico NWISWeb Maintainer</u> NWIS Site Inventory for New Mexico: Site Map http://waterdata.usgs.gov/nm/nwis/nwismap?

Retrieved on 2005-03-15 11:39:06 EST Department of the Interior, U.S. Geological Survey USGS Water Resources of New Mexico Privacy Statement || Disclaimer || Accessibility || FOIA 1.18 0.94 nadww01 Top Explanation of terms

http://nwis.waterdata.usgs.gov/nm/nwis/nwismap/?site_no=321643103113401

3/15/2005

Water Resources

🕶 go

Geographic Area:

New Mexico

Data Category:

Ground Water

Ground-water levels for New Mexico Search Results -- 1 sites found Search Criteria site no list = • 321643103113401 Save file of selected sites to local disk for future upload USGS 321643103113401 23S.37E.20.33330 Available data for this site Ground-water: Levels $\overline{\mathbf{v}}$ GO Lea County, New Mexico **Output formats** Hydrologic Unit Code 13070007 Latitude 32°16'43", Longitude 103°11'34" NAD27 Table of data Gage datum 3,308.70 feet above sea level NGVD29 Tab-separated data The depth of the well is 177 feet below land surface. Graph of data This well is completed in ALLUVIUM, BOLSON DEPOSITS AND OTHER SURFACE **DEPOSITS (110AVMB)** Reselect period USGS 321643103113401 235.37E.20.33330 in feet below surface 3205 sea 105 above ø ۲ ۲ 3200 in feet 110 Ground-Hater Level, Altitude of Water Level 3195 115 3190 120 1970 1975 1980 1985 1990 1995 2000 2005 DATES: 03/01/1968 to 03/15/2005 23:59 Breaks in the plot represent a gap of at least one calendar year between two consecutive points. Download a presentation-quality graph

 Questions about data
 New Mexico NWISWeb Data Inquiries

 Feedback on this website
 New Mexico NWISWeb Maintainer

<u>Top</u> Explanation of terms

http://nwis.waterdata.usgs.gov/nm/nwis/gwlevels/?site_no=321643103113401

3/15/2005

Great Circle Calculator.

By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.

| Input Data | | | | | |
|------------|---|-------------|---|--|--|
| Lat1 | | Lon1 | | | |
| 32:16:43 | N | 103:11:34 | W | | |
| Lat2 | | Lon2 | | | |
| 32:17:07 | N | 103:10:56.6 | W | | |

Innut Data

Output

| Course 1-2 | Course 2-1 | Distance |
|------------|------------|-------------|
| 52.7974494 | 232.802997 | 0.661598812 |

Distance Units: nm Earth model: Spherical (1'=1nm)

Compute Reset

Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

| input data | | | | | |
|------------|---|--------------|---|--|--|
| Lat1 | | Lon1 | | | |
| 0:00.00 | N | 0:00.00 | V | | |
| Course 1-2 | | Distance 1-2 | | | |
| 360 | | 0.0 | | | |

Input data