

Submit Copy to Appropriate District Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-105
October 13, 2009

WELL API NO	30-005-10084 ✓
5. Indicate Type of Lease	STATE ☒ FEE ☐
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	NEW MEXICO BW STATE ✓
8. Well Number	5 ✓
9. OGRID Number	190595 ✓
10. Pool name or Wildcat	CHAVEROO SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	4380 GR

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DE-PLUG OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	RECEIVED DEC - 4 2009
2. Name of Operator Endeavor Energy Resources, LP	NMOCD ARTESIA
3. Address of Operator 110 N. Marienfeld, Ste 200 Midland, TX 79701	
4. Well Location Unit Letter O : 662 feet from the SOUTH line and 1947 1997 feet from the EAST line Section 16 Township 8S Range 33E NMPM County CHAVES ✓	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4380 GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- *
1. Set CIBP @ 4175; w/ 35' cmt - tag
2. Set CIBP @ 3200' w/ 35' cmt
3. Set CIBP @ 1600' w/ 35' cmt
4. Set CIBP @ 500' w/ 35' cmt
5. Spot a 25 sx plug 60' - Surface
6. Install Dry Hole Marker

*
Drill out current plugs to 6400', Spot 25sx, WOC-TAG, Circ. Mud.
Set CIBP @ 4346', cap w/ 35' cmt. DB.

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief

SIGNATURE

Jenifer Sorley

TITLE Regulatory Analyst

DATE 11/25/2009

Type or print name Jenifer Sorley

E-mail address: Jenifer@eeronline.com

PHONE: (432)262-4014

For State Use Only

APPROVED BY:

Tammy W. Hill

TITLE

DISTRICT 1 SUPERVISOR

DATE

JAN 14 2010


Conditions of Approval (if any):

ENDEAVOR

N.M. BW ST. #5

-005-10084

As Is,
6/7/2011



RECEIVED
JUN 27 2011
HOBBSUCD

Well Name & Number:	New Mexico "BW" State #5		Lease	New Mexico "BW" State (E-9089)	
County or Parish:	Chaves	State/Prov.	New Mexico	Country:	USA
Perforations: (MD)	8988' to 8997', and 4247' to 4309'		(TVD)		
Angle/Perfs	Angle @KOP and Depth		0	KOP TVD	0
BHP:	0	BHT:	0	Completion Fluid:	
FWHP:	FBHP:	FWHT:	FBHT:	Other:	
Date Completed:					RKB:
Prepared By:	Lee Howard		Last Revision Date:	08/08/11	

ENDEAVOR

N.M. ~~SW~~ BW St #5

30-005-10084

As Proposed,
6/7/2011

*See

1. Perf at 3636'.
2. Squeeze 35 sx. WOC. Tag.
Circ Mud.
3. Spot 25 Sx Cmt Plug 60' to
Surface.

PBTD 4123'

Cast Iron Bridge Plug Set at
4197' w/ 2 Sx Cmt dump
balled, on 8/27/2002.
Tagged w/ 1 Jt Tbg on sand
line at 4123' on 12/9/2002.

PBTD 4346'

4-1/2" Csg cut off and
pulled at 7750'.

P&A Cmt plug set inside 4-1/2"
9051' to 8751' (25 Sx)

10-3/4"
375 Sx 15" hole
32.75# TOC Surface 395'

7-5/8" 600 Sx 9-7/8" hole
24# TOC 2100' 3586'

CIBP / Cmt Cap and casing
above tested 500 psi on
8/28/02. Witnessed by Billy
Prichard of NMCD.

Re-entry perms: 4247' to
4309' 32 holes

4364'
4-1/2" 200 Sx 6-3/4" hole
11.6# TOC 3800' (TS) 4384'

Pe rfs: 8988' to 8997'
(Sqz'd w/ 75 Sx Cmt)

4.5" 300 Sx 6-3/4" hole
9.5 & 11.6# TOC 7800' (TS) 9115'

RECEIVED

JUN 27 2011
HOBBSOCD

Well Name & Number:		New Mexico "BW" State #5		Lease	New Mexico "BW" State (E-9089)	
County or Parish:		Chaves	State/Prov.	New Mexico	Country:	USA
Perforations: (MD)		8988' to 8997', and 4247' to 4308'		(TVD)		
Angle/Perfs		Angle @KOP and Depth	0		KOP TVD	0
BHP:	0	BHT:	0	Completion Fluid:		
FWHP:		FBHP:		FWHT:	FBHT:	Other:
Date Completed:						
Prepared By:		Lee Howard		Last Revision Date:	06/08/11	RKB: