

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd. Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

HOBBS OIL CONSERVATION DIVISION

JUL 01 2011

1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DON NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-05930
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Apache Corporation		6. State Oil & Gas Lease NO.
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705		7. Lease Name or Unit Agreement Name North Monument Grayburg/SA Unit Blk 20
4. Well Location Unit Letter H : 2084 feet from the N line and 660 feet from the E line Section 6 Township 20S Range 37E NMPM County Lea		8. Well Number 8
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3573' DF		9. OGRID Numer 873
		10. Pool Name Eunice Monument G/SA

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING/CEMENT JOB ☐
ALTERING CASING ☐
P AND A ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Guinn Burks TITLE Reclamation Foreman DATE 6/29/11

Type or print name Guinn Burks E-mail add. guinn.burks@apachecorp.com PHONE: 432-556-9143

For State Use Only

APPROVED BY: [Signature] TITLE STAFF NGR DATE 7-5-2011

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS



WELL BORE INFO.

LEASE NAME

Norht Monumnt G/SA Unit Blk 20

WELL #

8

API #

30-025-05930

COUNTY

Lea

17 1/2" hole

13 3/8" 36# @ 258'
w/200 sx

12 1/4" hole

9 5/8" 40.5# @ 2305'
w/ 1500 sx circ to surf

(1992) Perf @ 2395' & sqzd w/325 sx to surf

(1992) Pkr set @ 3481' w/ 2 3/8" tbq, pkr fluid, TA'd

(1975) G/SA Perfs @ 3581'-3638'

(1975) Set CIBP @ 3809' w/ 10' cmt

8 3/4" hole

(1975) Set CIBP @ 5500' w/ 50' cmt

(1962) OH perfs @ 5561'-5567'


(1962) Sqzd OH from 5650'-5711' w/75 sx, DO to 5675'

7" 23# @ 5650'

w/500 sx TOC @ 2803' by TS

PBTD @ 3799'

TD @ 5711'





WELL BORE INFO.

LEASE NAME

Norht Monumnt G/SA Unit Blk 20

WELL #

8

API #

30-025-05930

COUNTY

Lea

PROPOSED PROCEDURE

17 1/2" hole

13 3/8" 36# @ 258'
w/200 sx

12 1/4" hole

9 5/8" 40.5# @ 2305'
w/ 1500 sx circ to surf

(1992) Perf @ 2395' & sqzd w/325 sx to surf

(1992) Pkr set @ 3481' w/ 2 3/8" tbg, pkr fluid, TA'd

(1975) G/SA Perfs @ 3581'-3638'

(1975) Set CIBP @ 3809' w/ 10' cmt

8 3/4" hole

(1975) Set CIBP @ 5500' w/ 50' cmt

(1962) OH perfs @ 5561'-5567'

(1962) Sqzd OH from 5650'-5711' w/75 sx, DO to 5675'

7" 23# @ 5650'

w/500 sx TOC @ 2803' by TS

PBTD @ 3799'

TD @ 5711'

4. PUH to 308' & spot 55 sx Class "C" cmt from 308' to surf. (Shoe & Water Board)

3. PUH to 1204' & spot 30 sx Class "C" cmt from 1204'-1020' WOC/TAG (Top of Salt)

2. PUH to 2355' & spot 30 sx Class "C" cmt from 2355'-2171' WOC/TAG (Shoe & Base of Salt)

1. MIRU, RIH w/ WL & gauge ring & set CIBP @ 3500'. RD WL & RIH w/ tbg & circ w/MLF & spot 25 sx Class "C" cmt on top of CIBP. (Open perfs)

NOTE: Apache will have a pulling unit MIRU and remove the packer and tubing out of the hole prior to the plugging rig MIRU.