istrict I
i25 N. French Dr., Hobbs, NM 88240
istrict II
i01 W. Grand Avenue, Artesia, NM 88210
istrict III
i00 Rio Brazos Road, Aztec, NM 87410
istrict IV
!20 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 March 12, 20

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-1

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Sperator: Occidental Permiss., Ltd. Telephone. 432.685.5719   Sperator: Occidental Colored Permiss., Ltd. Telephone. 432.685.5719   Sperator: Occidental Color	Operator: Occidental Permies Ltd Telephone: 422 695 5710	a mail address: Don Thomason 20 our	
Country: _Les			<del> </del>
Country: _Les	Recility or well name: NULLI 25 642	27195 Orlon I See 25 T. 18 6	
Production   Disposal			
Volume   Disposal   Volume   Disposal   Volume   Disposal   Volume   Double-walted, with leak detection? Yes   If not, explain why not.	Latitude_52 42 55.54 14_Longitude_105 1	1 30.42 W_ NAD. 1927 \( \overline{\o	Amiei Lederai - State - Lilvare - indiani -
Workover ☐ Emergency ☐ Construction material: ☐ Double-walled, with leak detection? Yes ☐ If not, explain why not. ☐ Double-walled, with leak detection? Yes ☐ If not, explain why not. ☐ Construction material: ☐ Double-walled, with leak detection? Yes ☐ If not, explain why not. ☐ Construction material: ☐ Double-walled, with leak detection? Yes ☐ If not, explain why not. ☐ Construction of ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Wellhead protection area: (Less than 200 feet from all other water sources.)  No	Pit	Below-grade tank	
Double-walled, with leak detection? Yes   If not, explain why not.	Type: Drilling ☑ Production ☐ Disposal ☐	Construction material:	
Less than 50 feet  Less than 100 feet (20 points) 20  (10 points)  Wellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)  Wellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)  Wellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)  Wellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)  Less than 200 feet  No (20 points)  Less than 200 feet  1000 feet or more, but less than 1000 feet  (10 points)  Less than 200 feet  200 feet or more, but less than 1000 feet  (10 points)  (10 points)  1000 feet or more  Wellhead protection area: (Less than 200 feet from a private domestic vater sources.)  If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  onsite offsite if offsite, name of facility (3) Attach a general description of remedial action taken including remediation start dat and end date. (4) Groundwater encountered: No yes if yes, show depth below ground surface fit and attach sample results. (5) Attach soil samp results and a diagram of sample locations and excavations.  Wellhead protection area: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  onsite offsite in foffsite, name of facility (3) Attach a general description of remedial action taken including remediation start dat and end date. (4) Groundwater encountered: No yes if yes, show depth below ground surface fit and attach sample results. (5) Attach soil samp results and a diagram of sample locations and excavations.  Wellhead protection area: (Less than 200 feet from an private described pit or below-grade tank heart year and attach sample res	Workover		
Less than 50 feet   (20 points) 20	ined 🛮 Unlined 🗌		
Depth to ground water (vertical distance from bottom of pit to seasonal high vater elevation of ground water.)  Less than 50 feet or more, but less than 100 feet (10 points) 20 (10 points) (0 points)  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, prigation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet (20 points) (0 points) 0  Less than 200 feet (20 points) (10 points) 0  Ranking Score (Total Points)  Panking Score (Total Points)  Tithis is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite offsite offsite offsite pit offsite, name of facility (10 points) (10 poi	iner type: Synthetic M Thickness 12_mil Clay Volume		
So feet or more, but less than 100 feet   (10 points)	5,000_bbl		
Sol feet or more, but less than 100 feet 100 feet or more	South to ground water (westign) distance from house of it to	Less than 50 feet	(20 points) 20
100 feet or more   ( 0 points)		50 feet or more, but less than 100 feet	(10 points)
No (0 points) 0  Less than 1000 feet from all other water sources.)  No (0 points) 0  Less than 200 feet go more, but less than 1000 feet from all other water sources.)  If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial action taken including remediation start dat and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   ft. and attach sample results. (5) Attach soil samp results and a diagram of sample locations and excavations.  hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank heart:   O22222005   Signature	value elevation of ground water.)	100 feet or more	( 0 points)
No (0 points) 0  Less than 1000 feet from all other water sources.)  No (0 points) 0  Less than 1000 feet  (10 points) 0  Ranking Score (Total Points)  [1000 feet or more (10 points) 0  [1000 feet or more (10 points) (10 points) 0  [1000 feet or more (10 points) (	Wallhard and the control of the cont	Yes	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, prigation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more  Ranking Score (Total Points)  Ranking Score (Total Points)    Component   Componen	•		
200 feet or more, but less than 1000 feet   100 points   1000 feet or more   1000 feet or feet or more   1000 feet or fe	water source, or less than 1000 feet from all other water sources.)		(opening) o
200 feet or more, but less than 1000 feet   (10 points)	Distance to surface water (horizontal distance to all wetlands player	Less than 200 feet	(20 points)
Ranking Score (Total Points)   20	· · · · · · · · · · · · · · · · · · ·	200 feet or more, but less than 1000 feet	(10 points)
Ranking Score (Total Points)  If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial action taken including remediation start dat and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   ft. and attach sample results. (5) Attach soil samp results and a diagram of sample locations and excavations.  hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above described pit or below-grade tank hereby certify that the information above described pit or below-grade tank	parton summing, and percentage and optionized watercourses.	1000 feet or more	( 0 points) 0
onsite offsite offsite, name of facility		Ranking Score (Total Points)	20
onsite offsite offsite, name of facility	If this is a pit closure: (1) attach a diagram of the facility showing the	pit's relationship to other equipment and tanks.	(2) Indicate disposal location:
and end date. (4) Groundwater encountered: No  Yes  If yes, show depth below ground surface  ft. and attach sample results. (5) Attach soil samp results and a diagram of sample locations and excavations.  hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank heen/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  atte:	onsite offsite from If offsite, name of facility	. (3) Attach a general description of rem	nedial action taken including remediation start dat
results and a diagram of sample locations and excavations.  Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certified to the above-described pit or an (attached) alternative OCD-approved plan certified pit or an (atta	and end date. (4) Groundwater encountered: No [ Yes [ If yes, sh	now depth below ground surface	t. and attach sample results (5) Attach soil sampl
thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank hereby certify that the information of the pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certify that the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or below-grade tank hereby certification and tank the above-described pit or and tank the ab			(*)
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or therwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or equilations    Proval: FEB 2 8 2005	een/will be constructed or closed according to NMOCD guidelines , a late: 02/22/2005	general permit 🔲, or an (attached) alternative	e OCD-approved plan □.
therwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or egulations  Approval: FEB 28 2005  Approval: FEB 2 8 2005	Vancantification and NIMOOD	Signature Signature	Vhengther
rate:	therwise endanger public health or the environment. Nor does it relieve the o	relieve the operator of liability should the contents operator of its responsibility for compliance with a	s of the pit or tank contaminate ground water or any other federal, state, or local laws and/or
	pproval: FEB 2 8 2005		
rinted Name/TitlePETROLEUM_ENGINEERSignatureSignature		12-11	
	rinted Name/Title PETROLEUM ENGINEER	Signature	