District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade ta Type of action: Registration of a pi	ank covered by a "general plan"? Yes X No [t or below-grade tank	de tank X
Operator: Yates Petroleum Company Telephone: 505-748-4500 e-mail Address: 105 South 4th Street. Artesia, N.M. 88210 Facility or well name: McBride BEH State Com 1 API #: 30-025-37107 U/I County: Lea Latitude: 33.47792 Longitude: 103 Surface Owner: Federal State X Private Indian	_ or Qtr/Qtr_E_Sec_4_T_ <u>10SR34E</u>	
Pit Type: Drilling _X Production Disposal Work over Emergency Lined _X Unlined Liner type: Synthetic _X Thickness _12 mil Clay Pit Volume 24,000 bbl Depth to ground water (vertical distance from bottom of pit to seasonal high	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	explain why not (20 points) XXXX (10 points)
water elevation of ground water.) Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	100 feet or more Yes No	(0 points) (20 points) (0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relatin place) onsite X offsite If offsite, name of facility NA Groundwater encountered: No Yes If yes, show depth below ground surf. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for drilling pit. An encapsulation trer contents will be excavated and emplaced into the encapsulation trench using a rement will be mixed using a track hoe and water added if needed. After complementary contents will then be capped using a 20 mil synthetic liner and back OCD will be made before pit closure action begins. Beginning pit closure date:	(3) Attach a general description of remedial action taken aceft. and attach sample results. ach will be constructed and lined with 12 mil synthetic limixture of two to one pit material and Class H bulk cemetion of solidifying pit material in cement and pit content of solidifying pit material in cement and pit content of solidifying pit material actilled to grade using a minimum of 3° of like material actilled to grade using a minimum of 3° of like material actilled to grade using a minimum of 3° of like material action taken	including remediation start date and end date. (4) mer next to existing drilling pit. The drilling pit ent or CKD. The emulsion of pit material and ts have set in place for a minimum of 24 hours, the
I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines [], a g Date: 07/19/2005 Printed Name/Title Dan Dolan / Regulatory Agent Your certification and NMOCD approval of this application/closure does not re endanger public health or the environment. Nor does it relieve the operator of i	Signature Signature Signature of liability should the contents of the pts responsibility for compliance with any other federal, st	it or tank contaminate ground water or otherwise
Approval: Printed Name/Title GARYW. WINKSTAFFNG	/ \ \	R, Date: 7/25/05

USGS SEO TWN 09S-15S CHAVES LEA GW

					McBei	DE BEH ST	ATE COM
	F	G	Н	ı	J	K	L
3	COUNTY	SOURCE	USGS SITE NUM.	QTY	SITE LOCATION	DATE	LEVEL
193	LEA	SEO		1	10S.34E.20.43311	1981-02-25	34.11