Submit 3 Copies To Appropriate District State of New Mexico	Amended Form C-103
Office Energy, Minerals and Natural Resources	WELL API NO. May 27, 2004
1625 N. French Dr., Hobbs, NM 88240 District II	WELL APT NO. 30-025-27837
1301 W. Grand Ave., Artesia, NM 88210 District III District III District III	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	STATE FEE X
District IV 1220 S. St. Francis Dr., Santa Fe, NM	6. State Oil & Gas Lease No.
87505	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	B. M. Justis
1. Type of Well: Oil Well Gas Well X Other	8. Well Number 11
2. Name of Operator	9. OGRID Number
3. Address of Operator	6473 10. Pool name or Wildcat
500 N. Main St., Midland, TX 79701	Jalmat (T-Y-7R) Gas
4. Well Location	
Unit Letter <u>G</u> : 1980 feet from the North line and	2210 feet from the East line
Section 20 Township 25S Range 37E	NMPM Lea County
11. Elevation (Show whether DR, RKB, RT, GR, etc. 3071' GR	c.)
Pit or Below-grade Tank Application or Closure	
200 BBL Steel Pit type_ <u>Circulating Pit</u> _Depth to Groundwater34'Distance from nearest fresh water well~903'D	istance from nearest surface water_ > 1000'
Pit Liner Thickness: Stool Circulating Pit mil Below-Grade Tank: Volume 200 BBL Above Ground bbls;	Construction Material Steel
12. Check Appropriate Box to Indicate Nature of Notice	Report or Other Data
	-
NOTICE OF INTENTION TO: SUI PERFORM REMEDIAL WORK PLUG AND ABANDON I REMEDIAL WO	BSEQUENT REPORT OF:
	RILLING OPNS. P AND A
PULL OR ALTER CASING 🔲 MULTIPLE COMPL 🔲 CASING/CEMEI	NT JOB
13. Describe proposed or completed operations. (Clearly state all pertinent details, a	nd give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 1103. For Multiple Completions: A	Attach wellbore diagram of proposed completion
or recompletion.	Attach wendore diagram of proposed completion
Proposed Pluging and Abandonment Procedure	
	A B
1. Rig up well service unit.	
<ol> <li>Run into hole with 2 3/8" O.D. open-ended work string.</li> <li>Load hole with salt-gel mud.</li> </ol>	
<ol><li>Spot 70 sx plug from 2525' to 2940'. WOC. Tag plug.</li></ol>	E 1
<ol> <li>Spot 50 sx plug from 1080' to 1380'. WOC. Tag plug.</li> <li>Spot 85 sx plug from 0' to 500'.</li> </ol>	
7. Lay down remainder of 2 3/8" O.D. tbg.	· · · · · · · · · · · · · · · · · · ·
8. Finish filling hole with cement.	
9. Install dry hole marker. Remove rig anchors. Inspect and clean loca	tion.
Note: Both 9 5/8" O.D. csg and 7" O.D. csg were circulated with cement w	hen well was originally drilled. Jalmat perfs
at 2757' - 2889' are currently squeezed.	
·····	
nereby certify that the information above is true and complete to the best of my knowled ade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit [	ge and belief. I further certify that any pit or below-
CI-Jall Kong	
IGNATURE CONTITLE Eng	gineer DATE 08/09/2005
pe or print name Steve Hartman E-mail address: dhoo	@swbell.net Telephone No. (432) 684-4011
or State Use Only	
M	II/STAFF MANAGER
nditions of Approval (if any)	CONSERVATION DIVISION MUST

N.

THE OIL CONSERVATION DIVISION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS. Pege 2 of 2 NMCCD Form C-103 dated 08/09/2005 Doyle Hartman B. M. Justia No. 11 G-20-255-37E API No. 30-025-27873

e Y

## Wellbore Schematic

Plugging and Abandonment Procedure B. M. Justis No. 11 1980' FNL & 2210' FEL (Unit G) Section 20, T-25-S, R-37-E Lea County, NM Doyle Hartman

