

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

HOBBS OCD

JUL 07 2011

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-06203
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No. 015823
7. Lease Name or Unit Agreement Name Eunice Monument Unit
8. Well Number 9
9. OGRID Number 003044
10. Pool name or Wildcat Eunice Monument; Grayburg-San Andres

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Burgundy Oil & Gas of New Mexico, Inc.

3. Address of Operator
401 W. Texas, Suite 1003 Midland, TX 79701

4. Well Location
Unit Letter D : 330 feet from the North line and 330 feet from the West line
Section 21 Township 20 South Range 37 East NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3520' GL

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. A-REH tag TOP OF CTBP/ent - Clear well w/MLF

1) B Pump 25 sx @ 2550-2400' - woc & TAG

2) Pump 30 sx @ 1300-1100' - woc x tag

3) Pump 50 sx @ 200-surf 305

4) Clean location & install PxA marker

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Cindy K. Campbell TITLE Production Accountant DATE 06-28-2011

Type or print name Cindy K. Campbell E-mail address: ccampbell@t3wireless.com Telephone No. 432-684-4033
For State Use Only

APPROVED BY: [Signature] TITLE State Mgr DATE 7-11-2011
Conditions of Approval (if any):

JUL 11 2011

Current Well bore

Burgundy Oil & Gas of NM, Inc.

EUNICE MONUMENT UNIT # 9

Repollo Oil Co.
ORIG WC ROACH #1

FORM G-157 (5-7-11) 60011

UL "D" 330' FNX FWL; Sect 21; T 20S; R 37E Lea Co., NM 3520' G.L.

15 1/2" HOLE

12 1/2" Csg. set @ 254'
250 SK - Cmt CIRC.

11 1/2" HOLE

9 5/8" 36" Csg. set @ 2483'
400 SK - Top Cmt UNKNOWN.

8 3/4" HOLE

BOND Log 1-17-78 SHOWS
GOOD CMT BEHIND 7" PIPE

7" CIBP SA 3200'
+ 40' Cmt

SQUEEZED 7" @ 3262' w/ 230 SK.
CIRC CMT TO SURFACE.

7" Cmt SA 3283'

TOP-3380'

EUNICE (GAS)

6/92 SQ w/ 100SK

BOTTOM-3422'

7" CIBP SA 3600' + 35' Cmt
BAKER MODEL "D" PKR @ 3620'

7" 24" 10V Csg. set @ 3712' w/ 60SK

TOP-3712'

GRAYBURG
SAN ANTONIO (OIL)
(TEXACO)

6 1/4" hole

BOTTOM-3790'

P.O.D. 3790'

T.D. 3830'

F.M.R.

BDT

2-2-78

6-11

Proposed wellbore


Burgundy Oil & Gas of NM, Inc.

EUNICE MONUMENT UNIT # 9

FORM G-157 (6-71) 6001

Repollo Oil Co.
ORIG WC ROACH #1

UL "D" 330' FAX FWL; Sect 21; T20S; R37E Lea Co., NM 3520' G.L.



F.M.R.

2-2-78

BDT

6-11