

Office

District I

1625 N French Dr, Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S. St Francis Dr, Santa Fe, NM 87505

Energy, Minerals and Natural Resources

HOBBS OCD

OIL CONSERVATION DIVISION

JUL 08 2011 1220 South St. Francis Dr.

Santa Fe, NM 87505

RECEIVED

October 13, 2009

WELL API NO.

30-025-34407

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

MONUMENT 23 STATE

8. Well Number 23

9. OGRID Number 4323

10. Pool name or Wildcat
MONUMENT; YESO, NW

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

CHEVRON U.S.A. INC.

3. Address of Operator

15 SMITH ROAD, MIDLAND, TEXAS 79705

4. Well Location

Unit Letter L: 1700 feet from the SOUTH line and 869 feet from the WEST line

Section 23 Township 19S Range 36E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3730' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☐CASING/CEMENT JOB ☐

OTHER: INTENT TO TEMPORARILY ABANDON

OTHER:

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

CHEVRON INTENDS TO TEMPORARILY ABANDON THE SUBJECT WELL. THIS WELL WAS RECENTLY RECOMPLETED IN THE YESO POOL, BUT IS ONLY PRODUCING WATER AT THIS TIME.

CIBP IS SET @ 6650'. NMOCD WILL BE NOTIFIED 24 HRS IN ADVANCE OF RUNNING MIT & CHART.

PERFS: 6708-6908'

Condition of Approval: Notify OCD Hobbs
office 24 hours prior to running MIT Test & Chart

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Denise Pinkerton TITLE REGULATORY SPECIALIST

DATE 07-06-2011

Type or print name DENISE PINKERTON

E-mail address: leakejd@chevron.com

PHONE: 432-687-7375

For State Use Only

APPROVED BY:

TITLE

DATE

Conditions of Approval (if any):

JUL 11 2011

Well: **Monument 23 State #23**

Field: **Monument NW**

Reservoir: **Yeso**

Location:

1700' FSL & 869' FWL
Section: 23
Township: 19-S
Range: 36-E
County: Lea State: NM

Elevations:

GL: 3730'
KB: 3741'
DF:

**Current
Wellbore Diagram**

Well ID Info:

Chevno: BR8347
API No. 30-025-34407
L5/L6: UCV011500
Spud Date: 07/16/1998
Compl. Date:

Rod Detail

No rods in hole

Tubing Detail

No tubing in hole

Surf. Csg: 8 5/8", 23#, WC-50
Set: @ 1438' w/ 450 sks
Hole Size: 11"
Circ: Yes **TOC:** Surface
TOC By: Circulated

CIBP @ 6650' no cmt on top

CIBP @ 7125' with 35' cmt on top

<u>Perforation</u>	<u>Status</u>
6708'-6712'	Yeso - Below CIBP
6759'-6766'	Yeso - Below CIBP
6777'-6780'	Yeso - Below CIBP
6832'-6836'	Yeso - Below CIBP
6842'-6847'	Yeso - Below CIBP
6905'-6908'	Yeso - Below CIBP

Prod. Csg: 5 1/2", 15.5#, K-55
Set: @ 7150' w/ 850 sks
Hole Size: 7 7/8"
Circ: No **TOC:** 1200'
TOC By: Cmt Bond Log

7 7/8" Open Hole: 7150'-7502'

COTD:
PBTD:
TD: 7502'

Updated: 07/06/2011

By: A Moore

Well: **Monument 23 State #23**

Field: **Monument NW**

Reservoir: **Yeso**

Location:

1700' FSL & 869' FWL
Section. 23
Township: 19-S
Range: 36-E
County: Lea State: NM

Elevations:

GL: 3730'
KB: 3741'
DF:

**Proposed
Wellbore Diagram**

Well ID Info:

Chevno: BR8347
API No: 30-025-34407
L5/L6: UCV011500
Spud Date: 07/16/1998
Compl. Date:

Rod Detail

To be determined by ALCR

Tubing Detail

To be determined by ALCR

Surf. Csg: 8 5/8", 23#, WC-50
Set: @ 1438' w/ 450 sks
Hole Size: 11"
Circ: Yes **TOC:** Surface
TOC By: Circulated

<u>Perforation</u>	<u>Status</u>
6708'-6712'	Open - Yeso
6759'-6766'	Open - Yeso
6777'-6780'	Open - Yeso
6832'-6836'	Open - Yeso
6842'-6847'	Open - Yeso
6905'-6908'	Open - Yeso

CIBP @ 7125' with 35' cmt on top

Prod. Csg: 5 1/2", 15.5#, K-55
Set: @ 7150' w/ 850 sks
Hole Size: 7 7/8"
Circ: No **TOC:** 1200'
TOC By: Cmt Bond Log

7 7/8" Open Hole: 7150'-7502'

COTD:
PBTD:
TD: 7502'

Updated: 04/05/2011

By: A Moore