

Submit 3 Copies To Appropriate  
District Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM  
88210  
District III  
1000 Rio Brazos Rd., Aztec, NM  
87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

OIL CONSERVATION DIVISION  
HOBBS OCC 220 South St. Francis Dr.  
Santa Fe, NM 87505

JUL 13 2011

WELL API NO.  
30-025-05276

5. Indicate Type of Lease  
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement  
Name  
J M Denton

8. Well Number 2

9. OGRID Number 240974

10. Pool name or Wildcat  
Denton; Wolfcamp

SUNDRY NOTICES RECEIVED  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator LEGACY RESERVES OPERATING LP

3. Address of Operator P.O. BOX 10848  
MIDLAND, TX 79702

4. Well Location

Unit Letter I: 1980 feet from the South line and 660 feet from the East line.  
Section 11 Township T15S Range R37E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
4005' GR 4017' KB

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: Return Well to Production ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

----- PLEASE SEE ATTACHED -----

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE D. Patrick Darden TITLE: Senior Engineer DATE 07/12/11

Type or print name D. Patrick Darden, P.E. E-mail address: \_\_\_\_\_ Telephone No. (432)689-5200  
**For State Use Only**

APPROVED BY: [Signature] TITLE: PETROLEUM ENGINEER DATE JUL 14 2011

Conditions of Approval:

OCD requires the Operator to complete a 24 hours production test and submit on form C-104 Request for Allowable before producing this well. Accompanied by Subsequent report with dates and what was done, perfs producing from, along with tubing size and depth

## **J. M. Denton #2**

### **Notice of Intent – Sundry**

### **Return Well to Production**

Planned start date: 08/08/11

1. MIRU PU to start workover to return well to production. Install 5k BOP.
2. RIH w/bit & DC's. Tag CIBP @ ~9021'.
3. Drillout CIBP @ ~9021'. Cont RIH w/bit & DC's to PBTD @ ~9300'. CHC.
4. POH w/tbg, DC's & bit. RIH w/pkr & set @ ~9021'.
5. Treat Wolfcamp OH (9070'-9300') w/6k-8k gals gelled acid.
6. Swab back load. Rel pkr. POH w/tbg & pkr.
7. RIH w/prod tbg & DH ppg eqpt.
8. RDMO PU. RWTP.

See Attached Wellbore Diagram on JM Denton #2.

Note: Will use steel frac tanks and test tanks as needed to contain fluids (and solids) during workover.





**J. M. DENTON #2**

LOCATION: 1980' FSL & 660' FEL, Sec 11, T15S, R37E

Current Wellbore Condition

FIELD: Denton (Wolfcamp)

COUNTY: Lea

STATE: New Mexico

GL: 3788'


KB: 3803'

SPUD DATE: 4/04/50

LATEST UPDATE: 07/11/2011

BY: DP Darden

API No: 30-025-05276



*DPD*