

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

HOBBS OCD

JUL 05 2011

RECEIVED

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-38878
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. VA 2905
7. Lease Name or Unit Agreement Name Saunders 33 State
8. Well Number 001
9. OGRID Number 151323
10. Pool name or Wildcat Saunders, Permo Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator Pride Energy Company	
3. Address of Operator PO Box 701950, Tulsa, OK 74170	
4. Well Location Unit Letter <u>L</u> : <u>1980</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>West</u> line Section <u>33</u> Township <u>14 S</u> Range <u>33E</u> NMPM Lea County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4,218' GR	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>	
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____	
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	Drilling <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Provide 24-hour notice to NMOCD
2. Fill the 17.5" hole (Approximately 65' deep) with gravel up to 24' from the surface, (which is above the top of the water table), and then finish filling hole with cement to surface.
3. Cut off conductor pipe below ground level and weld plate (with marker information welded onto it) on conductor pipe.
4. Restore location.

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Matthew L. Pride TITLE as General Partner of Pride Energy Company DATE 6/30/11

Type or print name Matthew L. Pride E-mail address: mattp@pride-energy.com Telephone No. (918) 524-9200
For State Use Only

APPROVED BY: [Signature] TITLE Staff MGR DATE 7-14-2011
Conditions of Approval (if any):

JUL 19 2011

Wellbore Schematic Before P& A

KB: 4236.0'
DF: 0.0'
GL: 4218.0'
Datum: 18.0' above GL


Saunders 33 State #1

Matt Pride 7/11/11
API # 30-025-38878

1980' FSL & 660' FWL
Sec 33-T14S-R33E
Lea Co., NM
in Unit Letter L

Hole Size 17.5"

Conductor Set



TD = 65'

Wellbore Schematic After P& A


KB: 4236.0'
DF: 0.0'
GL: 4218.0'
Datum. 18.0' above GL

Saunders 33 State #1

Matt Pride 7/11/11
API # 30-025-38878

1980' FSL & 660' FWL
Sec 33-T14S-R33E
Lea Co., NM
in Unit Letter L

Hole Size 17 5"



PBTD = Surface
TD = 65'