

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1320 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
June 19, 2008

RECEIVED

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	WELL API NO. 30-025-31425
2. Name of Operator XTO Energy, Inc.	5. Indicate Type of Lease STATE ☒ FEE ☐
3. Address of Operator 200 N. Lorraine, Ste. 800 Midland, TX 79701	6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>L</u> : 2630' feet from the <u>South</u> line and <u>10'</u> feet from the <u>West</u> line Section <u>4</u> Township <u>21S</u> Range <u>36E</u> NMPM County <u>Lea</u>	7. Lease Name or Unit Agreement Name: EUNICE MONUMENT SOUTH UNIT
	8. Well Number #625
	9. OGRID Number 005380
	10. Pool name or Wildcat EUNICE MONUMENT; GRAYBURG-SAN ANDRES
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU Plugging rig. MI & rack 2-3/8" WS. ND WH. NU BOP.
- PU & RIH w/2-3/8" notched collar to cmt plug @ 3612'. Mix & circ. hole w/9 ppg plug mud.
- Spot ²⁵ 20' sx CL C cmt plug fr 3612'-3500'. PUH to 2500' & rev circ WS clean. WOC for 4 hrs. RIH & tag cmt plug at +/- 3500'. (Note: Plug depth may be adjusted during plugging operations per OCD approval)
- PUH to 1320'. Spot bal. cmt plug (20' sx) fr 1320' to 1200'. PUH to 500' & rev. circ. WS clean. WOC for 4 hrs. RIH & tag cmt plug @ 1200'. POOH w/WS ²⁵
- ND BOP. RIH to 100'. Circ ²⁵ 20' sx cmt fr 120' to surface. POOH. LD WS.
- RDMO PU. C/O WH & anchors, install dry hole marker, re-seed & reclaim location

SPOT 255X
at 2600'
(B. Salt)

Spud Date:

Rig Release:

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.


I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sherry Pack TITLE Regulatory Analyst DATE 7/20/2011
sherry_pack@xtoenergy.com
Type or print name Sherry Pack E-mail address: sherry_pack@xtoenergy.com PHONE 432.620.6709

For State Use Only
APPROVED BY Mark Whitaker TITLE Compliance Officer DATE 7-22-2011
Conditions of Approval (if any):

EUNICE MONUMENT SO. UNIT #625
WELLBORE DIAGRAM - CURRENT

ELEV: GL. 3584
KB: 3597'



EUNICE MONUMENT SO. UNIT #625 WELLBORE DIAGRAM - PROPOSED

ELEV. GL: 3584
KB: 3597'

