Submit 1 Copy To Appropriate District Office State of New Mexico	• Form C-103
Submit I Copy To Appropriate District Office District I 1625 N French Dr., Hobbs, NM 8 COBBS OCD Energy, Minerals and Natural Resource To District II	October 13, 2009
District II : 1625 N French Dr., Hobbs, NM 8	WELL API NO/ 30-041-20946
1301 W Grand Ave , Artesia, NM 88210 OIL CONSERVATION INCOMES OF CONSERVATION	5. Indicate Type of Lease
District III 1000 Rio Brazos Rd, Aztec, NM 8141 2 6 1220 South St. Francis Dr. Santa Fe. NM 87505	STATE FEE
District IV Santa Fe, NM 87505 26	2011 6. State Oil & Gas Lease No.
1220 S St Francis Dr , Santa Fe, NM 87505	ZOII OF STATE OF SEE SEES THE
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BARECEIN	
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	Lillie Belle
TROTOGALS)	8. Well Number
1. Type of Well: Oil Well Gas Well Other	1
2. Name of Operator	9. OGRID Number
Armstrong Energy Corporation	001092 10. Pool name or Wildcat
3. Address of Operator P.O. Box 1973, Roswell, NM 88202-1973	
	Wildcat Fusselman -
4. Well Location	
Unit Letter <u>H</u> : 2167 feet from the <u>North</u> line and	990 feet from the <u>East</u> line
Section 29 Township 5S Range 34E	NMPM Roosevelt County
11. Elevation (Show whether DR, RKB, RT, GR	R, etc.)
12. Check Appropriate Box to Indicate Nature of No	tice, Report or Other Data
NOTICE OF INTENTION TO:	JENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL W	
	DRILLING OPNS. □ PAND A □ MENT JOB □
PULL OR ALTER CASING MULTIPLE COMPL CASING/CENDOWNHOLE COMMINGLE	MENT JOB 🖂
DOWNHOLE COMMINGLE	
OTHER: OTHER:	
13 Describe proposed or completed operations. (Clearly state all pertinent details, and give	pertinent dates, including estimated date of starting any
	pertinent dates, including estimated date of starting any llbore diagram of proposed completion or recompletion
13 Describe proposed or completed operations. (Clearly state all pertinent details, and give	pertinent dates, including estimated date of starting any llbore diagram of proposed completion or recompletion
13 Describe proposed or completed operations. (Clearly state all pertinent details, and give	pertinent dates, including estimated date of starting any llbore diagram of proposed completion or recompletion
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we	Ilbore diagram of proposed completion or recompletion
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" - 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts	llbore diagram of proposed completion or recompletion , 1105', 8-5/8" – 24#/ft, J-55, 8RD, ST&C csg.
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 921'	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" - 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 921'	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 921'	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 921'	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 921'	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 921'	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 25 pts, 921', 8-5/8", 921'	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM	llbore diagram of proposed completion or recompletion, 1105', 8-5/8'' – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM	Ilbore diagram of proposed completion or recompletion , 1105', 8-5/8" – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM	Ilbore diagram of proposed completion or recompletion , 1105', 8-5/8" – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" — 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM Spud Date: Rig Release Date:	Ilbore diagram of proposed completion or recompletion , 1105', 8-5/8" – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM	Ilbore diagram of proposed completion or recompletion , 1105', 8-5/8" – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my know SIGNATURE TITLE Vice President	Ilbore diagram of proposed completion or recompletion , 1105', 8-5/8" – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and wledge and belief. — Operations DATE 07-25-11
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" — 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM Spud Date: Rig Release Date:	Ilbore diagram of proposed completion or recompletion , 1105', 8-5/8" – 24#/ft, J-55, 8RD, ST&C csg. 2394'. Cement with 910 sx ExtendaCem-CZ and wledge and belief. — Operations DATE 07-25-11
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @. 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my known struck. TITLE Vice President Type or print name Bruce A. Stubbs E-mail address: bastubbs@armstrong.	wledge and belief. — Operations DATE OPERATION PHONE: (575) 625-2222
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" - 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @. 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my known struck. TITLE Vice President Type or print name Bruce A. Stubbs E-mail address: bastubbs@armstrons For State Use Only	wledge and belief. — Operations DATE OPERATION DATE OPERATION PHONE: (575) 625-2222
Describe proposed or completed operations. (Clearly state all pertinent details, and give proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach we 07-22-11 - Ran 10 jts, 368', 8-5/8" – 32#/ft, J-55, 8RD, ST&C csg. Ran 30 jts Ran 25 jts, 921', 8-5/8", 32#/ft, J-55, 8RD, ST&C csg, cemented @ 200 sx HalCem-C w 2% CaCl ₂ . Circ 350 sx. Plug down at 7:30 PM Spud Date: Rig Release Date: Thereby certify that the information above is true and complete to the best of my known structure. TITLE Vice President Type or print name Bruce A. Stubbs E-mail address: bastubbs@armstrong	wledge and belief. — Operations DATE DATE O7-25-11 genergycorp.com PHONE: _(575) 625-2222

.