INSTRICT HOBBS OCD 1625 N French Dr., Hobbs, NM 88240 District II 1301 W

1301 W Grand Avenue, Artesia, NM882100 4 2011 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 District IV

District IV

1220 S. St. Francis Dr., Santa Fe, NM 875 RECEIVED

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application (that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

	Type of action: *X Permit	
Instructions:	Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a	

closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144. Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment Nor does approval relieve the operator of its responsibility	to comply with any other applicable governmental authori	ity's rules, regulations of orumances		
Operator: EOG Resources, Inc. OGRID #: 73 Address: P.O. Box 2267 Midland, TX 79702	377			
Facility or well name Red Hills North Unit 703 API Number 30-025-32577	OCD Permit Number. P1-035-) 7		
	ange 34E County Lea	W. A. C.		
Center of Proposed Design: Latitude	Longitude	NAD []1927 [] 1983		
Surface Owner: Federal State Private Tribal Trust or India	n Allotment			
X Closed-loop System: Subsection H of 19.15.17 11 NMAC Operation: Drilling a new well X Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) □ P&A Above Ground Steel Tanks or X Haul-off Bins				
Signs: Subsection C of 19.15 17 11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers X Signed in compliance with 19.15.3.103 NMAC				
4				
Closed-loop Systems Permit Application Attachment Checklist: Instructions: Each of the following items must be attached to the attached. X Design Plan - based upon the appropriate requirements of 19.15 X Operating and Maintenance Plan - based upon the appropriate in X Closure Plan (Please complete Box 5) - based upon the appropriate Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API N	application. Please indicate, by a check mark in the base 5.17.11 NMAC requirements of 19.15.17.12 NMAC riate requirements of Subsection C of 19.15.17.9 NMA fumber			
Instructions: Each of the following items must be attached to the dattached. X Design Plan - based upon the appropriate requirements of 19.15 X Operating and Maintenance Plan - based upon the appropriate in X Closure Plan (Please complete Box 5) - based upon the appropriate Previously Approved Design (attach copy of design) API N	application. Please indicate, by a check mark in the base indicate, by a check mark in the base indicate, by a check mark in the base indicate. Solve Transport of Subsection C of 19.15.17.9 NMA fumber	C and 19 15.17.13 NMAC		
Instructions: Each of the following items must be attached to the cattached. X Design Plan - based upon the appropriate requirements of 19.15 X Operating and Maintenance Plan - based upon the appropriate in X Closure Plan (Please complete Box 5) - based upon the appropriate in X Closure Plan (Please complete Box 5) - based upon the appropriate in Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API N S Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposal Facilities are required. Disposal Facility Name Controlled Recovery, Inc.	application. Please indicate, by a check mark in the base indicate, by a check mark in the base indicate, by a check mark in the base indicate. Solve Transport of Subsection C of 19.15.17.9 NMA fumber	C and 19 15.17.13 NMAC 19 15 17 13 D NMAC) Tachment if more than two		
Instructions: Each of the following items must be attached to the cattached. X Design Plan - based upon the appropriate requirements of 19.15 X Operating and Maintenance Plan - based upon the appropriate in X Closure Plan (Please complete Box 5) - based upon the appropriate in Y Closure Plan (Please complete Box 5) - based upon the appropriate in Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API N S Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposacilities are required.	application. Please indicate, by a check mark in the base indicate, by a check mark in the base indicate, by a check mark in the base indicate. Solution of 19.15.17.12 NMAC in the requirements of Subsection C of 19.15.17.9 NMA number	C and 19 15.17.13 NMAC 19 15 17 13 D NMAC) 1achment if more than two 1-01-0006		
Instructions: Each of the following items must be attached to the cattached. X Design Plan - based upon the appropriate requirements of 19.15 X Operating and Maintenance Plan - based upon the appropriate in X Closure Plan (Please complete Box 5) - based upon the appropriate in X Closure Plan (Please complete Box 5) - based upon the appropriate in Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API N Waste Removal Closure For Closed-loop Systems That Utilize A Instructions: Please indentify the facility or facilities for the disposal facilities are required. Disposal Facility Name Controlled Recovery, Inc.	application. Please indicate, by a check mark in the E 5.17.11 NMAC requirements of 19.15.17.12 NMAC riate requirements of Subsection C of 19.15.17.9 NMA fumber Sumber Love Ground Steel Tanks or Haul-off Bins Only: (resal of liquids, drilling fluids and drill cuttings. Use at Disposal Facility Permit Number NM NM Disposal Facility Permit Number NM Red activities occur on or in areas that will not be used for	C and 19 15.17.13 NMAC 19 15 17 13 D NMAC) tachment if more than two 1-01-0006		

	-			
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief				
Name (Print); Renee' Jarratt Title Regulatory Analyst				
Signature: KANDEL AND	Date. 7.20.2011			
e-mail address: rence jarratt@cogresources com Telephone: 432.686 3684				
OCD Approval: Permit Application (meluding closure plan) Closure Plan				
OCD Representative Signature:	Approval Date: 7-28-2011			
Title: STAFF NACK	Approval Date: 7-28-2011 OCD Permit Number: P1-D3522			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15 17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
	Closure Completion Date:			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name:	Disposal Facility Permit Number:			
Disposal Facility Name	Disposal Facility Permit Number:			
Were the closed-loop system operations and associated activities performed on or in Yes (If yes, please demonstrate compliance to the items below) \(\simega\) No	areas that will not be used for future service and operations?			
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	s·			
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print):	Title:			
Signature	Date:			
e-mail address:	Telephone:			

OPERATING AND MAINTENANCE PLAN - CLOSED LOOP SYSTEM

19.15.17.12 OPERATIONAL REQUIREMENTS:

- A. General specifications. An operator shall maintain and operate a pit, closed-loop system, below-grade tank or sump in accordance with the following requirements.
- (1) The operator shall operate and maintain a pit, closed-loop system, below-grade tank or sump to contain liquids and solids and maintain the integrity of the liner, liner system or secondary containment system, prevent contamination of fresh water and protect public health and the environment.

Operator shall operate and maintain a closed loop system.

(2) The operator shall recycle, reuse or reclaim all drilling fluids in a manner that prevents the contamination of fresh water and protects public health and the environment.

Operator shall recycle, reuse or reclaim all drilling fluids used. Excess or unused fluid shall be disposed of at division approved facilities.

(3) The operator shall not discharge into or store any hazardous waste in a pit, closed-loop system, below-grade tank or sump

Operator shall not knowingly discharge hazardous waste into the closed loop system.

(4) If the integrity of the pit liner is compromised, or if any penetration of the liner occurs above the liquid's surface, then the operator shall notify the appropriate division district office within 48 hours of the discovery and repair the damage or replace the liner

No Pit liner. Closed loop system.

(5) If a fined pit develops a leak, or if any penetration of the liner occurs below the liquid's surface, then the operator shall remove all liquid above the damage or leak line from the pit within 48 hours and repair the damage or replace the liner

No Pit liner. Closed loop system. If a leak develops in any of the closed loop tanks, all liquid shall be removed from the effected tank within 48 hours and any damage shall be repaired prior to putting the tank back in service.

OPERATING AND MAINTENANCE PLAN - CLOSED LOOP SYSTEM

(6) The operator shall install a level measuring device in a lined pit containing fluids to monitor the level of the fluid surface, so that the operator may recognize unanticipated change in volume of fluids.
No pit. Closed loop system. Excess fluid shall be removed appropriately from the catch tanks.
(7) The injection or withdrawal of liquids from a lined pit shall be accomplished through a header, diverter or other hardware that prevents damage to the liner by erosion, fluid jets or impact from installation and removal of hoses or pipes
No pit. Closed loop system. Excess fluid shall be removed appropriately from the catch tanks using a re-circulating pump or vacuum trucks.
(8) The operator shall operate and install a pit, below-grade tank or sump to prevent the collection of surface water run-on.
Operator shall berm or collect surface water run- on and dispose of at a division approved facility.
(9) The operator shall install, or maintain on site, an oil absorbent boom or other device to contain and remove oil from a pit's surface.
Operator shall install a skimmer system on catch tanks, circulating tanks and over-flow tanks as needed to collect oil.

Closure Plan for Closed Loop Drilling System

1. METHODS OF HANDLING WASTE MATERIALS

- a. Drill cuttings shall be disposed of in steel cuttings bins (catch tanks) on the drilling pad (behind the steel mud tanks). The bin and cuttings shall be hauled to a division approved facility by an approved transporter. At the facility, the cuttings shall be removed from the bin and the bin shall be returned to the drilling site for reuse, moved to the next drilling site or returned to the provider.
- b. Remaining drilling fluids shall be hauled off by approved transports to a division approved disposal facility. Water produced during completion shall be put in storage tanks and disposed of at a division approved facility. Oil and condensate produced shall be put in a storage tank and sold or put in a sales pipeline.

2. RECLAMATION

a. Within 120 days after the drilling and completion of the well, the location area shall be reduced as determined by operator to the minimum area necessary to safely and effectively operate the well. The reclaimed location area shall be restored to the condition that existed prior to oil and gas operations.