

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
June 19, 2008

HOBBS
AUG 09 2011
RECEIVED

WELL API NO. 30-025-23616
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name SFPRR
8. Well Number 009
9. OGRID Number 266091
10. Pool name or Wildcat West Sawyer (San Andres)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3975'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

VPR Operating, LLC

3. Address of Operator

1406 Camp Craft Rd, Suite 106, Austin, TX 78746

4. Well Location

Unit Letter F 1980 feet from the NORTH line and 2180 feet from the WEST line

Section 28 Township 09S Range 37E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

GL: 3975'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. (Plan to Start Operation after 8/15/2009)

- 1) MI&RU e-Line set CIBP @ 4900', Spot 25 SX Class C + 1% CaCl2 (14.8 PPG, 6.32 GPS, 1.32 CF/SX).
- 2) Leave Well SI for 4 Hrs. RIH w/ Tbg & Tag TOC. *PERF @ 2843' ± SQZ. WOC & TAG*
- 3) Circulate Well w/ Gelled Brine. POOH to 2900'. Spot 25 SX Class C + 2% CaCl2 (14.8 PPG, 6.32 GPS, 1.32 CF/SX) Plug F/ 2900' - T/ 2,700'. *TOOH. 2800' 2324' SQZ WOC & TAG*
- 4) RIH w/ 3-1/8" Csg Gun & Perf 4 Holes @ 2250'. TIH w/ Open Ended +2,200'. Spot 25 SX Class C + 2% CaCl2 (14.8 PPG, 6.32 GPS, 1.32 CF/SX). *2250' SQZ WOC & TAG*
- 5) RIH w/ 3-1/8" Csg Gun & Perf 4 Holes @ 440'. TIH w/ Open Ended Tbg T/ +1,440'. Spot/Circulate 50 SX Class C to surface (14.8 PPG, 6.32 GPS, 1.32 CF/SX). Immediately TOOH & LD 2-3/8" Tbg. *440' SQZ*
- 6) Cut Off Wellhead & Weld On Regulation P&A marker. Clean & level Location. File C103 w/ OCD to Obtain Location Release.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE _____ TITLE _____ Agent _____ DATE _____

Type or print name James R. Huling E-mail address: james@kiamichienergy.com PHONE: (817) 923-8323

For State Use Only

APPROVED BY: Maley Brown TITLE Compliance Officer DATE 8/9/2011


Conditions of Approval (if any)

VPR OPERATING

SFPRR # 009

API # 30-025-23616

Before



VPR OPERATING

SFPRR # 009

API # 30-025-23616

After

