

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Fax: 505.266-0745

December 31, 2014

Dr. Tomáš Oberding
NMOCD District 1
1625 French Drive
Hobbs, NM 88240
Via E-Mail

RE: Temporary Pit Closure Report, Jackson Unit #16H
API #30-025-41167, Pit Permit #P1-06185
Unit B, Section 15, T24S, R33E, Lea County


Dear Dr. Oberding:

On behalf of Murchison Oil and Gas, R.T. Hicks Consultants submits this closure report for the above-referenced temporary pit in accordance with the approved C-144 closure plan. This report includes the following information listed in Part 21 of the C-144 form:

Requirements	Location in this Submission
Proof of Closure Notice (to surface owner and Division)	Attachment 1
Proof of Deed Notice (on-site closure on private land only)	Not applicable; State Land (no deed)
Plot Plan, C-105 form (for on-site closures and temporary pits)	Attachment 2
Confirmation Sampling Analytical Results	Not applicable
Waste Material Sampling Analytical Results (required for on-site closure)	Attachment 3
Disposal Facility Name and Permit Number	Not applicable; on-site closure
Soil Backfilling and Cover Installation	Attachment 4
Re-vegetation Application Rates and Seeding Technique	Attachment 5
Site Reclamation (photo documentation)	To follow
Updated C-144 form	Attachment 6

R.T. Hicks Consultants will notify NMOCD and provide photo-documentation when re-vegetation obligations described in subsection H of 19.15.17.13 NMAC are met.

Sincerely,
R.T. Hicks Consultants



Kristin Pope
Project Geologist

Copy: Murchison Oil and Gas
NM State Land Office, Ed Martin

ATTACHMENT 1

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Fax: 505.266-0745

August 27, 2014

Dr. Tomáš Oberding
NMOCD District 1
1625 French Drive
Hobbs, New Mexico 88240
Via Email

RE: Murchison – Jackson Unit #16H Temporary Pit
In-place Burial Notice
Unit B, Section 15, T24S, R33E, API #30-025-41167

Dear Dr. Oberding:

On behalf of Murchison Oil and Gas, R. T. Hicks Consultants is providing this closure notice to NMOCD with a copy to the State Land Office (certified, return receipt request). The above-referenced pit will begin closure operations on **Tuesday, September 2, 2014**. Depending on equipment availability, the closure process should require about two weeks.

The "In-place Burial" closure plan for the pit was submitted on December 12, 2013 with the C-144 temporary pit application and NMOCD approved the plan on December 23, 2013 after the revision of two pages in the Closure Plan to specify that reclaimed liner material would not be used for the geomembrane cover. The rig was released from this site on March 7, 2014.

In conformance with the Pit Rule, an eight-point composite sample that is fully representative of the solids in the pit was recovered on June 4, 2014 and stabilized with the available mixing soil at a 3:1 ratio¹. As shown in the summary table below, laboratory analyses of the stabilized cuttings composite demonstrate that the concentrations of the parameters listed in Table II of 19.15.17.13 NMAC (Pit Rule) are below the limits that allow in-place burial of the stabilized cuttings.


Jackson Unit #16H - 3:1 Stabilized Cuttings Sample		
Constituent	Table II Limit (GW>100 ft)	6/4/14 Sample
Chloride	80,000 mg/kg	23000
TPH	2,500 mg/kg	520
GRO+DRO	1,000 mg/kg	687
BTEX	50 mg/kg	1.56
Benzene	10 mg/kg	0.00

¹ (5) The operator shall collect, at a minimum, a five point composite of the contents of the temporary pit or drying pad/tank associated with a closed-loop system to demonstrate that, after the waste is solidified or stabilized with soil or other non-waste material at a ratio of no more than 3:1 soil or other non-waste material to waste, the concentration of any contaminant in the stabilized waste is not higher than the parameters in Table II of 19.15.17.13 NMAC.

I will follow up this notice to you with a phone call as required by the Pit Rule. As always, we appreciate your work to keep us on schedule.

Sincerely,

R.T. Hicks Consultants

A handwritten signature in black ink that reads "Kristin Pope". The signature is written in a cursive, flowing style.

Kristin Pope

Copy: Murchison Oil and Gas

Ed Martin, State Land Office
New Mexico State Land Office
PO Box 1148
Santa Fe, NM 87504-1148
CERTIFIED MAIL – RETURN RECIEPT REQUEST

From: [Oberding, Tomas, EMNRD](#)
To: [Kristin Pope](#)
Cc: [Martin, Ed; ccottrell@jdmii.com](#); [Greg Boans](#); [Chace Walls](#); [Randy Hicks](#)
Subject: RE: CLOSURE NOTICE: Murchison - Jackson Unit 16H pit
Date: Thursday, August 28, 2014 7:55:35 AM

Aloha Ms. Pope et al,

Thank you for providing the updated closure notification.

Based on the summary of sample results, OCD conditionally approves this closure.

Please keep OCD updated as the situation warrants, and as always send in full closure documents when they are completed.

Have a safe and wonderful Labor Day weekend all!
Mahalo
-Doc

Tomáš 'Doc' Oberding, PhD
Environmental Specialist – New Mexico Oil Conservation Division
Energy, Minerals and Natural Resources Department
1625 N. French Dr.
Hobbs, NM 88240
(O): (575) 393-6161 ext 111
(C): 575-370-3180
(F): (575) 393-0720
E-Mail: tomas.oberding@state.nm.us
Website: <http://www.emnrd.state.nm.us/ocd/>

From: Kristin Pope [<mailto:kristin@rthicksconsult.com>]
Sent: Wednesday, August 27, 2014 2:02 PM
To: Oberding, Tomas, EMNRD
Cc: Martin, Ed; ccottrell@jdmii.com; Greg Boans; Chace Walls; Randy Hicks
Subject: RE: CLOSURE NOTICE: Murchison - Jackson Unit 16H pit

Dr. Oberding:

After sending you the notice below, I was informed that Monday is a holiday. After coordination with the excavation contractor, we think that Tuesday would be a better day to start this closure. Please find the corrected closure notice letter for the Jackson Unit #16 temporary pit to begin on **Tuesday, September 2, 2014.**

I'm also assuming our phone discussion this afternoon about this fulfills our notification obligations for closure. I apologize for the inconvenience and thank you.

Kristin Pope
R.T. Hicks Consultants
Carlsbad Field Office
575.302.6755

From: Kristin Pope [<mailto:kristin@rthicksconsult.com>]
Sent: Wednesday, August 27, 2014 10:46 AM
To: tomas.oberding@state.nm.us
Cc: emartin@slo.state.nm.us; ccottrell@jdmii.com; Greg Boans; Chace Walls (cwalls@jdmii.com); Randy Hicks
Subject: CLOSURE NOTICE: Murchison - Jackson Unit 16H pit

Dr. Oberding:

On behalf of Murchison, please find the attached notice of in-place closure of the **Jackson Unit #16H** temporary pit which is set to begin on **Monday, September 1, 2014**. Per Pit Rule requirements, I will follow this email with a phone call to you today and I will mail a copy (certified, return receipt request) of this notice to the State Land Office.

Thank you.

Kristin Pope
R.T. Hicks Consultants
Carlsbad Field Office
575.302.6755

ATTACHMENT 2




Legend

-  Jackson Unit 16H Burial Center
-  Jackson Unit 16H well

Pit Closure

-  On-site Burial Cell
-  Location

Imagery ©2014



R.T. Hicks Consultants, Ltd
 901 Rio Grande Blvd NW Suite F-142
 Albuquerque, NM 87104
 Ph: 505.266.5004

On-Site Burial Location of Temporary Pit

Murchison Oil and Gas, Inc.
 Jackson Unit #16H

Plate 1
 C-105 form
 December
 2014

ATTACHMENT 3

Waste Material Sampling Analytical Results

On June 4, 2014, an 8-point composite sample was collected from the temporary pit location and stabilized in the field in a 3:1 ratio using 3 parts available mixing material from the berms of the pit below the liner. The stabilized composite sample was submitted to Hall Environmental Analysis Laboratory in Albuquerque for BTEX (8260B), GRO+DRO (8015M), TPH (418.1), and Chloride (SM4500) analyses. Concentrations from the sample confirm that this site meets criteria for in-place closure in accordance with the limits listed in Table II (19.15.17.13 NMAC) of the Pit Rule.



Sampling cuttings of outer cell 6/4/2014

The table below depicts this stabilized sample and its concentrations of the parameters of Table II in the Pit Rule.

Jackson Unit #16H - 3:1 Stabilized Cuttings Sample		
Constituent	Table II Limit (GW>100 ft)	6/4/14 Sample
Chloride	80,000 mg/kg	23,000
TPH	2,500 mg/kg	520
GRO+DRO	1,000 mg/kg	687
BTEX	50 mg/kg	1.56
Benzene	10 mg/kg	ND



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

June 13, 2014

Kristin Pope
R.T. Hicks Consultants, LTD
901 Rio Grande Blvd. NW
Suite F-142
Albuquerque, NM 87104
TEL: (505) 266-5004
FAX (505) 266-0745

RE: Murchison - Jackson Unit #16H pit

OrderNo.: 1406346

Dear Kristin Pope:

Hall Environmental Analysis Laboratory received 1 sample(s) on 6/6/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written in a cursive style.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1406346

Date Reported: 6/13/2014

CLIENT: R.T. Hicks Consultants, LTD

Client Sample ID: 3:1 Stabilized Cuttings

Project: Murchison - Jackson Unit #16H pit

Collection Date: 6/4/2014 10:25:00 AM

Lab ID: 1406346-001

Matrix: SOIL

Received Date: 6/6/2014 10:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE ORGANICS							Analyst: BCN
Diesel Range Organics (DRO)	660	20		mg/Kg	1	6/12/2014 7:03:52 AM	13578
Motor Oil Range Organics (MRO)	470	99		mg/Kg	1	6/12/2014 7:03:52 AM	13578
Surr: DNOP	67.9	57.9-140		%REC	1	6/12/2014 7:03:52 AM	13578
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	27	9.7		mg/Kg	2	6/11/2014 10:18:55 PM	13586
Surr: BFB	141	80-120	S	%REC	2	6/11/2014 10:18:55 PM	13586
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.097		mg/Kg	2	6/11/2014 10:18:55 PM	13586
Toluene	0.27	0.097		mg/Kg	2	6/11/2014 10:18:55 PM	13586
Ethylbenzene	0.19	0.097		mg/Kg	2	6/11/2014 10:18:55 PM	13586
Xylenes, Total	1.1	0.19		mg/Kg	2	6/11/2014 10:18:55 PM	13586
Surr: 4-Bromofluorobenzene	121	80-120	S	%REC	2	6/11/2014 10:18:55 PM	13586
EPA METHOD 300.0: ANIONS							Analyst: SRM
Chloride	23000	750		mg/Kg	500	6/11/2014 2:59:22 PM	13604
EPA METHOD 418.1: TPH							Analyst: JME
Petroleum Hydrocarbons, TR	520	20		mg/Kg	1	6/11/2014 12:00:00 PM	13571

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		
*	Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
E	Value above quantitation range	H Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
O	RSD is greater than RSDlimit	P Sample pH greater than 2.
R	RPD outside accepted recovery limits	RL Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits	

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406346

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID	MB-13604	SampType:	MBLK	TestCode:	EPA Method 300.0: Anions					
Client ID:	PBS	Batch ID:	13604	RunNo:	19180					
Prep Date:	6/10/2014	Analysis Date:	6/10/2014	SeqNo:	554470	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	LCS-13604	SampType:	LCS	TestCode:	EPA Method 300.0: Anions					
Client ID:	LCSS	Batch ID:	13604	RunNo:	19180					
Prep Date:	6/10/2014	Analysis Date:	6/10/2014	SeqNo:	554471	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	96.0	90	110			

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406346

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID MB-13571	SampType: MBLK		TestCode: EPA Method 418.1: TPH							
Client ID: PBS	Batch ID: 13571		RunNo: 19175							
Prep Date: 6/6/2014	Analysis Date: 6/11/2014		SeqNo: 554453		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND	20								

Sample ID LCS-13571	SampType: LCS		TestCode: EPA Method 418.1: TPH							
Client ID: LCSS	Batch ID: 13571		RunNo: 19175							
Prep Date: 6/6/2014	Analysis Date: 6/11/2014		SeqNo: 554454		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	92	20	100.0	0	91.5	80	120			

Sample ID LCSD-13571	SampType: LCSD		TestCode: EPA Method 418.1: TPH							
Client ID: LCSS02	Batch ID: 13571		RunNo: 19175							
Prep Date: 6/6/2014	Analysis Date: 6/11/2014		SeqNo: 554455		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	96	20	100.0	0	95.7	80	120	4.44	20	

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406346

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID	MB-13578	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	13578	RunNo:	19152					
Prep Date:	6/9/2014	Analysis Date:	6/10/2014	SeqNo:	553568	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		116	57.9	140			

Sample ID	LCS-13578	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	13578	RunNo:	19152					
Prep Date:	6/9/2014	Analysis Date:	6/10/2014	SeqNo:	553571	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	54	10	50.00	0	107	60.8	145			
Surr: DNOP	4.8		5.000		95.5	57.9	140			

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406346

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID MB-13586	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554130		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	25								
Surr: BFB	4500		5000		89.2	80	120			

Sample ID LCS-13586	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554131		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	120	25	125.0	0	92.8	71.7	134			
Surr: BFB	4900		5000		98.7	80	120			

Sample ID LCSD-13586	SampType: LCSD		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS02	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554132		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	110	25	125.0	0	88.4	71.7	134	4.85	20	
Surr: BFB	4900		5000		97.2	80	120	0	0	

Sample ID MB-13607	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 13607		RunNo: 19201							
Prep Date: 6/10/2014	Analysis Date: 6/11/2014		SeqNo: 555180		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	900		1000		89.9	80	120			

Sample ID LCS-13607	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 13607		RunNo: 19201							
Prep Date: 6/10/2014	Analysis Date: 6/11/2014		SeqNo: 555181		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	940		1000		94.1	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406346

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID MB-13586	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554155		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120			

Sample ID LCS-13586	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554156		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	4.7	0.25	5.000	0	94.7	80	120			
Toluene	4.6	0.25	5.000	0	92.8	80	120			
Ethylbenzene	4.7	0.25	5.000	0	94.2	80	120			
Xylenes, Total	15	0.50	15.00	0	98.8	80	120			
Surr: 4-Bromofluorobenzene	5.5		5.000		109	80	120			

Sample ID LCSD-13586	SampType: LCSD		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS02	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554157		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	4.7	0.25	5.000	0	94.0	80	120	0.731	20	
Toluene	4.6	0.25	5.000	0	91.5	80	120	1.42	20	
Ethylbenzene	4.7	0.25	5.000	0	93.4	80	120	0.768	20	
Xylenes, Total	15	0.50	15.00	0	98.3	80	120	0.555	20	
Surr: 4-Bromofluorobenzene	5.6		5.000		113	80	120	0		

Sample ID MB-13607	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 13607		RunNo: 19201							
Prep Date: 6/10/2014	Analysis Date: 6/11/2014		SeqNo: 555210		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120			

Sample ID LCS-13607	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 13607		RunNo: 19201							
Prep Date: 6/10/2014	Analysis Date: 6/11/2014		SeqNo: 555211		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406346

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID	LCS-13607	SampType:	LCS	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSS	Batch ID:	13607	RunNo:	19201					
Prep Date:	6/10/2014	Analysis Date:	6/11/2014	SeqNo:	555211	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		114	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Sample Log-In Check List

Client Name: RT HICKS

Work Order Number: 1406346

RcptNo: 1

Received by/date: AT 06/06/14

Logged By: **Michelle Garcia** 6/6/2014 10:00:00 AM *Michelle Garcia*

Completed By: **Michelle Garcia** 6/6/2014 2:49:34 PM *Michelle Garcia*

Reviewed By: *[Signature]* 06/09/14

Chain of Custody

- 1. Custody seals intact on sample bottles? Yes No Not Present
- 2. Is Chain of Custody complete? Yes No Not Present
- 3. How was the sample delivered? Client

Log In

- 4. Was an attempt made to cool the samples? Yes No NA
- 5. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
- 6. Sample(s) in proper container(s)? Yes No Not required
- 7. Sufficient sample volume for indicated test(s)? Yes No
- 8. Are samples (except VOA and ONG) properly preserved? Yes No
- 9. Was preservative added to bottles? Yes No NA
- 10. VOA vials have zero headspace? Yes No No VOA Vials
- 11. Were any sample containers received broken? Yes No
- 12. Does paperwork match bottle labels? Yes No
(Note discrepancies on chain of custody)
- 13. Are matrices correctly identified on Chain of Custody? Yes No
- 14. Is it clear what analyses were requested? Yes No
- 15. Were all holding times able to be met? Yes No
(If no, notify customer for authorization.)

of preserved bottles checked for pH: _____
 (<2 or >12 unless noted)
 Adjusted? _____
 Checked by: _____

Special Handling (if applicable)


- 16. Was client notified of all discrepancies with this order? Yes No NA

Person Notified: _____ Date: _____
 By Whom: _____ Via: eMail Phone Fax In Person
 Regarding: _____
 Client Instructions: _____

17. Additional remarks:

18. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	8.6	Good	Not Present			



ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Standard Rush

Project Name:

Murchison -

Jackson Unit #16 Pit

Project #:

Mailing Address: 901 Rio Grande Blvd NW

Albuquerque, NM 87104

Phone #: (505) 266-5004

Email or Fax#: R@thicksconsult.com

QA/QC Package:

Standard Level 4 (Full Validation)

Accreditation:

NELAP Other

EDD (Type)

Project Manager:

Kristin Pope

Sampler:

Kristin Pope

On Ice Yes No

Sample Temperature:

Container Type and #

1 glass

ice

Preservative Type

HEAL No

1406316

-001

Matrix

soil

Date

6/4/14

Time

10:25

Sample Request ID

3:1 Stabilized

Cuttings

BTEX + MTBE + TMBs (8021)

BTEX + MTBE + TMBs (8015B) (Gas/Diesel)

TPH (Method 418.1)

TPH Method 8015B (Gas/Diesel)

BTEX + MTBE + TMBs (8082 PCBs)

8081 Pesticides / 8082 PCBs

8260B (VOA)

8270 (Semi-VOA)

RCRA 8 Metals

Anions (F, Cl, NO₃, NO₂, PO₄, SO₄)

8310 (PNA or PAH)

EDB (Method 504.1)

8310 (PNA or PAH)

8081 Pesticides / 8082 PCBs

8260B (VOA)

8270 (Semi-VOA)

Air Bubbles (Y or N)



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

June 13, 2014

Kristin Pope
R.T. Hicks Consultants, LTD
901 Rio Grande Blvd. NW
Suite F-142
Albuquerque, NM 87104
TEL: (505) 266-5004
FAX (505) 266-0745

RE: Murchison - Jackson Unit #16H pit

OrderNo.: 1406338

Dear Kristin Pope:

Hall Environmental Analysis Laboratory received 1 sample(s) on 6/6/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written in a cursive style.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1406338

Date Reported: 6/13/2014

CLIENT: R.T. Hicks Consultants, LTD

Client Sample ID: Mixing Soil

Project: Murchison - Jackson Unit #16H pit

Collection Date: 6/4/2014 10:00:00 AM

Lab ID: 1406338-001

Matrix: SOIL

Received Date: 6/6/2014 12:40:00 PM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE ORGANICS							Analyst: BCN
Diesel Range Organics (DRO)	ND	20		mg/Kg	1	6/12/2014 4:06:22 AM	13578
Motor Oil Range Organics (MRO)	ND	100		mg/Kg	1	6/12/2014 4:06:22 AM	13578
Surr: DNOP	76.1	57.9-140		%REC	1	6/12/2014 4:06:22 AM	13578
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	6/10/2014 1:25:27 PM	13586
Surr: BFB	97.1	80-120		%REC	1	6/10/2014 1:25:27 PM	13586
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.049		mg/Kg	1	6/10/2014 1:25:27 PM	13586
Toluene	ND	0.049		mg/Kg	1	6/10/2014 1:25:27 PM	13586
Ethylbenzene	ND	0.049		mg/Kg	1	6/10/2014 1:25:27 PM	13586
Xylenes, Total	ND	0.099		mg/Kg	1	6/10/2014 1:25:27 PM	13586
Surr: 4-Bromofluorobenzene	111	80-120		%REC	1	6/10/2014 1:25:27 PM	13586
EPA METHOD 300.0: ANIONS							Analyst: SRM
Chloride	160	30		mg/Kg	20	6/11/2014 2:09:43 PM	13604
EPA METHOD 418.1: TPH							Analyst: JME
Petroleum Hydrocarbons, TR	ND	20		mg/Kg	1	6/11/2014 12:00:00 PM	13571

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		
*	Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
E	Value above quantitation range	H Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
O	RSD is greater than RSDlimit	P Sample pH greater than 2.
R	RPD outside accepted recovery limits	RL Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits	

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406338

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID	MB-13604	SampType:	MBLK	TestCode:	EPA Method 300.0: Anions					
Client ID:	PBS	Batch ID:	13604	RunNo:	19180					
Prep Date:	6/10/2014	Analysis Date:	6/10/2014	SeqNo:	554470	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	LCS-13604	SampType:	LCS	TestCode:	EPA Method 300.0: Anions					
Client ID:	LCSS	Batch ID:	13604	RunNo:	19180					
Prep Date:	6/10/2014	Analysis Date:	6/10/2014	SeqNo:	554471	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	96.0	90	110			

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406338

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID	MB-13571	SampType:	MBLK	TestCode:	EPA Method 418.1: TPH					
Client ID:	PBS	Batch ID:	13571	RunNo:	19175					
Prep Date:	6/6/2014	Analysis Date:	6/11/2014	SeqNo:	554453	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND	20								

Sample ID	LCS-13571	SampType:	LCS	TestCode:	EPA Method 418.1: TPH					
Client ID:	LCSS	Batch ID:	13571	RunNo:	19175					
Prep Date:	6/6/2014	Analysis Date:	6/11/2014	SeqNo:	554454	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	92	20	100.0	0	91.5	80	120			

Sample ID	LCSD-13571	SampType:	LCSD	TestCode:	EPA Method 418.1: TPH					
Client ID:	LCSS02	Batch ID:	13571	RunNo:	19175					
Prep Date:	6/6/2014	Analysis Date:	6/11/2014	SeqNo:	554455	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	96	20	100.0	0	95.7	80	120	4.44	20	

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406338

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID MB-13578	SampType: MBLK		TestCode: EPA Method 8015D: Diesel Range Organics							
Client ID: PBS	Batch ID: 13578		RunNo: 19152							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 553568		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	12		10.00		116	57.9	140			

Sample ID LCS-13578	SampType: LCS		TestCode: EPA Method 8015D: Diesel Range Organics							
Client ID: LCSS	Batch ID: 13578		RunNo: 19152							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 553571		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	54	10	50.00	0	107	60.8	145			
Surr: DNOP	4.8		5.000		95.5	57.9	140			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406338

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID MB-13586	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554130		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	25								
Surr: BFB	4500		5000		89.2	80	120			

Sample ID LCS-13586	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554131		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	120	25	125.0	0	92.8	71.7	134			
Surr: BFB	4900		5000		98.7	80	120			

Sample ID LCSD-13586	SampType: LCSD		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS02	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554132		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	110	25	125.0	0	88.4	71.7	134	4.85	20	
Surr: BFB	4900		5000		97.2	80	120	0	0	

Sample ID MB-13607	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 13607		RunNo: 19201							
Prep Date: 6/10/2014	Analysis Date: 6/11/2014		SeqNo: 555180		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	900		1000		89.9	80	120			

Sample ID LCS-13607	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 13607		RunNo: 19201							
Prep Date: 6/10/2014	Analysis Date: 6/11/2014		SeqNo: 555181		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	940		1000		94.1	80	120			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406338

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID MB-13586	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554155		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120			

Sample ID LCS-13586	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554156		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	4.7	0.25	5.000	0	94.7	80	120			
Toluene	4.6	0.25	5.000	0	92.8	80	120			
Ethylbenzene	4.7	0.25	5.000	0	94.2	80	120			
Xylenes, Total	15	0.50	15.00	0	98.8	80	120			
Surr: 4-Bromofluorobenzene	5.5		5.000		109	80	120			

Sample ID LCSD-13586	SampType: LCSD		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS02	Batch ID: 13586		RunNo: 19153							
Prep Date: 6/9/2014	Analysis Date: 6/10/2014		SeqNo: 554157		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	4.7	0.25	5.000	0	94.0	80	120	0.731	20	
Toluene	4.6	0.25	5.000	0	91.5	80	120	1.42	20	
Ethylbenzene	4.7	0.25	5.000	0	93.4	80	120	0.768	20	
Xylenes, Total	15	0.50	15.00	0	98.3	80	120	0.555	20	
Surr: 4-Bromofluorobenzene	5.6		5.000		113	80	120	0		

Sample ID MB-13607	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 13607		RunNo: 19201							
Prep Date: 6/10/2014	Analysis Date: 6/11/2014		SeqNo: 555210		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		106	80	120			

Sample ID LCS-13607	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 13607		RunNo: 19201							
Prep Date: 6/10/2014	Analysis Date: 6/11/2014		SeqNo: 555211		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1406338

13-Jun-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison - Jackson Unit #16H pit

Sample ID	LCS-13607	SampType:	LCS	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSS	Batch ID:	13607	RunNo:	19201					
Prep Date:	6/10/2014	Analysis Date:	6/11/2014	SeqNo:	555211	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		114	80	120			

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

Client Name: RT HICKS

Work Order Number: 1406338

RcptNo: 1

Received by/date: AT 06/06/14

Logged By: **Michelle Garcia** 6/6/2014 12:40:00 PM *Michelle Garcia*

Completed By: **Michelle Garcia** 6/6/2014 2:12:51 PM *Michelle Garcia*

Reviewed By: *[Signature]* 06/09/14

Chain of Custody

1. Custody seals intact on sample bottles? Yes No Not Present
2. Is Chain of Custody complete? Yes No Not Present
3. How was the sample delivered? Client

Log In

4. Was an attempt made to cool the samples? Yes No NA
5. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
Not required
6. Sample(s) in proper container(s)? Yes No
7. Sufficient sample volume for indicated test(s)? Yes No
8. Are samples (except VOA and ONG) properly preserved? Yes No
9. Was preservative added to bottles? Yes No NA
10. VOA vials have zero headspace? Yes No No VOA Vials
11. Were any sample containers received broken? Yes No
12. Does paperwork match bottle labels? Yes No
 (Note discrepancies on chain of custody)
13. Are matrices correctly identified on Chain of Custody? Yes No
14. Is it clear what analyses were requested? Yes No
15. Were all holding times able to be met? Yes No
 (If no, notify customer for authorization.)

of preserved bottles checked for pH: _____
 (<2 or >12 unless noted)

Adjusted? _____

Checked by: _____

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes No NA

Person Notified: _____ Date: _____

By Whom: _____ Via: eMail Phone Fax In Person

Regarding: _____

Client Instructions: _____

17. Additional remarks:

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	8.6	Good	Not Present			

ANALYSIS LABORATORY

www.hallenenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Standard Rush
 Project Name: Murchison -
 Jackson Unit #16H Pit

Project #: _____
 Project Manager: Kristin Pope

Sampler: Kristin Pope
 On Ice: Yes No
 Sample Temperature: 66

Container Type and #: 1 glass
 Preservative Type: ice
 HEAL No: 1101238
 -001

Date: 6/14/00
 Matrix: soil
 Sample Request ID: Mixing Soil

Relinquished by: Kristin Pope
 Date: 6/14/00
 Time: 10:00

Received by: [Signature]
 Date: 6/14/00
 Time: 3:45

Analysis Request

<input checked="" type="checkbox"/> BTEX + MTBE + TMBs (8021)	
<input checked="" type="checkbox"/> BTEX + MTBE + TPH (Gas only)	
TPH Method 8015B (Gas/Diesel)	<input checked="" type="checkbox"/>
TPH (Method 418.1)	<input checked="" type="checkbox"/>
EDB (Method 504.1)	
8310 (PNA or PAH)	
RCRA 8 Metals	<input checked="" type="checkbox"/>
Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	<input checked="" type="checkbox"/>
8081 Pesticides / 8082 PCBs	
8260B (VOA)	
8270 (Semi-VOA)	
Air Bubbles (Y or N)	<input checked="" type="checkbox"/>

Remarks: Email results to R@..., kristin@rthicksconsult.com

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

ATTACHMENT 4

SOIL BACKFILLING & COVER INSTALLATION

In accordance with the requirements listed in paragraph D of 19.15.17.13 NMAC, the operator employed the following steps for in-place burial of the waste material from the temporary pit:

1. Siting criteria and operations of the pit complied with the C-144 application and the Pit Rule under which it was submitted to the NMOCD on December 12, 2013 and approved on December 23, 2013. After the rig was released on March 7, 2014, fluid contents in the pit were removed to be recycled for the drilling of other wells while the cuttings were allowed to dry.
2. On June 4, 2014, prior to the initiation of closure activities, samples of the inner and outer cells and clean soil from the berms of the pit below the liner were recovered from the pit. A weighted composite of the inner and outer cells of the pit were mixed in a ratio of 3 parts clean soil to 1 part pit cuttings and were analyzed for Chloride, TPH, GRO, DRO, MRO, Benzene, and BTEX at Hall Environmental Analysis Laboratory of Albuquerque. The results, as noted in the subsequent closure notice and Attachment 3 of this report, demonstrated that the stabilized pit contents would not exceed the parameter limits listed in Table II of the Pit Rule.
3. A closure notice was submitted to the NMOCD, District 1 office in Hobbs and to the State Land Office on August 27, 2014. Verbal notice in the form of a phone call to NMOCD was placed on the same day.
4. On September 2, 2014, closure activities commenced and stabilization of the pit contents was achieved by mixing the pit contents with the dry soil beneath the liner of the pit and from the dividing berms. On October 31, 2014, a paint filter test was performed by R.T. Hicks Consultants that confirmed that the stabilization process was complete and that the stabilized cuttings were located at least 4 feet below grade.
5. Having achieved all applicable stabilization requirements associated with in-place burial, a geomembrane liner was installed to completely cover the stabilized cuttings on October 31, 2014. The pit contents and liner were shaped to shed infiltrating water, slightly higher in the center.
6. Once the geomembrane cover was in place, approximately 4 feet or more of non-waste containing, uncontaminated, earthen material and the reserved topsoil were replaced to their relative positions in accordance with Subsection (3) of Paragraph H of 19.15.17.13

Closure Letter Attachment 4
Murchison – Jackson Unit #16H
API #30-025-41167

NMAC. The soil cover consists of at least four feet of compacted, non-waste containing, earthen material. The uppermost topsoil is equal to the background thickness at least one foot. The surface was contoured to blend with the surrounding topography and to prevent erosion and the ponding of water over the on-site closure. This work was completed on November 5, 2014.



Stabilization mixing 9/10/2014



Paint filter test of stabilized cuttings 10/31/2014



Geomembrane cover installed; backfilling 10/31/2014

ATTACHMENT 5

RE-VEGETATION PROCEDURES

There were no roads or surface drainage features nearby that required restoration or preservation.

1. On November 25, 2014, Storm Construction seeded the topsoil of the on-site burial area using a seed drill pulled by a tractor that prepared the seedbed in the same pass using discs. The seed furrows were oriented perpendicular to the prevailing westerly wind when possible to minimize erosion.
2. Approximately 48 pounds of a seed mixture consisting of 50% BLM #2 seed blend and 50% Homesteader's Choice blend was applied to approximately 1 acre of disturbance in accordance with the supplier's instructions to the former temporary pit area. Species constituents of each blend are listed below and are appropriate for the soil type and conditions at this site. Note that Sand Lovegrass, a component of the BLM #2 assortment, was unavailable so appropriate substitute species were used as selected by the seed vendor.

BLM #2

Sideoats Grama
Switchgrass
Sand Dropseed
Bristlegrass
Plains Coreopsis

Homesteader's Choice

Blue Grama
Buffalograss
Sideoats Grama
Western Wheatgrass
Sand Dropseed

3. After seeding, a steel plate marking the site as an in-place pit closure has been placed on the surface at the center of the former pit location in accordance with Subsection (3) of Paragraph F of 19.15.17.13 NMAC.
4. The seeded area will be monitored for growth and the operator will repeat seeding until a successful vegetative cover is achieved as outlined in Subsection (5) of Paragraph H of 19.15.17.13 NMAC.
5. If conditions are not favorable for the establishment of vegetation, such as periods of drought, the operator may request that the division allow a delay in additional seeding until soil moisture conditions become favorable. The operator will notify the division and provide photo-documentation when it successful re-vegetation is achieved.

**Closure Letter Attachment 5
Murchison – Jackson Unit #16H
API #30-025-41167**

Item	Origin	Purity	Germ	Dormant	Germ & Dormant	Test Date
Blue Gram	Texas	23.02%	68.00%	22.00%	90.00%	03-13
Hardtail	Texas	11.63%	79.00%	15.00%	94.00%	10-13
Western Wheatgrass	Idaho	15.96%	71.00%	16.00%	87.00%	04-13
Sand Dropseed	Washington	4.99%	65.00%	23.00%	88.00%	04-13
	Texas	29.90%	77.00%	7.00%	84.00%	06-13
Total Bulk Pounds: 160						

There Are 8 Bags For This Mix
This Bag Weighs 20.00 Bulk Pounds
Use This Bag For 1 Acres

Homesteader's Choice seed mix
11/25/2014

Curtis and Curtis, Inc.
4500 North Prince
Clovis, NM 88130
Phone: (575) 762-4759
www.curtisseed.com

Storm Construction
4 Acre BLM #2 Broadcast Rate
4 - 1 Acre Bags @ 35.50 Bulk Pounds Each

Lot#: M-12732

Item	Origin	Purity	Germ	Dormant	Total Germination	Test Date	Total PLS Pounds
Sand Dropseed	Colorado	11.74%	22.00%	74.00%	96.00%	05-14	38.00
VNS	Colorado	12.12%	90.00%	3.00%	93.00%	11-14	78.00
Coreopsis	Oklahoma	32.76%	6.00%	80.00%	86.00%	08-14	40.00
Plains Bristlegrass	Oklahoma	17.61%	56.00%	40.00%	96.00%	06-14	34.00
VNS	Texas	18.57%	87.00%	4.00%	91.00%	05-14	34.00
Blackwell							
Sideouts Grama							
Vaughn							
Total Bulk Pounds: 142							

Other Crop: 0.99%
Weed Seed: 0.82%
Inert Matter: 5.39%

There Are 4 Bags For This Mix
This Bag Weighs 35.50 Bulk Pounds
Use This Bag For 1 Acres

BLM #2 seed mix
11/25/2014



Seeding surface of pit burial location
11/25/2014

ATTACHMENT 6

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

DEC 16 2013

RECEIVED

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

- Type of action: Below grade tank registration
 Permit of a pit or proposed alternative method
 Closure of a pit, below-grade tank, or proposed alternative method
 Modification to an existing permit/or registration
 Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: Murchison Oil & Gas, Inc. OGRID #: 15363
Address: 1100 Mira Vista Blvd., Plano, TX 75093-4698
Facility or well name: Jackson Unit No. 16H
API Number: 30-025-41167 OCD Permit Number: PI-06185
U/L or Qtr/Qtr B Section 15 Township 24S Range 33E County: Lea
Center of Proposed Design: Latitude 32° 13' 27.546" N Longitude 103° 33' 34.890" W NAD: 1927 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment

2.
 Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
 Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
 Lined Unlined Liner type: Thickness 20 mil LLDPE HDPE PVC Other _____
 String-Reinforced
Liner Seams: Welded Factory Other _____ Volume: 23,712 bbl Dimensions: L 150 x W 170 x D 6-10 ft

3.
 Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: _____ bbl Type of fluid: _____
Tank Construction material: _____
 Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
 Visible sidewalls and liner Visible sidewalls only Other _____
Liner type: Thickness _____ mil HDPE PVC Other _____

4.
 Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
 Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)
 Four foot height, four strands of barbed wire evenly spaced between one and four feet
 Alternate. Please specify _____

6.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

Screen Netting Other _____

Monthly inspections (If netting or screening is not physically feasible)

7.

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

8.

Variations and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: *The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.*

General siting

Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

Yes No
 NA

Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells **See Figures 1 & 2**

Yes No
 NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. **(Does not apply to below grade tanks) See Figure 5**

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

Yes No

Within the area overlying a subsurface mine. **(Does not apply to below grade tanks) See Figure 7**

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

Yes No

Within an unstable area. **(Does not apply to below grade tanks) See Figure 8**

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

Yes No

Within a 100-year floodplain. **(Does not apply to below grade tanks) See Figure 9**

- FEMA map

Yes No

Below Grade Tanks

Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

Yes No

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Yes No

Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

- Topographic map; Visual inspection (certification) of the proposed site

Yes No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

Yes No

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

Yes No

Within 100 feet of a wetland.
 - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No

Temporary Pit Non-low chloride drilling fluid

Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). **See Figure 3**
 - Topographic map; Visual inspection (certification) of the proposed site Yes No

Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.
 - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image. **See Figure 4** Yes No

Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;
 - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No
See Figures 1 & 2

Within 300 feet of a wetland. **See Figure 6**
 - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No

Permanent Pit or Multi-Well Fluid Management Pit

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).
 - Topographic map; Visual inspection (certification) of the proposed site Yes No

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.
 - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image Yes No

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.
 - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site Yes No

Within 500 feet of a wetland.
 - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site Yes No

10. **Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist:** Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

11. **Multi-Well Fluid Management Pit Checklist:** Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- A List of wells with approved application for permit to drill associated with the pit.
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12. **Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- Quality Control/Quality Assurance Construction and Installation Plan
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13. **Proposed Closure:** 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fluid Management Pit
 Alternative
- Proposed Closure Method: Waste Excavation and Removal
 Waste Removal (Closed-loop systems only)
 On-site Closure Method (Only for temporary pits and closed-loop systems)
 In-place Burial On-site Trench Burial
 Alternative Closure Method

14. **Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) **Instructions:** Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15. **Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

- | | |
|---|--|
| Ground water is less than 25 feet below the bottom of the buried waste.
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input type="checkbox"/> NA |
| Ground water is between 25-50 feet below the bottom of the buried waste
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input type="checkbox"/> NA |
| Ground water is more than 100 feet below the bottom of the buried waste.
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> NA |
| Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).
- Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application.
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Written confirmation or verification from the municipality; Written approval obtained from the municipality | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Within 300 feet of a wetland.
US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. - FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

16. **On-Site Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
- Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
- Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
- Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17. **Operator Application Certification:**


I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): Greg Boans Title: Production Superintendent

Signature:  Date: December 12, 2013

e-mail address: gboans@jdmii.com Telephone: (575) 361-4962

18. **OCD Approval:** Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)

OCD Representative Signature:  Approval Date: 12/23/13

Title: Environmental Specialist OCD Permit Number: P1-06185

19. **Closure Report (required within 60 days of closure completion):** 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

Closure Completion Date: November 5, 2014

20. **Closure Method:**

Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)

If different from approved plan, please explain.

21. **Closure Report Attachment Checklist:** *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- Proof of Closure Notice (surface owner and division)
- Proof of Deed Notice (required for on-site closure for private land only) n/a (State Land)
- Plot Plan (for on-site closures and temporary pits)
- Confirmation Sampling Analytical Results (if applicable) n/a (on-site closure)
- Waste Material Sampling Analytical Results (required for on-site closure)
- Disposal Facility Name and Permit Number n/a (on-site closure)
- Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation (Photo Documentation) to follow

On-site Closure Location: Latitude N 32.224744° Longitude W 103.559876° NAD: 1927 1983

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Kristin Pope Title: Agent for Murchison Oil and Gas, Inc.

Signature: *Kristin Pope* Date: December 31, 2014

e-mail address: kristin@rthicksconsult.com Telephone: (575) 302-6755