

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Fax: 505.266-0745

July 27, 2015

Ms. Kellie Jones
NMOCD District 1
1625 French Drive
Hobbs, NM 88240
Via E-Mail

RECEIVED

By OCD District 1 at 1:15 pm, Jul 28, 2015

RE: Temporary Pit Closure Report
Bettis 20 State Com #3H, API #30-025-41437, Pit Permit #P1-06546
Unit O, Section 20, T24S, R33E, Lea County


Dear Ms. Jones:

On behalf of Murchison Oil and Gas, R.T. Hicks Consultants submits this closure report for the above-referenced temporary pit in accordance with the approved C-144 closure plan. This report includes the following information listed in Part 21 of the C-144 form:

Requirements	Location in this Submission
Proof of Closure Notice (to surface owner and Division)	Attachment 1
Proof of Deed Notice (on-site closure on private land only)	Not applicable; State Land (no deed)
Plot Plan, C-105 form (for on-site closures and temporary pits)	Attachment 2
Confirmation Sampling Analytical Results	Not applicable
Waste Material Sampling Analytical Results (required for on-site closure)	Attachment 3
Disposal Facility Name and Permit Number	Not applicable; on-site closure
Soil Backfilling and Cover Installation	Attachment 4
Re-vegetation Application Rates and Seeding Technique	Attachment 5
Site Reclamation (photo documentation)	To follow
Updated C-144 form	Attachment 6

R.T. Hicks Consultants will notify NMOCD and provide photo-documentation when re-vegetation obligations described in subsection H of 19.15.17.13 NMAC are met.

Sincerely,
R.T. Hicks Consultants



Kristin Pope
Project Geologist

Copy: Murchison Oil and Gas
NM State Land Office, Ed Martin

ATTACHMENT 1

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Fax: 505.266-0745

February 20, 2015

Dr. Tomáš Oberding
NMOCD District 1
1625 French Drive
Hobbs, New Mexico 88240
VIA EMAIL

RE: Murchison - Bettis 20 St. Com #3H Temporary Pit, In-place Burial Notice
API #30-025-41437, Pit Permit #P1-06546
Unit O, Section 20, T24S, R33E, Lea County

Dr. Oberding:

On behalf of Murchison Oil and Gas, R. T. Hicks Consultants is provides this notice to NMOCD with a copy to the State Land Office (email as approved by NMOCD on 1/7/2015) that closure operations at the above- referenced pit will begin on **Tuesday, February 24, 2015**. The closure process should require about two weeks, depending on the availability of machinery and weather conditions. The "In-place Burial" closure plan for the pit was submitted with the C-144 temporary pit application and NMOCD approved the plan on April 7, 2014. The rig was released on May 24, 2014. In an effort to mitigate a potential for elevated hydrocarbon concentrations, Micro-Blaze[®] microbial product was applied to the surface of the pit cuttings on September 18, 2014. A 3-month extension for closure was approved by NMOCD on November 23, 2014.

On December 3, 2014, 4-point composite samples were collected from the inner horseshoe cell, outer horseshoe cell, and from the clean soil of the berms (beneath the liner) of the pit for laboratory analyses. The table on page 2 of this notice demonstrates the calculated concentration for "3:1 stabilized" material that results when the pit contents are combined with available mixing soil during the closure process. The calculated value mathematically mixes 3 parts clean soil (mixing dirt) with 1 part of the weighted pit composite calculation, as depicted in the adjacent chart. The pit composite consists of 25% solids from the inner cell of the drilling pit and 75% of the solids from the outer cell (1:3 ratio), representative of the volume of cuttings in each cell.



Bettis 20 St. Com #3H pit Sample Name	Sample Type	Sample Date	Chloride 80,000	Benzene 10	BTEX 50	GRO+ DRO 1000	TPH 418.1 2500
Inner Composite	4-pt field comp.	12/3/2014	4,400	ND	ND	2,000	4,400
Outer Composite	4-pt field comp.	12/3/2014	23,000	1.0	16.0	2,500	5,500
Mixing Dirt	5-pt field comp.	12/3/2014	ND	ND	ND	ND	ND
3:1 Stabilized CALCULATED (3 parts mixing dirt, 1 part weighted pit cuttings)			4,597.50	0.19	3.00	593.75	1,306.25

ND = Not detected at the laboratory's reporting limit

All values are mg/kg


The formula used in the table:

$$3:1 \text{ Stabilized Solids} = \frac{[(\text{Outer Composite} * 0.75) + (0.25 * \text{Inner Composite})]}{4}$$

Laboratory analyses of the component samples and the calculation of stabilized cuttings "demonstrate that, after the waste is solidified or stabilized with soil or other non-waste material at a ratio of no more than 3:1 soil or other non-waste material to waste, the concentration of any contaminant in the stabilized waste is not higher than the parameters listed in Table II of 19.15.17.13 NMAC." I will follow up this notice to you with a phone call today as required by the Pit Rule.

Sincerely,

R.T. Hicks Consultants



Kristin Pope

Enclosure: Approval of variance for email notice

Copy: Murchison Oil and Gas, New Mexico State Land Office (Ed Martin)

From: [Oberding, Tomas, EMNRD](mailto:Oberding.Tomas.EMNRD)
To: [Kristin Pope](mailto:Kristin.Pope)
Cc: ccottrell@jdmii.com; Randy Hicks; gboans@jdmii.com; Chace Walls; [Martin, Ed](mailto:Martin.Ed)
Subject: RE: VARIANCE REQUEST: Email substitution for pit closure notices
Date: Wednesday, January 07, 2015 10:13:08 AM

Ms. Pope,

This email is fine for OCD documentation, for the current site closure.

Mahalo

-Doc

Tomáš 'Doc' Oberding, PhD
Senior Environmental Specialist
New Mexico Oil Conservation Division, District 1
Energy, Minerals and Natural Resources Department
(575) 393-6161 ext 111
E-Mail: tomas.oberding@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

From: Kristin Pope [<mailto:kristin@rthicksconsult.com>]
Sent: Wednesday, December 31, 2014 1:35 PM
To: Oberding, Tomas, EMNRD
Cc: ccottrell@jdmii.com; Randy Hicks; gboans@jdmii.com; Chace Walls; [Martin, Ed](mailto:Martin.Ed)
Subject: VARIANCE REQUEST: Email substitution for pit closure notices

Dr. Oberding:

Please find the attached variance request for a substitution of email to SLO in lieu of temporary pit closure notices submitted via US Mail, return receipt requested. It is referenced for the Murchison – Jackson Unit #14H but I also submitted a closure report for the Jackson Unit #16H.

Please contact me with any questions about this upon your return to work. Thank you.

Kristin Pope
R.T. Hicks Consultants
Carlsbad Field Office
575.302.6755

From: [Oberding, Tomas, EMNRD](mailto:Oberding.Tomas.EMNRD)
To: [Kristin Pope](mailto:Kristin.Pope)
Cc: ccottrell@jdmii.com; Randy Hicks; gboans@jdmii.com; Chace Walls; [Martin, Ed](mailto:Martin.Ed)
Subject: RE: VARIANCE REQUEST: Email substitution for pit closure notices
Date: Wednesday, January 07, 2015 10:13:08 AM

Ms. Pope,

This email is fine for OCD documentation, for the current site closure.

Mahalo

-Doc

Tomáš 'Doc' Oberding, PhD
Senior Environmental Specialist
New Mexico Oil Conservation Division, District 1
Energy, Minerals and Natural Resources Department
(575) 393-6161 ext 111
E-Mail: tomas.oberding@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

From: Kristin Pope [<mailto:kristin@rthicksconsult.com>]
Sent: Wednesday, December 31, 2014 1:35 PM
To: Oberding, Tomas, EMNRD
Cc: ccottrell@jdmii.com; Randy Hicks; gboans@jdmii.com; Chace Walls; [Martin, Ed](mailto:Martin.Ed)
Subject: VARIANCE REQUEST: Email substitution for pit closure notices

Dr. Oberding:

Please find the attached variance request for a substitution of email to SLO in lieu of temporary pit closure notices submitted via US Mail, return receipt requested. It is referenced for the Murchison – Jackson Unit #14H but I also submitted a closure report for the Jackson Unit #16H.

Please contact me with any questions about this upon your return to work. Thank you.

Kristin Pope
R.T. Hicks Consultants
Carlsbad Field Office
575.302.6755

R. T. HICKS CONSULTANTS, LTD.

901 Rio Grande Blvd NW ▲ Suite F-142 ▲ Albuquerque, NM 87104 ▲ 505.266.5004 ▲ Fax: 505.266-0745

December 31, 2014

Dr. Tomáš J. Oberding
NMOCD District 1
1625 French Drive
Hobbs, New Mexico 88240
VIA EMAIL


RE: Variance Request
Murchison Oil and Gas, Inc., Jackson Unit #14H temporary pit
API #30-025-41072, Pit Permit #P1-05939

Dear Dr. Oberding:

The Closure Report for the above-referenced pit has been submitted today. You will notice that a return receipt for the certified mailing of the closure notice to the State Land Office (SLO) is not included with this report. Hicks Consultants requests a variance to allow email copy to the SLO to substitute for the required method of certified U.S. Mail with return receipt for the notice of closure of temporary pits as specified in the Pit Rule. In an email on November 24, 2014, Ed Martin of SLO confirmed that email notice is acceptable.

We will submit this variance request with all applications for future temporary pits on State surface. Thank you for your consideration of this variance request and for your diligent attention to all of our projects.

R.T. Hicks Consultants



Kristin Pope
Project Geologist

Enclosure: Variance Request, Email from SLO

Copy: Murchison Oil and Gas, Inc.
New Mexico State Land Office, Ed Martin

Statement Explaining Why the Applicant Seeks a Variance

The prescriptive mandates of the Rule that are the subject of this variance request are the following subsections of 19.15.17.13.E:

E. Closure notice.

(1) The operator shall notify the surface owner by certified mail, return receipt requested that the operator plans closure operations at least 72 hours, but not more than one week, prior to any closure operation. Notice shall include well name, API number and location. Evidence of mailing of the notice to the address of the surface owner shown in the county tax records is sufficient to demonstrate compliance with this requirement.

Hicks Consultants includes SLO by carbon copy of the closure notice emails sent to NMOCD. This eliminates a delay in receipt of the notice by SLO and facilitates real-time dialogue between SLO, NMOCD, Hicks Consultants, and the operator should any questions arise about the closure. On November 24, 2014, Ed Martin of SLO confirmed that email is an acceptable method of copy for the notices of closure.

Demonstration that the Variance Will Provide Equal or Better Protection of Fresh Water, Public Health and the Environment

Approval of an email copy of the closure notice for a temporary pit to substitute for one sent via U.S. Mail would offer a reduction of paper received and stored at the State Land Office and well as energy expended (carbon-emitted) to produce and ship the document. Lowering the carbon footprint provides better protection of the environment than compliance with the prescriptive mandate of the Rule.

From: [Martin, Ed](#)
To: [Randall Hicks](#)
Subject: RE: Notice for In-place burial for Yates Petroleum Corporation Caravan State Unit No. 7H , 8H
Date: Monday, November 24, 2014 7:58:11 AM

Email is fine with me.

Ed Martin
New Mexico State Land Office
Oil & Gas Manager
Oil, Gas, and Minerals Division
Phone: 505-827-5746
Fax: 505-827-4739

From: Randall Hicks [<mailto:r@rthicksconsult.com>]
Sent: Wednesday, November 19, 2014 6:41 PM
To: Martin, Ed
Cc: mike@rthicksconsult.com
Subject: FW: Notice for In-place burial for Yates Petroleum Corporation Caravan State Unit No. 7H , 8H

Ed

Is a certified paper copy of this letter useful to you or would you support a variance request to ship you this stuff via email with a receipt request? Artesia OCD requires paper but Hobbs and Santa Fe want email only.

What is best for you?

Randall T. Hicks
505-266-5004 (office)
505-238-9515 (cell and best number to use)

From: Mike Stubblefield [<mailto:mike@rthicksconsult.com>]
Sent: Wednesday, November 19, 2014 5:36 PM
To: tomas.oberding@state.nm.us
Cc: tim@yatespetroleum.com; ScottP@yatespetroleum.com; 'Randall Hicks'
Subject: Notice for In-place burial for Yates Petroleum Corporation Caravan State Unit No. 7H , 8H

Dear Dr. Oberding,

R.T. Hicks Consultants, LTD is sending the In-place Burial Notice for Yates Petroleum Corporation Caravan State Unit No. 7H & 8H drilling pit. A letter send by certified mail will be provided to the New Mexico State Land Office. I will follow-up this letter with a phone call to you. Please let me know if additional information is required.


Sincerely,

Mike Stubblefield
R.T. Hicks Consultants, LTD/Project Manager

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>

ATTACHMENT 2




On-site Burial Center
 Lat: 32.19682
 Long: -103.59322
 (NAD8)

Wellhead

Legend

-  On-site Burial Center
-  On-site Burial Cell
-  Location



<p>R.T. Hicks Consultants, Ltd 901 Rio Grande Blvd NW Suite F-142 Albuquerque, NM 87104 Ph: 505.266.5004</p>	<p>On-Site Burial Location of Temporary Pit in relation to well pad Murchison Oil and Gas, Inc. Bettis 20 State Com #3H</p>	<p>Plate 1 C-105 form July 2015</p>
---	--	---

ATTACHMENT 3

Waste Material Sampling Analytical Results

After NMOCD approved a 3-month extension for closure on November 24, 2014, 4-point composite samples were collected from the contents of the outer and inner cells of the temporary pit and from the clean soil of the berms beneath the liner on December 3 2014. The composite samples were submitted to Hall Environmental Analysis Laboratory in Albuquerque for BTEX (8260B), GRO+DRO (8015D), TPH (418.1), and Chloride (SM4500) analyses. These component samples were used to determine a calculated concentration for the “3:1 stabilized cuttings” by mathematically combining 1 part pit contents and 3 parts clean soil (mixing dirt). The weighted pit composite calculation consisted of 25% solids from the inner cell of the drilling pit and 75% of the solids from the outer cell, representative of the volume of cuttings in each cell.

Sampling Pit Contents 12/3/2014



As shown in the table below, laboratory analyses of the component samples and the calculation of the “3:1 Stabilized Cuttings” concentration “demonstrate that, after the waste is solidified or stabilized with soil or other non-waste material at a ratio of no more than 3:1 soil or other non-waste material to waste, the concentration of any contaminant in the stabilized waste is not higher than the parameters listed in Table II of 19.15.17.13 NMAC.”

Bettis 20 St. Com #3H pit Sample Name	Sample Type	Sample Date	Chloride 80,000	Benzene 10	BTEX 50	GRO+ DRO 1000	TPH 418.1 2500
Inner Composite	4-pt field comp.	12/3/2014	4,400	ND	ND	2,000	4,400
Outer Composite	4-pt field comp.	12/3/2014	23,000	1.0	16.0	2,500	5,500
Mixing Dirt	5-pt field comp.	12/3/2014	ND	ND	ND	ND	ND
3:1 Stabilized CALCULATED <i>(3 parts mixing dirt, 1 part weighted pit cuttings)</i>			4,587.50	0.19	3.00	593.75	1,306.25

ND = Not detected at the laboratory's reporting limit

All values are mg/kg



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

December 16, 2014

Kristin Pope

R.T. Hicks Consultants, LTD

901 Rio Grande Blvd. NW

Suite F-142

Albuquerque, NM 87104

TEL: (505) 266-5004

FAX (505) 266-0745

RE: Murchison-Bettis 20 St Com #3H Pit

OrderNo.: 1412450

Dear Kristin Pope:

Hall Environmental Analysis Laboratory received 1 sample(s) on 12/9/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a white background.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1412450

Date Reported: 12/16/2014

CLIENT: R.T. Hicks Consultants, LTD

Client Sample ID: Outer Comp

Project: Murchison-Bettis 20 St Com #3H Pit

Collection Date: 12/3/2014 4:22:00 PM

Lab ID: 1412450-001

Matrix: SOIL

Received Date: 12/9/2014 9:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE ORGANICS							Analyst: BCN
Diesel Range Organics (DRO)	2300	98		mg/Kg	10	12/11/2014 12:49:14 PM	16749
Motor Oil Range Organics (MRO)	1200	490		mg/Kg	10	12/11/2014 12:49:14 PM	16749
Surr: DNOP	0	63.5-128	S	%REC	10	12/11/2014 12:49:14 PM	16749
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	200	5.0		mg/Kg	1	12/13/2014 12:06:22 AM	16755
Surr: BFB	611	80-120	S	%REC	1	12/13/2014 12:06:22 AM	16755
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	1.0	0.050		mg/Kg	1	12/13/2014 12:06:22 AM	16755
Toluene	4.9	0.050		mg/Kg	1	12/13/2014 12:06:22 AM	16755
Ethylbenzene	2.0	0.050		mg/Kg	1	12/13/2014 12:06:22 AM	16755
Xylenes, Total	8.1	0.10		mg/Kg	1	12/13/2014 12:06:22 AM	16755
Surr: 4-Bromofluorobenzene	160	80-120	S	%REC	1	12/13/2014 12:06:22 AM	16755
EPA METHOD 300.0: ANIONS							Analyst: Igp
Chloride	23000	750		mg/Kg	500	12/12/2014 4:56:25 PM	16793
EPA METHOD 418.1: TPH							Analyst: JME
Petroleum Hydrocarbons, TR	5500	200		mg/Kg	10	12/11/2014 12:00:00 PM	16754

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:		
*	Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
E	Value above quantitation range	H Holding times for preparation or analysis exceeded
J	Analyte detected below quantitation limits	ND Not Detected at the Reporting Limit
O	RSD is greater than RSDlimit	P Sample pH greater than 2.
R	RPD outside accepted recovery limits	RL Reporting Detection Limit
S	Spike Recovery outside accepted recovery limits	

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412450

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	MB-16793	SampType:	MBLK	TestCode:	EPA Method 300.0: Anions					
Client ID:	PBS	Batch ID:	16793	RunNo:	23135					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	683185	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	LCS-16793	SampType:	LCS	TestCode:	EPA Method 300.0: Anions					
Client ID:	LCSS	Batch ID:	16793	RunNo:	23135					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	683186	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.1	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412450

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID MB-16754	SampType: MBLK		TestCode: EPA Method 418.1: TPH							
Client ID: PBS	Batch ID: 16754		RunNo: 23077							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 681824		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND	20								

Sample ID LCS-16754	SampType: LCS		TestCode: EPA Method 418.1: TPH							
Client ID: LCSS	Batch ID: 16754		RunNo: 23077							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 681825		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	110	20	100.0	0	106	80	120			

Sample ID LCSD-16754	SampType: LCSD		TestCode: EPA Method 418.1: TPH							
Client ID: LCSS02	Batch ID: 16754		RunNo: 23077							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 681826		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	100	20	100.0	0	101	80	120	4.41	20	

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412450

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	LCS-16749	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	16749	RunNo:	23040					
Prep Date:	12/9/2014	Analysis Date:	12/10/2014	SeqNo:	680736	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.00	0	99.1	68.6	130			
Surr: DNOP	4.3		5.000		85.1	63.5	128			

Sample ID	MB-16749	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	16749	RunNo:	23040					
Prep Date:	12/9/2014	Analysis Date:	12/10/2014	SeqNo:	680982	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	7.2		10.00		71.8	63.5	128			

Sample ID	MB-16790	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	16790	RunNo:	23097					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	682602	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	9.0		10.00		89.8	63.5	128			

Sample ID	LCS-16790	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	16790	RunNo:	23097					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	682603	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	4.2		5.000		84.7	63.5	128			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412450

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID MB-16757	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 681989		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	920		1000		91.9	80	120			

Sample ID LCS-16757	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 681990		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	990		1000		98.8	80	120			

Sample ID MB-16755	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682012		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	930		1000		93.5	80	120			

Sample ID LCS-16755	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682013		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	20	5.0	25.00	0	82.0	65.8	139			
Surr: BFB	1000		1000		102	80	120			

Sample ID LCSD-16755	SampType: LCSD		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS02	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682014		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	1000							0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412450

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID MB-16757	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682023		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.99		1.000		99.3	80	120			

Sample ID LCS-16757	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682024		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.0		1.000		105	80	120			

Sample ID MB-16755	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682039		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120			

Sample ID LCS-16755	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682040		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.050	1.000	0	98.8	80	120			
Toluene	0.99	0.050	1.000	0	99.3	80	120			
Ethylbenzene	1.0	0.050	1.000	0	102	80	120			
Xylenes, Total	3.0	0.10	3.000	0	101	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120			

Sample ID LCSD-16755	SampType: LCSD		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS02	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682041		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.050	1.000	0	99.2	80	120	0.369	20	
Toluene	0.96	0.050	1.000	0	96.2	80	120	3.23	20	
Ethylbenzene	1.0	0.050	1.000	0	103	80	120	0.956	20	
Xylenes, Total	3.1	0.10	3.000	0	102	80	120	1.13	20	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412450

16-Dec-14

Client: R.T. Hicks Consultants, LTD**Project:** Murchison-Bettis 20 St Com #3H Pit

Sample ID	LCSD-16755	SampType:	LCSD	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSS02	Batch ID:	16755	RunNo:	23073					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	682041	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120	0		

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

Client Name: RT HICKS

Work Order Number: 1412450

RcptNo: 1

Received by/date: CS 12/09/14
 Logged By: Ashley Gallegos 12/9/2014 9:45:00 AM
 Completed By: Ashley Gallegos 12/9/2014 2:52:05 PM
 Reviewed By: [Signature] 12/09/14

[Signature]
 [Signature]

Chain of Custody

- 1. Custody seals intact on sample bottles? Yes No Not Present
- 2. Is Chain of Custody complete? Yes No Not Present
- 3. How was the sample delivered? Courier

Log In

- 4. Was an attempt made to cool the samples? Yes No NA
- 5. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
- 6. Sample(s) in proper container(s)? Yes No
- 7. Sufficient sample volume for indicated test(s)? Yes No
- 8. Are samples (except VOA and ONG) properly preserved? Yes No
- 9. Was preservative added to bottles? Yes No NA
- 10. VOA vials have zero headspace? Yes No No VOA Vials
- 11. Were any sample containers received broken? Yes No
- 12. Does paperwork match bottle labels? Yes No # of preserved bottles checked for pH: (<2 or >12 unless noted)
- 13. Are matrices correctly identified on Chain of Custody? Yes No Adjusted?
- 14. Is it clear what analyses were requested? Yes No
- 15. Were all holding times able to be met? Yes No Checked by:

Special Handling (if applicable)

- 16. Was client notified of all discrepancies with this order? Yes No NA

Person Notified: _____ Date: _____
 By Whom: _____ Via: eMail Phone Fax In Person
 Regarding: _____
 Client Instructions: _____

17. Additional remarks:

18. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.2	Good	Yes			



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

December 16, 2014

Kristin Pope

R.T. Hicks Consultants, LTD

901 Rio Grande Blvd. NW

Suite F-142

Albuquerque, NM 87104

TEL: (505) 266-5004

FAX (505) 266-0745

RE: Murchison-Bettis 20 St Com #3H Pit

OrderNo.: 1412453

Dear Kristin Pope:

Hall Environmental Analysis Laboratory received 1 sample(s) on 12/9/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a light blue horizontal line.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1412453

Date Reported: 12/16/2014

CLIENT: R.T. Hicks Consultants, LTD

Client Sample ID: Mixing Dirt Comp

Project: Murchison-Bettis 20 St Com #3H Pit

Collection Date: 12/3/2014 2:42:00 PM

Lab ID: 1412453-001

Matrix: SOIL

Received Date: 12/9/2014 9:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE ORGANICS							Analyst: BCN
Diesel Range Organics (DRO)	ND	10		mg/Kg	1	12/12/2014 2:33:09 PM	16749
Motor Oil Range Organics (MRO)	ND	50		mg/Kg	1	12/12/2014 2:33:09 PM	16749
Surr: DNOP	76.2	63.5-128		%REC	1	12/12/2014 2:33:09 PM	16749
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	12/13/2014 12:35:00 AM	16755
Surr: BFB	93.0	80-120		%REC	1	12/13/2014 12:35:00 AM	16755
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.050		mg/Kg	1	12/13/2014 12:35:00 AM	16755
Toluene	ND	0.050		mg/Kg	1	12/13/2014 12:35:00 AM	16755
Ethylbenzene	ND	0.050		mg/Kg	1	12/13/2014 12:35:00 AM	16755
Xylenes, Total	ND	0.10		mg/Kg	1	12/13/2014 12:35:00 AM	16755
Surr: 4-Bromofluorobenzene	92.5	80-120		%REC	1	12/13/2014 12:35:00 AM	16755
EPA METHOD 300.0: ANIONS							Analyst: Igp
Chloride	ND	30		mg/Kg	20	12/12/2014 5:08:50 PM	16793
EPA METHOD 418.1: TPH							Analyst: JME
Petroleum Hydrocarbons, TR	ND	18		mg/Kg	1	12/11/2014 12:00:00 PM	16754

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	O	RSD is greater than RSDlimit	P	Sample pH greater than 2.
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit
	S	Spike Recovery outside accepted recovery limits		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412453

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	MB-16793	SampType:	MBLK	TestCode:	EPA Method 300.0: Anions					
Client ID:	PBS	Batch ID:	16793	RunNo:	23135					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	683185	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	LCS-16793	SampType:	LCS	TestCode:	EPA Method 300.0: Anions					
Client ID:	LCSS	Batch ID:	16793	RunNo:	23135					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	683186	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.1	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412453

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	MB-16754	SampType:	MBLK	TestCode:	EPA Method 418.1: TPH					
Client ID:	PBS	Batch ID:	16754	RunNo:	23077					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	681824	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND	20								

Sample ID	LCS-16754	SampType:	LCS	TestCode:	EPA Method 418.1: TPH					
Client ID:	LCSS	Batch ID:	16754	RunNo:	23077					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	681825	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	110	20	100.0	0	106	80	120			

Sample ID	LCSD-16754	SampType:	LCSD	TestCode:	EPA Method 418.1: TPH					
Client ID:	LCSS02	Batch ID:	16754	RunNo:	23077					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	681826	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	100	20	100.0	0	101	80	120	4.41	20	

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412453

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	LCS-16749	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	16749	RunNo:	23040					
Prep Date:	12/9/2014	Analysis Date:	12/10/2014	SeqNo:	680736	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.00	0	99.1	68.6	130			
Surr: DNOP	4.3		5.000		85.1	63.5	128			

Sample ID	MB-16749	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	16749	RunNo:	23040					
Prep Date:	12/9/2014	Analysis Date:	12/10/2014	SeqNo:	680982	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	7.2		10.00		71.8	63.5	128			

Sample ID	MB-16790	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	16790	RunNo:	23097					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	682602	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	9.0		10.00		89.8	63.5	128			

Sample ID	LCS-16790	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	16790	RunNo:	23097					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	682603	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	4.2		5.000		84.7	63.5	128			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412453

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID MB-16757	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 681989		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	920		1000		91.9	80	120			

Sample ID LCS-16757	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 681990		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	990		1000		98.8	80	120			

Sample ID MB-16755	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682012		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	930		1000		93.5	80	120			

Sample ID LCS-16755	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682013		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	20	5.0	25.00	0	82.0	65.8	139			
Surr: BFB	1000		1000		102	80	120			

Sample ID LCSD-16755	SampType: LCSD		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS02	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682014		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	1000							0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412453

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID MB-16757	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682023				Units: %REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.99		1.000		99.3	80	120			

Sample ID LCS-16757	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682024				Units: %REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.0		1.000		105	80	120			

Sample ID MB-16755	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682039				Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120			

Sample ID LCS-16755	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682040				Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.050	1.000	0	98.8	80	120			
Toluene	0.99	0.050	1.000	0	99.3	80	120			
Ethylbenzene	1.0	0.050	1.000	0	102	80	120			
Xylenes, Total	3.0	0.10	3.000	0	101	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120			

Sample ID LCSD-16755	SampType: LCSD		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS02	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682041				Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.050	1.000	0	99.2	80	120	0.369	20	
Toluene	0.96	0.050	1.000	0	96.2	80	120	3.23	20	
Ethylbenzene	1.0	0.050	1.000	0	103	80	120	0.956	20	
Xylenes, Total	3.1	0.10	3.000	0	102	80	120	1.13	20	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412453

16-Dec-14

Client: R.T. Hicks Consultants, LTD**Project:** Murchison-Bettis 20 St Com #3H Pit

Sample ID	LCSD-16755	SampType:	LCSD	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSS02	Batch ID:	16755	RunNo:	23073					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	682041	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120	0		

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

Sample Log-In Check List

Client Name: RT HICKS

Work Order Number: 1412453

RcptNo: 1

Received by/date:

CS

12/09/14

Logged By: Ashley Gallegos

12/9/2014 9:45:00 AM

AG

Completed By: Ashley Gallegos

12/9/2014 2:56:40 PM

AG

Reviewed By:

[Signature]

12/09/14

Chain of Custody

- 1. Custody seals intact on sample bottles? Yes No Not Present
- 2. Is Chain of Custody complete? Yes No Not Present
- 3. How was the sample delivered? Courier

Log In

- 4. Was an attempt made to cool the samples? Yes No NA
- 5. Were all samples received at a temperature of >0° C to 6.0° C? Yes No NA
- 6. Sample(s) in proper container(s)? Yes No
- 7. Sufficient sample volume for indicated test(s)? Yes No
- 8. Are samples (except VOA and ONG) properly preserved? Yes No
- 9. Was preservative added to bottles? Yes No NA
- 10. VOA vials have zero headspace? Yes No No VOA Vials
- 11. Were any sample containers received broken? Yes No
- 12. Does paperwork match bottle labels? Yes No # of preserved bottles checked for pH: (<2 or >12 unless noted)
- 13. Are matrices correctly identified on Chain of Custody? Yes No Adjusted?
- 14. Is it clear what analyses were requested? Yes No
- 15. Were all holding times able to be met? Yes No Checked by:

Special Handling (if applicable)

- 16. Was client notified of all discrepancies with this order? Yes No NA

Person Notified: _____ Date: _____
 By Whom: _____ Via: eMail Phone Fax In Person
 Regarding: _____
 Client Instructions: _____

17. Additional remarks:

18. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.2	Good	Yes			



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

December 16, 2014

Kristin Pope

R.T. Hicks Consultants, LTD

901 Rio Grande Blvd. NW

Suite F-142

Albuquerque, NM 87104

TEL: (505) 266-5004

FAX (505) 266-0745

RE: Murchison-Bettis 20 St Com #3H Pit

OrderNo.: 1412448

Dear Kristin Pope:

Hall Environmental Analysis Laboratory received 1 sample(s) on 12/9/2014 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0190

Sincerely,

A handwritten signature in black ink, appearing to read 'Andy Freeman', is written over a white background.

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 1412448

Date Reported: 12/16/2014

CLIENT: R.T. Hicks Consultants, LTD

Client Sample ID: Inner Comp

Project: Murchison-Bettis 20 St Com #3H Pit

Collection Date: 12/3/2014 4:30:00 PM

Lab ID: 1412448-001

Matrix: SOIL

Received Date: 12/9/2014 9:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D: DIESEL RANGE ORGANICS							Analyst: BCN
Diesel Range Organics (DRO)	2000	100		mg/Kg	10	12/11/2014 2:20:09 PM	16749
Motor Oil Range Organics (MRO)	1200	500		mg/Kg	10	12/11/2014 2:20:09 PM	16749
Surr: DNOP	0	63.5-128	S	%REC	10	12/11/2014 2:20:09 PM	16749
EPA METHOD 8015D: GASOLINE RANGE							Analyst: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	12/12/2014 11:37:39 PM	16755
Surr: BFB	96.3	80-120		%REC	1	12/12/2014 11:37:39 PM	16755
EPA METHOD 8021B: VOLATILES							Analyst: NSB
Benzene	ND	0.050		mg/Kg	1	12/12/2014 11:37:39 PM	16755
Toluene	ND	0.050		mg/Kg	1	12/12/2014 11:37:39 PM	16755
Ethylbenzene	ND	0.050		mg/Kg	1	12/12/2014 11:37:39 PM	16755
Xylenes, Total	ND	0.10		mg/Kg	1	12/12/2014 11:37:39 PM	16755
Surr: 4-Bromofluorobenzene	96.4	80-120		%REC	1	12/12/2014 11:37:39 PM	16755
EPA METHOD 300.0: ANIONS							Analyst: Igp
Chloride	4400	750		mg/Kg	500	12/12/2014 4:31:34 PM	16793
EPA METHOD 418.1: TPH							Analyst: JME
Petroleum Hydrocarbons, TR	4400	220		mg/Kg	10	12/11/2014 12:00:00 PM	16754

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank	
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded	
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit	Page 1 of 7
	O	RSD is greater than RSDlimit	P	Sample pH greater than 2.	
	R	RPD outside accepted recovery limits	RL	Reporting Detection Limit	
	S	Spike Recovery outside accepted recovery limits			

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412448

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	MB-16793	SampType:	MBLK	TestCode:	EPA Method 300.0: Anions					
Client ID:	PBS	Batch ID:	16793	RunNo:	23135					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	683185	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID	LCS-16793	SampType:	LCS	TestCode:	EPA Method 300.0: Anions					
Client ID:	LCSS	Batch ID:	16793	RunNo:	23135					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	683186	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.1	90	110			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412448

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	MB-16754	SampType:	MBLK	TestCode:	EPA Method 418.1: TPH					
Client ID:	PBS	Batch ID:	16754	RunNo:	23077					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	681824	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	ND	20								

Sample ID	LCS-16754	SampType:	LCS	TestCode:	EPA Method 418.1: TPH					
Client ID:	LCSS	Batch ID:	16754	RunNo:	23077					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	681825	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	110	20	100.0	0	106	80	120			

Sample ID	LCSD-16754	SampType:	LCSD	TestCode:	EPA Method 418.1: TPH					
Client ID:	LCSS02	Batch ID:	16754	RunNo:	23077					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	681826	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Petroleum Hydrocarbons, TR	100	20	100.0	0	101	80	120	4.41	20	

Qualifiers:

- | | |
|---|--|
| * Value exceeds Maximum Contaminant Level. | B Analyte detected in the associated Method Blank |
| E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| J Analyte detected below quantitation limits | ND Not Detected at the Reporting Limit |
| O RSD is greater than RSDlimit | P Sample pH greater than 2. |
| R RPD outside accepted recovery limits | RL Reporting Detection Limit |
| S Spike Recovery outside accepted recovery limits | |

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412448

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	LCS-16749	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	16749	RunNo:	23040					
Prep Date:	12/9/2014	Analysis Date:	12/10/2014	SeqNo:	680736	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	50	10	50.00	0	99.1	68.6	130			
Surr: DNOP	4.3		5.000		85.1	63.5	128			

Sample ID	MB-16749	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	16749	RunNo:	23040					
Prep Date:	12/9/2014	Analysis Date:	12/10/2014	SeqNo:	680982	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	7.2		10.00		71.8	63.5	128			

Sample ID	MB-16790	SampType:	MBLK	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	PBS	Batch ID:	16790	RunNo:	23097					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	682602	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	9.0		10.00		89.8	63.5	128			

Sample ID	LCS-16790	SampType:	LCS	TestCode:	EPA Method 8015D: Diesel Range Organics					
Client ID:	LCSS	Batch ID:	16790	RunNo:	23097					
Prep Date:	12/12/2014	Analysis Date:	12/12/2014	SeqNo:	682603	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	4.2		5.000		84.7	63.5	128			

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412448

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID	MB-16757	SampType:	MBLK	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	PBS	Batch ID:	16757	RunNo:	23073					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	681989	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	920		1000		91.9	80	120			

Sample ID	LCS-16757	SampType:	LCS	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	LCSS	Batch ID:	16757	RunNo:	23073					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	681990	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	990		1000		98.8	80	120			

Sample ID	MB-16755	SampType:	MBLK	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	PBS	Batch ID:	16755	RunNo:	23073					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	682012	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	930		1000		93.5	80	120			

Sample ID	LCS-16755	SampType:	LCS	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	LCSS	Batch ID:	16755	RunNo:	23073					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	682013	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	20	5.0	25.00	0	82.0	65.8	139			
Surr: BFB	1000		1000		102	80	120			

Sample ID	LCSD-16755	SampType:	LCSD	TestCode:	EPA Method 8015D: Gasoline Range					
Client ID:	LCSS02	Batch ID:	16755	RunNo:	23073					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	682014	Units:	%REC			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	1000							0	0	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412448

16-Dec-14

Client: R.T. Hicks Consultants, LTD
Project: Murchison-Bettis 20 St Com #3H Pit

Sample ID MB-16757	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682023		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.99		1.000		99.3	80	120			

Sample ID LCS-16757	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 16757		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682024		Units: %REC					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.0		1.000		105	80	120			

Sample ID MB-16755	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682039		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.050								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120			

Sample ID LCS-16755	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682040		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.050	1.000	0	98.8	80	120			
Toluene	0.99	0.050	1.000	0	99.3	80	120			
Ethylbenzene	1.0	0.050	1.000	0	102	80	120			
Xylenes, Total	3.0	0.10	3.000	0	101	80	120			
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120			

Sample ID LCSD-16755	SampType: LCSD		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS02	Batch ID: 16755		RunNo: 23073							
Prep Date: 12/10/2014	Analysis Date: 12/11/2014		SeqNo: 682041		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.99	0.050	1.000	0	99.2	80	120	0.369	20	
Toluene	0.96	0.050	1.000	0	96.2	80	120	3.23	20	
Ethylbenzene	1.0	0.050	1.000	0	103	80	120	0.956	20	
Xylenes, Total	3.1	0.10	3.000	0	102	80	120	1.13	20	

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits
- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 1412448

16-Dec-14

Client: R.T. Hicks Consultants, LTD**Project:** Murchison-Bettis 20 St Com #3H Pit

Sample ID	LCSD-16755	SampType:	LCSD	TestCode:	EPA Method 8021B: Volatiles					
Client ID:	LCSS02	Batch ID:	16755	RunNo:	23073					
Prep Date:	12/10/2014	Analysis Date:	12/11/2014	SeqNo:	682041	Units:	mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	1.1		1.000		107	80	120	0		

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- E Value above quantitation range
- J Analyte detected below quantitation limits
- O RSD is greater than RSDlimit
- R RPD outside accepted recovery limits
- S Spike Recovery outside accepted recovery limits

- B Analyte detected in the associated Method Blank
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- P Sample pH greater than 2.
- RL Reporting Detection Limit

Sample Log-In Check List

Client Name: RT HICKS

Work Order Number: 1412448

RcptNo: 1

Received by/date:

CS

12/09/14

Logged By: Ashley Gallegos

12/9/2014 9:45:00 AM

AG

Completed By: Ashley Gallegos

12/9/2014 2:44:28 PM

AG

Reviewed By:

[Signature]

12/09/14

Chain of Custody

- 1. Custody seals intact on sample bottles? Yes No Not Present
- 2. Is Chain of Custody complete? Yes No Not Present
- 3. How was the sample delivered? Courier

Log In

- 4. Was an attempt made to cool the samples? Yes No NA
- 5. Were all samples received at a temperature of >0° C to 6.0°C Yes No NA
- 6. Sample(s) in proper container(s)? Yes No
- 7. Sufficient sample volume for indicated test(s)? Yes No
- 8. Are samples (except VOA and ONG) properly preserved? Yes No
- 9. Was preservative added to bottles? Yes No NA
- 10. VOA vials have zero headspace? Yes No No VOA Vials
- 11. Were any sample containers received broken? Yes No
- 12. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes No # of preserved bottles checked for pH: (<2 or >12 unless noted)
- 13. Are matrices correctly identified on Chain of Custody? Yes No Adjusted?
- 14. Is it clear what analyses were requested? Yes No
- 15. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes No Checked by:

Special Handling (if applicable)

- 16. Was client notified of all discrepancies with this order? Yes No NA

Person Notified: _____ Date: _____
 By Whom: _____ Via: eMail Phone Fax In Person
 Regarding: _____
 Client Instructions: _____

17. Additional remarks:

Cooler Information


Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.2	Good	Yes			

HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107



Standard Rush

Project Name:

Murchison -

Bills 20 St. Com #34 pit

Project #:

Project Manager:

Kristin Pope

Sampler:

Kristin Pope

On ice: Yes No

Sample Temperature: *5.2°C*

Container Type and #

1 glass ice

Preservative Type

HEAL No. *1412448*

-C01

Date Time Matrix Sample Request ID

12/14 1630 soil basic comp.

Analysis Request

<input checked="" type="checkbox"/> BTEX + MTBE + TMBs (8021)	<input checked="" type="checkbox"/>
BTEX + MTBE + TPH (Gas only)	<input checked="" type="checkbox"/>
TPH Method 8015B (Gas/Diesel)	<input checked="" type="checkbox"/>
TPH (Method 418.1)	<input checked="" type="checkbox"/>
EDB (Method 504.1)	<input type="checkbox"/>
8310 (PNA or PAH)	<input type="checkbox"/>
RCRA 8 Metals	<input checked="" type="checkbox"/>
Anions (Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	<input checked="" type="checkbox"/>
8081 Pesticides / 8082 PCBs	<input type="checkbox"/>
8260B (VOA)	<input type="checkbox"/>
8270 (Semi-VOA)	<input checked="" type="checkbox"/>

100 grams

Remarks: Email results to R. kristin@rthicksconsult.com

Received by: *Kristin Pope* Date Time *12/01/14 0945*

Relinquished by: *Kristin Pope* Date Time

Client: R. T. Hicks Consultants

Mailing Address: 901 Rio Grande Blvd NW

Albuquerque, NM 87104

Phone #: (505) 266-5004

email or Fax#: R@rthicksconsult.com

QA/QC Package:

Standard Level 4 (Full Validation)

Accreditation:

NELAP Other

EDD (Type)

ATTACHMENT 4

SOIL BACKFILLING & COVER INSTALLATION

In accordance with the requirements listed in paragraph D of 19.15.17.13 NMAC, the operator employed the following steps for in-place burial of the waste material from the temporary pit:

1. Siting criteria and operations of the pit complied with the C-144 application and the Pit Rule under which it was submitted to the NMOCD on March 13, 2014 and approved on April 7, 2014. After the rig was released on May 24, 2014, fluid contents in the pit were removed to be recycled for the drilling of other wells while the cuttings were allowed to dry.
2. In anticipation of possibly elevated hydrocarbon concentrations, Micro-Blaze® microbial product was applied to the cuttings in September 2014. That autumn saw unusually high rainfall which significantly delayed the drying and sampling of the pit contents. NMOCD granted a 3-month closure extension in November.
3. Micro-Blaze® was applied again on December 3, 2014. Also on December 3, prior to the initiation of closure activities, samples of the inner and outer cells and clean soil from the berms of the pit below the liner were recovered from the pit. These were mixed in a ratio of 3 parts clean soil to 1 part cuttings and were analyzed for Chloride, TPH, GRO, DRO, MRO, Benzene, and BTEX at Hall Environmental Analysis Laboratory of Albuquerque, New Mexico. The results, as noted in the subsequent closure notice and Attachment 3 of this report, demonstrated that the stabilized pit contents would not exceed the parameter limits listed in Table II of the Pit Rule.
4. A closure notice was submitted to the NMOCD, District 1 office in Hobbs and to the State Land Office on February 20, 2015. Verbal notice in the form of a phone call to NMOCD was placed on the same day.
5. On February 24, 2015, closure activities commenced and stabilization of the pit contents was achieved by mixing the pit contents with the dry soil beneath the liner of the pit and the some soil from the dividing berms. On May 6, 2015, a paint filter test was performed by R.T. Hicks Consultants that confirmed that the process was complete and that the stabilized cuttings were located at least 4 feet below grade.
6. Following the May 6, 2015 inspection, having achieved all applicable stabilization requirements associated with in-place burial, a geomembrane liner was installed to completely cover the stabilized cuttings on May 8, 2015. The pit contents and liner were

shaped to shed infiltrating water.

7. Once the geomembrane cover was in place, approximately 4 feet or more of non-waste containing, uncontaminated, earthen material and the reserved topsoil were replaced to their relative positions in accordance with Subsection (3) of Paragraph H of 19.15.17.13 NMAC. The soil cover consists of at least four feet of compacted, non-waste containing, earthen material. The uppermost topsoil is equal to the background thickness at least one foot. The surface was contoured to blend with the surrounding topography and to prevent erosion and the ponding of water over the on-site closure. This work was completed on May 12, 2015.

Closure Letter Attachment 4
Murchison – Bettis 20 State Com #3H
API #30-025-41437



Beginning closure mixing 2/24/2015



Paint filter test on stabilized cuttings
5/6/2015



Geomembrane cover over stabilized cuttings
5/8/2015

ATTACHMENT 5

RE-VEGETATION PROCEDURES

There were no roads or surface drainage features nearby that required restoration or preservation.

1. On June 20, 2015, Storm Construction seeded the topsoil of the on-site burial area using a seed drill pulled by a tractor that prepared the seedbed in the same pass using discs. The seed furrows were oriented perpendicular to the prevailing western wind to minimize erosion.
2. Approximately 48 pounds of a seed mixture consisting of 50% BLM #2 seed blend and 50% Homesteader's Choice blend was applied to approximately 1 acre of disturbance in accordance with the supplier's instructions to the former temporary pit area. Species constituents of each blend are listed below and are appropriate for the soil type and conditions at this site.

BLM #2

Sideoats Grama
Plains Bristlegrass
Sand Dropseed
Little Bluestem
Plains Coreopsis

Homesteader's Choice

Blue Grama
Buffalograss
Sideoats Grama
Western Wheatgrass
Sand Dropseed

3. A steel plate marking the site as an in-place pit closure has been placed on the surface at the center of the former pit location in accordance with Subsection (3) of Paragraph F of 19.15.17.13 NMAC.
4. The seeded area will be monitored for growth and the operator will repeat seeding until a successful vegetative cover is achieved as outlined in Subsection (5) of Paragraph H of 19.15.17.13 NMAC.
5. If conditions are not favorable for the establishment of vegetation, such as periods of drought, the operator may request that the division allow a delay in additional seeding until soil moisture conditions become favorable. The operator will notify the division and provide photo-documentation when it successful re-vegetation is achieved.

Closure Letter Attachment 5
Murchison – Bettis 20 State Com #3H
API #30-025-41437

4500 North Prince
 Clovis, NM 88120
 Phone: (505) 762-4759

Homesteader's Choice

Lot: 11502

Item	Origin	Purity	Germ	Dormant	Germ & Dormant	Lb
Blue Grama VNS	New Mexico	16.47%	67.00%	20.00%	87.00%	12
Kidney's Grama Vaughn	New Mexico	8.04%	77.00%	8.00%	82.00%	03
Western Wheatgrass Arriba	Idaho	16.54%	84.00%	0.00%	84.00%(TZ)	03
Sand Dropseed VNS	Colorado	4.96%	21.00%	74.00%	95.00%	01
Buffalograss Texoka	Texas	29.73%	96.00%	2.00%	98.00%	05
Other Crop:	1.33%	There Are 5 Bags For This Mix		Total Bulk Pounds:		
Weed Seed:	0.30%	This Bag Weighs 25.00 Bulk Pounds				
Inert Matter:	22.63%	Use This Bag For 1 Acres				
Washout:	None					

Homesteader's Choice seed mix
6/20/2015

Curtis and Curtis, Inc.
 4500 North Prince
 Clovis, NM 88120
 Phone: (505) 762-4759
 www.curtisseed.com

Storm Construction
 5 Acre BLM #2, Broadest Base
 5 - 1 Acre Bags @ 38.06 Bulk Pounds Each

Lot: M-12019

Item	Origin	Purity	Germ	Dormant	Total Weight	Test Date	Total P.L.B. Pounds
Sand Dropseed VNS	Colorado	11.06%	21.00%	74.00%	95.00%	01/15	20.00
Little Bluestem Blaze	Nebraska	16.25%	97.00%	0.00%	97.00%(TZ)	02/15	30
Creopsis Plains	Oregon	12.66%	83.00%	0.00%	83.00%(TZ)	11/14	25.00
Plains Bristlegrass VNS	Oklahoma	23.37%	15.00%	81.00%	96.00%	05/15	50
Leeds Grama Vaughn	Texas	20.48%	46.00%	31.00%	77.00%	11/14	25
er Crop:	0.42%	There Are 5 Bags For This Mix		Total Bulk Pounds:			190
eed:	0.40%	This Bag Weighs 38.06 Bulk Pounds					
ter Matter:	11.26%	Use This Bag For 1 Acres					

BLM #2 seed mix
6/20/2015

ATTACHMENT 6

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
Revised June 6, 2013

For temporary pits, below-grade tanks, and multi-well fluid management pits, submit to the appropriate NMOCD District Office.
For permanent pits submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

HOBBS OCD

MAR 14 2014

RECEIVED

- Type of action: Below grade tank registration
 Permit of a pit or proposed alternative method
 Closure of a pit, below-grade tank, or proposed alternative method
 Modification to an existing permit/or registration
 Closure plan only submitted for an existing permitted or non-permitted pit, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.
Operator: Murchison Oil & Gas, Inc. OGRID #: 15363
Address: 1100 Mira Vista Blvd., Plano, TX 75093-4698
Facility or well name: Bettis 20 State Com 3H
API Number: 30-025-41437 OCD Permit Number: PI-06546
U/L or Qtr/Qtr O Section 20 Township 24S Range 33E County: Lea
Center of Proposed Design: Latitude 32° 11' 47.213" N Longitude 103° 35' 35.091" W NAD: 1927 1983
Surface Owner: Federal State Private Tribal Trust or Indian Allotment

2.
 Pit: Subsection F, G or J of 19.15.17.11 NMAC
Temporary: Drilling Workover
 Permanent Emergency Cavitation P&A Multi-Well Fluid Management Low Chloride Drilling Fluid yes no
 Lined Unlined Liner type: Thickness 20 mil LLDPE HDPE PVC Other _____
 String-Reinforced
Liner Seams: Welded Factory Other _____ Volume: 23,712 bbl Dimensions: L 150 x W 170 x D 6-10 ft

3.
 Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume: _____ bbl Type of fluid: _____
Tank Construction material: _____
 Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
 Visible sidewalls and liner Visible sidewalls only Other _____
Liner type: Thickness _____ mil HDPE PVC Other _____

4.
 Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)
 Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)
 Four foot height, four strands of barbed wire evenly spaced between one and four feet
 Alternate. Please specify _____

6.

Netting: Subsection E of 19.15.17.11 NMAC (*Applies to permanent pits and permanent open top tanks*)

- Screen Netting Other _____
- Monthly inspections (If netting or screening is not physically feasible)

7.

Signs: Subsection C of 19.15.17.11 NMAC

- 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- Signed in compliance with 19.15.16.8 NMAC

8.

Variations and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

- Variance(s): Requests must be submitted to the appropriate division district for consideration of approval.
- Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

9.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Siting criteria does not apply to drying pads or above-grade tanks.

General siting

Ground water is less than 25 feet below the bottom of a low chloride temporary pit or below-grade tank.

- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

- Yes No
- NA

Ground water is less than 50 feet below the bottom of a Temporary pit, permanent pit, or Multi-Well Fluid Management pit.

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells **See Figures 1 & 2**

- Yes No
- NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. **(Does not apply to below grade tanks) See Figure 5**

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

- Yes No

Within the area overlying a subsurface mine. **(Does not apply to below grade tanks) See Figure 7**

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

- Yes No

Within an unstable area. **(Does not apply to below grade tanks) See Figure 8**

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

- Yes No

Within a 100-year floodplain. **(Does not apply to below grade tanks) See Figure 9**

- FEMA map

- Yes No

Below Grade Tanks

Within 100 feet of a continuously flowing watercourse, significant watercourse, lake bed, sinkhole, wetland or playa lake (measured from the ordinary high-water mark).

- Topographic map; Visual inspection (certification) of the proposed site

- Yes No

Within 200 horizontal feet of a spring or a fresh water well used for public or livestock consumption;

- NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

- Yes No

Temporary Pit using Low Chloride Drilling Fluid (maximum chloride content 15,000 mg/liter)

Within 100 feet of a continuously flowing watercourse, or any other significant watercourse or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). (Applies to low chloride temporary pits.)

- Topographic map; Visual inspection (certification) of the proposed site

- Yes No

Within 300 feet from a occupied permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image

- Yes No

Within 200 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 300feet of any other fresh water well or spring, in existence at the time of the initial application.

NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site

- Yes No

<p>Within 100 feet of a wetland.</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p><u>Temporary Pit Non-low chloride drilling fluid</u></p>	
<p>Within 300 feet of a continuously flowing watercourse, or any other significant watercourse, or within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). See Figure 3</p> <ul style="list-style-type: none"> - Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<p>Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</p> <ul style="list-style-type: none"> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image. See Figure 4 	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<p>Within 500 horizontal feet of a spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes, or 1000 feet of any other fresh water well or spring, in the existence at the time of the initial application;</p> <ul style="list-style-type: none"> - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site See Figures 1 & 2 	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<p>Within 300 feet of a wetland. See Figure 6</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<p><u>Permanent Pit or Multi-Well Fluid Management Pit</u></p>	
<p>Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).</p> <ul style="list-style-type: none"> - Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.</p> <ul style="list-style-type: none"> - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.</p> <ul style="list-style-type: none"> - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No
<p>Within 500 feet of a wetland.</p> <ul style="list-style-type: none"> - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	<input type="checkbox"/> Yes <input type="checkbox"/> No

10.

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria-Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

11.

Multi-Well Fluid Management Pit Checklist: Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- A List of wells with approved application for permit to drill associated with the pit.
- Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
- Hydrogeologic Data - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC

Previously Approved Design (attach copy of design) API Number: _____ or Permit Number: _____

12. **Permanent Pits Permit Application Checklist:** Subsection B of 19.15.17.9 NMAC

Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.

- Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Climatological Factors Assessment
- Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
- Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
- Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
- Quality Control/Quality Assurance Construction and Installation Plan
- Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
- Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
- Nuisance or Hazardous Odors, including H₂S, Prevention Plan
- Emergency Response Plan
- Oil Field Waste Stream Characterization
- Monitoring and Inspection Plan
- Erosion Control Plan
- Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC

13. **Proposed Closure:** 19.15.17.13 NMAC

Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.

- Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Multi-well Fluid Management Pit
 Alternative
- Proposed Closure Method: Waste Excavation and Removal
 Waste Removal (Closed-loop systems only)
 On-site Closure Method (Only for temporary pits and closed-loop systems)
 In-place Burial On-site Trench Burial
 Alternative Closure Method

14. **Waste Excavation and Removal Closure Plan Checklist:** (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*

- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
- Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

15. **Siting Criteria (regarding on-site closure methods only):** 19.15.17.10 NMAC

Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria require justifications and/or demonstrations of equivalency. Please refer to 19.15.17.10 NMAC for guidance.

Ground water is less than 25 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Ground water is between 25-50 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA
Within 100 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 horizontal feet of a private, domestic fresh water well or spring used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Written confirmation or verification from the municipality; Written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; Written approval obtained from the municipality

Yes No

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division

Yes No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map

Yes No

Within a 100-year floodplain.

- FEMA map

Yes No

16.

On-Site Closure Plan Checklist: (19.15.17.13 NMAC) *Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.*


- Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
- Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection E of 19.15.17.13 NMAC
- Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of Subsection K of 19.15.17.11 NMAC
- Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.11 NMAC
- Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
- Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC
- Waste Material Sampling Plan - based upon the appropriate requirements of 19.15.17.13 NMAC
- Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)
- Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Re-vegetation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
- Site Reclamation Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC

17.

Operator Application Certification:

I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.


Name (Print): Greg Boans Title: Production Superintendent

Signature:  Date: March 13, 2014

e-mail address: gboans@jdmii.com Telephone: (575) 361-4962

18.

OCD Approval: Permit Application (including closure plan) (only) OCD Conditions (see attachment)

OCD Representative Signature:  Environmental Specialist Approval Date: 4/7/14

Title: _____ OCD Permit Number: P1-06546

19.

Closure Report (required within 60 days of closure completion): 19.15.17.13 NMAC

Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.

Closure Completion Date: May 12, 2015

20.

Closure Method:

- Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only)
- If different from approved plan, please explain.

21.

Closure Report Attachment Checklist: *Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.*

- Proof of Closure Notice (surface owner and division)
- Proof of Deed Notice (required for on-site closure for private land only)
- Plot Plan (for on-site closures and temporary pits)
- Confirmation Sampling Analytical Results (if applicable)
- Waste Material Sampling Analytical Results (required for on-site closure)
- Disposal Facility Name and Permit Number
- Soil Backfilling and Cover Installation
- Re-vegetation Application Rates and Seeding Technique
- Site Reclamation (Photo Documentation)

On-site Closure Location: Latitude N 32.19682° Longitude W 103.59322° NAD: 1927 1983

Operator Closure Certification:

I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.

Name (Print): Kristin Pope Title: Agent for Murchison Oil and Gas, Inc.
Signature: *Kristin Pope* Date: July 27, 2015
e-mail address: kristin@rthicksconsult.com Telephone: (575) 302-6755